

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Alabama**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**18 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	1,728	17.1%	14.3
06 : Neurological	1,566	15.5%	11.9
20 : Miscellaneous	1,325	13.1%	11.2
03 : Non-traumatic brain injury	990	9.8%	11.5
07 : Fracture of lower extremity	908	9.0%	12.7
14 : Cardiac	770	7.6%	10.5
09 : Other orthopedic	755	7.5%	11.4
05 : Non-traumatic spinal cord injury	370	3.7%	13.6
02 : Traumatic brain injury	349	3.5%	12.3
08 : Replacement of lower extremity joint	343	3.4%	10.2
10 : Amputation, lower extremity	316	3.1%	12.4
17 : Major multiple trauma without brain or spinal cord injury	267	2.6%	12.8
15 : Pulmonary	229	2.3%	10.8
18 : Major multiple trauma with brain or spinal cord injury	55	0.5%	12.6
04 : Traumatic spinal cord injury	48	0.5%	15.9
12 : Osteoarthritis	19	0.2%	10.8
19 : Guillain Barre	18	0.2%	17.6
16 : Pain syndrome	17	0.2%	9.5
13 : Rheumatoid, other arthritis	17	0.2%	9.9
11 : Amputation, non-lower extremity	11	0.1%	12.0
<b>Top 20 RICs</b>	<b>10,101</b>	<b>100%</b>	<b>12.2</b>
<b>All RICs</b>	<b>10,103</b>	<b>100%</b>	<b>12.2</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Arkansas  
Discharges for most recent 4 quarters, ending Q4FY2019  
23 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
06 : Neurological	2,458	22.5%	11.4
20 : Miscellaneous	1,756	16.1%	10.7
01 : Stroke	1,594	14.6%	14.5
07 : Fracture of lower extremity	1,156	10.6%	13.1
03 : Non-traumatic brain injury	872	8.0%	11.4
09 : Other orthopedic	822	7.5%	11.5
14 : Cardiac	551	5.0%	9.7
08 : Replacement of lower extremity joint	465	4.3%	9.8
10 : Amputation, lower extremity	238	2.2%	12.5
05 : Non-traumatic spinal cord injury	232	2.1%	13.6
02 : Traumatic brain injury	220	2.0%	12.4
17 : Major multiple trauma without brain or spinal cord injury	199	1.8%	12.5
15 : Pulmonary	181	1.7%	10.0
04 : Traumatic spinal cord injury	51	0.5%	19.3
16 : Pain syndrome	35	0.3%	10.7
18 : Major multiple trauma with brain or spinal cord injury	30	0.3%	13.2
13 : Rheumatoid, other arthritis	27	0.2%	10.6
12 : Osteoarthritis	26	0.2%	10.9
11 : Amputation, non-lower extremity	14	0.1%	13.4
<b>Top 20 RICs</b>	<b>10,927</b>	<b>99.9%</b>	<b>11.9</b>
<b>All RICs</b>	<b>10,940</b>	<b>100%</b>	<b>11.9</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Arizona**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**26 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	1,909	18.1%	14.4
06 : Neurological	1,516	14.4%	11.4
07 : Fracture of lower extremity	1,378	13.1%	12.7
20 : Miscellaneous	1,314	12.5%	10.9
09 : Other orthopedic	998	9.5%	11.0
03 : Non-traumatic brain injury	808	7.7%	11.8
14 : Cardiac	554	5.3%	10.2
02 : Traumatic brain injury	402	3.8%	12.3
08 : Replacement of lower extremity joint	391	3.7%	10.0
17 : Major multiple trauma without brain or spinal cord injury	387	3.7%	12.1
05 : Non-traumatic spinal cord injury	308	2.9%	13.4
10 : Amputation, lower extremity	227	2.2%	12.7
15 : Pulmonary	118	1.1%	11.0
18 : Major multiple trauma with brain or spinal cord injury	95	0.9%	14.0
04 : Traumatic spinal cord injury	55	0.5%	18.5
19 : Guillain Barre	31	0.3%	20.0
13 : Rheumatoid, other arthritis	25	0.2%	11.1
12 : Osteoarthritis	21	0.2%	10.3
<b>Top 20 RICs</b>	<b>10,537</b>	<b>99.9%</b>	<b>12.1</b>
<b>All RICs</b>	<b>10,551</b>	<b>100%</b>	<b>12.1</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
California  
Discharges for most recent 4 quarters, ending Q4FY2019  
75 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	4,913	23.0%	14.5
06 : Neurological	2,413	11.3%	11.9
07 : Fracture of lower extremity	2,349	11.0%	12.9
20 : Miscellaneous	2,031	9.5%	11.7
03 : Non-traumatic brain injury	1,888	8.8%	12.0
09 : Other orthopedic	1,692	7.9%	11.3
05 : Non-traumatic spinal cord injury	1,411	6.6%	13.1
14 : Cardiac	1,195	5.6%	10.4
02 : Traumatic brain injury	913	4.3%	12.6
08 : Replacement of lower extremity joint	848	4.0%	10.5
10 : Amputation, lower extremity	437	2.0%	13.0
15 : Pulmonary	394	1.8%	11.0
17 : Major multiple trauma without brain or spinal cord injury	363	1.7%	12.8
04 : Traumatic spinal cord injury	206	1.0%	16.6
18 : Major multiple trauma with brain or spinal cord injury	156	0.7%	13.8
19 : Guillain Barre	58	0.3%	15.8
13 : Rheumatoid, other arthritis	32	0.1%	12.1
16 : Pain syndrome	28	0.1%	11.5
12 : Osteoarthritis	16	0.1%	10.8
21 : Burns	14	0.1%	13.6
<b>Top 20 RICs</b>	<b>21,357</b>	<b>100%</b>	<b>12.6</b>
<b>All RICs</b>	<b>21,365</b>	<b>100%</b>	<b>12.6</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Colorado**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**19 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	942	20.2%	14.4
09 : Other orthopedic	677	14.5%	10.8
06 : Neurological	591	12.7%	12.0
20 : Miscellaneous	502	10.7%	10.8
07 : Fracture of lower extremity	440	9.4%	12.2
03 : Non-traumatic brain injury	326	7.0%	11.4
05 : Non-traumatic spinal cord injury	231	4.9%	13.4
02 : Traumatic brain injury	189	4.0%	12.2
08 : Replacement of lower extremity joint	184	3.9%	9.9
17 : Major multiple trauma without brain or spinal cord injury	171	3.7%	11.8
14 : Cardiac	162	3.5%	10.0
10 : Amputation, lower extremity	108	2.3%	13.6
18 : Major multiple trauma with brain or spinal cord injury	49	1.0%	13.0
04 : Traumatic spinal cord injury	35	0.7%	18.3
15 : Pulmonary	26	0.6%	10.2
12 : Osteoarthritis	12	0.3%	12.2
<b>Top 20 RICs</b>	<b>4,645</b>	<b>99.5%</b>	<b>12.2</b>
<b>All RICs</b>	<b>4,670</b>	<b>100%</b>	<b>12.2</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Connecticut**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**7 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	486	31.6%	14.8
20 : Miscellaneous	191	12.4%	12.4
07 : Fracture of lower extremity	170	11.1%	12.6
06 : Neurological	131	8.5%	12.5
05 : Non-traumatic spinal cord injury	128	8.3%	14.6
03 : Non-traumatic brain injury	103	6.7%	11.4
02 : Traumatic brain injury	73	4.7%	13.7
14 : Cardiac	65	4.2%	9.8
09 : Other orthopedic	63	4.1%	12.1
08 : Replacement of lower extremity joint	41	2.7%	9.0
10 : Amputation, lower extremity	33	2.1%	14.5
17 : Major multiple trauma without brain or spinal cord injury	28	1.8%	13.4
<b>Top 20 RICs</b>	<b>1,512</b>	<b>98.3%</b>	<b>13.2</b>
<b>All RICs</b>	<b>1,538</b>	<b>100%</b>	<b>13.2</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Delaware**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**4 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	475	19.6%	13.1
06 : Neurological	363	15.0%	11.2
20 : Miscellaneous	349	14.4%	10.7
07 : Fracture of lower extremity	286	11.8%	12.1
09 : Other orthopedic	220	9.1%	10.9
03 : Non-traumatic brain injury	168	6.9%	10.8
08 : Replacement of lower extremity joint	154	6.3%	9.8
05 : Non-traumatic spinal cord injury	94	3.9%	12.5
14 : Cardiac	83	3.4%	10.2
02 : Traumatic brain injury	79	3.3%	10.4
10 : Amputation, lower extremity	60	2.5%	12.0
17 : Major multiple trauma without brain or spinal cord injury	28	1.2%	11.9
04 : Traumatic spinal cord injury	14	0.6%	11.6
15 : Pulmonary	14	0.6%	10.7
18 : Major multiple trauma with brain or spinal cord injury	13	0.5%	14.0
<b>Top 20 RICs</b>	<b>2,400</b>	<b>98.9%</b>	<b>11.5</b>
<b>All RICs</b>	<b>2,426</b>	<b>100%</b>	<b>11.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Florida  
Discharges for most recent 4 quarters, ending Q4FY2019  
51 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	5,105	15.7%	14.7
20 : Miscellaneous	5,077	15.6%	11.7
06 : Neurological	4,543	14.0%	12.4
07 : Fracture of lower extremity	3,623	11.2%	13.5
09 : Other orthopedic	2,801	8.6%	11.8
03 : Non-traumatic brain injury	2,695	8.3%	12.6
14 : Cardiac	2,596	8.0%	10.8
02 : Traumatic brain injury	1,123	3.5%	12.8
05 : Non-traumatic spinal cord injury	1,043	3.2%	13.7
17 : Major multiple trauma without brain or spinal cord injury	936	2.9%	12.8
08 : Replacement of lower extremity joint	819	2.5%	10.6
15 : Pulmonary	761	2.3%	11.3
10 : Amputation, lower extremity	592	1.8%	13.8
18 : Major multiple trauma with brain or spinal cord injury	209	0.6%	16.0
04 : Traumatic spinal cord injury	198	0.6%	17.7
16 : Pain syndrome	151	0.5%	11.3
13 : Rheumatoid, other arthritis	61	0.2%	11.7
19 : Guillain Barre	59	0.2%	15.9
12 : Osteoarthritis	44	0.1%	11.1
11 : Amputation, non-lower extremity	35	0.1%	11.9
<b>Top 20 RICs</b>	<b>32,471</b>	<b>100%</b>	<b>12.7</b>
<b>All RICs</b>	<b>32,486</b>	<b>100%</b>	<b>12.7</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020



**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Georgia**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**28 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	1,822	20.2%	14.7
20 : Miscellaneous	1,495	16.6%	11.2
06 : Neurological	1,048	11.6%	11.6
07 : Fracture of lower extremity	930	10.3%	13.0
14 : Cardiac	696	7.7%	10.7
03 : Non-traumatic brain injury	595	6.6%	11.8
09 : Other orthopedic	476	5.3%	11.6
05 : Non-traumatic spinal cord injury	419	4.7%	13.6
10 : Amputation, lower extremity	366	4.1%	12.7
02 : Traumatic brain injury	253	2.8%	13.2
17 : Major multiple trauma without brain or spinal cord injury	249	2.8%	12.8
15 : Pulmonary	214	2.4%	11.1
08 : Replacement of lower extremity joint	189	2.1%	10.5
04 : Traumatic spinal cord injury	87	1.0%	16.0
18 : Major multiple trauma with brain or spinal cord injury	64	0.7%	14.5
16 : Pain syndrome	33	0.4%	10.4
13 : Rheumatoid, other arthritis	22	0.2%	12.0
19 : Guillain Barre	13	0.1%	18.0
11 : Amputation, non-lower extremity	13	0.1%	11.0
21 : Burns	12	0.1%	16.3
<b>Top 20 RICs</b>	<b>8,996</b>	<b>99.9%</b>	<b>12.5</b>
<b>All RICs</b>	<b>9,004</b>	<b>100%</b>	<b>12.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Iowa**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**15 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	820	30.5%	13.7
20 : Miscellaneous	437	16.2%	10.8
06 : Neurological	245	9.1%	11.9
07 : Fracture of lower extremity	188	7.0%	11.4
03 : Non-traumatic brain injury	170	6.3%	11.1
09 : Other orthopedic	163	6.1%	10.3
05 : Non-traumatic spinal cord injury	144	5.4%	14.6
02 : Traumatic brain injury	127	4.7%	11.2
14 : Cardiac	109	4.1%	9.3
10 : Amputation, lower extremity	79	2.9%	12.4
17 : Major multiple trauma without brain or spinal cord injury	69	2.6%	11.2
15 : Pulmonary	52	1.9%	10.2
08 : Replacement of lower extremity joint	29	1.1%	9.7
18 : Major multiple trauma with brain or spinal cord injury	23	0.9%	16.3
04 : Traumatic spinal cord injury	17	0.6%	16.8
<b>Top 20 RICs</b>	<b>2,672</b>	<b>99.3%</b>	<b>12.1</b>
<b>All RICs</b>	<b>2,690</b>	<b>100%</b>	<b>12.1</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Idaho**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**7 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	349	27.8%	15.0
20 : Miscellaneous	155	12.4%	10.3
07 : Fracture of lower extremity	130	10.4%	12.7
09 : Other orthopedic	106	8.4%	11.1
06 : Neurological	78	6.2%	11.0
05 : Non-traumatic spinal cord injury	68	5.4%	14.7
14 : Cardiac	68	5.4%	9.4
02 : Traumatic brain injury	65	5.2%	13.8
03 : Non-traumatic brain injury	58	4.6%	11.9
08 : Replacement of lower extremity joint	49	3.9%	8.7
10 : Amputation, lower extremity	45	3.6%	13.7
17 : Major multiple trauma without brain or spinal cord injury	35	2.8%	12.7
15 : Pulmonary	17	1.4%	9.7
04 : Traumatic spinal cord injury	15	1.2%	11.4
<b>Top 20 RICs</b>	<b>1,238</b>	<b>98.6%</b>	<b>12.6</b>
<b>All RICs</b>	<b>1,255</b>	<b>100%</b>	<b>12.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Illinois  
Discharges for most recent 4 quarters, ending Q4FY2019  
42 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	3,664	24.8%	14.6
20 : Miscellaneous	2,178	14.8%	12.0
06 : Neurological	1,830	12.4%	12.4
03 : Non-traumatic brain injury	1,337	9.1%	12.1
14 : Cardiac	1,136	7.7%	11.5
07 : Fracture of lower extremity	1,062	7.2%	13.0
09 : Other orthopedic	882	6.0%	11.9
05 : Non-traumatic spinal cord injury	700	4.7%	15.0
02 : Traumatic brain injury	629	4.3%	13.7
10 : Amputation, lower extremity	400	2.7%	13.9
08 : Replacement of lower extremity joint	242	1.6%	10.5
15 : Pulmonary	192	1.3%	10.7
17 : Major multiple trauma without brain or spinal cord injury	187	1.3%	13.4
04 : Traumatic spinal cord injury	141	1.0%	19.7
18 : Major multiple trauma with brain or spinal cord injury	55	0.4%	18.2
13 : Rheumatoid, other arthritis	42	0.3%	11.9
16 : Pain syndrome	30	0.2%	10.5
19 : Guillain Barre	26	0.2%	19.0
12 : Osteoarthritis	14	0.1%	10.1
11 : Amputation, non-lower extremity	11	0.1%	11.0
<b>Top 20 RICs</b>	<b>14,758</b>	<b>100%</b>	<b>13.1</b>
<b>All RICs</b>	<b>14,765</b>	<b>100%</b>	<b>13.1</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Indiana**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**36 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	2,350	21.5%	14.2
20 : Miscellaneous	1,876	17.2%	11.0
06 : Neurological	1,589	14.5%	12.1
03 : Non-traumatic brain injury	1,266	11.6%	12.0
14 : Cardiac	834	7.6%	10.3
09 : Other orthopedic	654	6.0%	11.6
07 : Fracture of lower extremity	550	5.0%	12.8
05 : Non-traumatic spinal cord injury	426	3.9%	13.2
15 : Pulmonary	309	2.8%	9.7
02 : Traumatic brain injury	306	2.8%	13.0
10 : Amputation, lower extremity	266	2.4%	13.1
17 : Major multiple trauma without brain or spinal cord injury	145	1.3%	12.9
08 : Replacement of lower extremity joint	104	1.0%	9.9
04 : Traumatic spinal cord injury	69	0.6%	16.6
16 : Pain syndrome	64	0.6%	12.1
18 : Major multiple trauma with brain or spinal cord injury	44	0.4%	14.8
19 : Guillain Barre	29	0.3%	15.2
13 : Rheumatoid, other arthritis	25	0.2%	12.1
11 : Amputation, non-lower extremity	12	0.1%	12.7
12 : Osteoarthritis	11	0.1%	14.3
<b>Top 20 RICs</b>	<b>10,929</b>	<b>99.9%</b>	<b>12.3</b>
<b>All RICs</b>	<b>10,936</b>	<b>100%</b>	<b>12.3</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Kansas  
Discharges for most recent 4 quarters, ending Q4FY2019  
20 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
06 : Neurological	1,041	17.1%	11.7
01 : Stroke	984	16.1%	13.8
20 : Miscellaneous	973	16.0%	10.2
09 : Other orthopedic	587	9.6%	10.5
07 : Fracture of lower extremity	494	8.1%	12.1
03 : Non-traumatic brain injury	442	7.3%	11.9
14 : Cardiac	294	4.8%	10.0
05 : Non-traumatic spinal cord injury	262	4.3%	13.0
08 : Replacement of lower extremity joint	239	3.9%	9.6
02 : Traumatic brain injury	204	3.3%	13.4
10 : Amputation, lower extremity	165	2.7%	12.3
17 : Major multiple trauma without brain or spinal cord injury	139	2.3%	11.4
15 : Pulmonary	96	1.6%	9.9
04 : Traumatic spinal cord injury	55	0.9%	15.1
18 : Major multiple trauma with brain or spinal cord injury	31	0.5%	13.7
12 : Osteoarthritis	24	0.4%	10.5
13 : Rheumatoid, other arthritis	23	0.4%	11.9
16 : Pain syndrome	22	0.4%	9.6
19 : Guillain Barre	11	0.2%	21.0
<b>Top 20 RICs</b>	<b>6,086</b>	<b>99.9%</b>	<b>11.7</b>
<b>All RICs</b>	<b>6,095</b>	<b>100%</b>	<b>11.7</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Kentucky  
Discharges for most recent 4 quarters, ending Q4FY2019  
16 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	1,381	18.8%	15.0
20 : Miscellaneous	1,364	18.5%	11.1
06 : Neurological	827	11.2%	11.6
07 : Fracture of lower extremity	778	10.6%	12.2
09 : Other orthopedic	562	7.6%	11.1
03 : Non-traumatic brain injury	542	7.4%	12.9
14 : Cardiac	389	5.3%	10.6
15 : Pulmonary	342	4.6%	9.8
08 : Replacement of lower extremity joint	237	3.2%	10.3
05 : Non-traumatic spinal cord injury	233	3.2%	13.8
17 : Major multiple trauma without brain or spinal cord injury	217	2.9%	12.5
10 : Amputation, lower extremity	203	2.8%	12.3
02 : Traumatic brain injury	136	1.8%	12.9
04 : Traumatic spinal cord injury	49	0.7%	18.0
18 : Major multiple trauma with brain or spinal cord injury	31	0.4%	18.5
12 : Osteoarthritis	21	0.3%	11.3
19 : Guillain Barre	17	0.2%	14.4
13 : Rheumatoid, other arthritis	17	0.2%	10.9
<b>Top 20 RICs</b>	<b>7,346</b>	<b>99.8%</b>	<b>12.3</b>
<b>All RICs</b>	<b>7,363</b>	<b>100%</b>	<b>12.3</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.  
Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Louisiana**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**49 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	1,982	19.9%	15.0
20 : Miscellaneous	1,430	14.4%	11.6
06 : Neurological	1,398	14.1%	12.3
07 : Fracture of lower extremity	1,216	12.2%	13.2
08 : Replacement of lower extremity joint	626	6.3%	10.9
09 : Other orthopedic	592	6.0%	11.8
05 : Non-traumatic spinal cord injury	576	5.8%	13.5
03 : Non-traumatic brain injury	505	5.1%	12.9
14 : Cardiac	492	4.9%	10.7
10 : Amputation, lower extremity	285	2.9%	12.9
02 : Traumatic brain injury	218	2.2%	15.1
15 : Pulmonary	204	2.1%	11.2
17 : Major multiple trauma without brain or spinal cord injury	133	1.3%	12.9
04 : Traumatic spinal cord injury	92	0.9%	17.5
12 : Osteoarthritis	57	0.6%	12.4
16 : Pain syndrome	41	0.4%	12.4
13 : Rheumatoid, other arthritis	36	0.4%	12.3
18 : Major multiple trauma with brain or spinal cord injury	31	0.3%	14.9
11 : Amputation, non-lower extremity	21	0.2%	13.0
<b>Top 20 RICs</b>	<b>9,935</b>	<b>99.9%</b>	<b>12.9</b>
<b>All RICs</b>	<b>9,947</b>	<b>100%</b>	<b>12.9</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020



**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Massachusetts  
Discharges for most recent 4 quarters, ending Q4FY2019  
10 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	1,869	20.7%	15.3
09 : Other orthopedic	1,103	12.2%	12.0
20 : Miscellaneous	1,101	12.2%	11.4
06 : Neurological	1,057	11.7%	12.6
07 : Fracture of lower extremity	706	7.8%	13.7
14 : Cardiac	584	6.5%	10.8
03 : Non-traumatic brain injury	560	6.2%	12.9
17 : Major multiple trauma without brain or spinal cord injury	416	4.6%	13.6
02 : Traumatic brain injury	371	4.1%	14.0
08 : Replacement of lower extremity joint	250	2.8%	10.4
05 : Non-traumatic spinal cord injury	250	2.8%	16.1
10 : Amputation, lower extremity	231	2.6%	14.7
15 : Pulmonary	214	2.4%	9.9
18 : Major multiple trauma with brain or spinal cord injury	94	1.0%	16.4
04 : Traumatic spinal cord injury	77	0.9%	23.2
16 : Pain syndrome	39	0.4%	11.5
13 : Rheumatoid, other arthritis	38	0.4%	11.2
19 : Guillain Barre	29	0.3%	20.2
12 : Osteoarthritis	24	0.3%	12.9
<b>Top 20 RICs</b>	<b>9,013</b>	<b>99.8%</b>	<b>13.2</b>
<b>All RICs</b>	<b>9,028</b>	<b>100%</b>	<b>13.2</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Maine**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**5 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	442	24.5%	14.2
07 : Fracture of lower extremity	237	13.1%	11.8
20 : Miscellaneous	205	11.4%	10.7
09 : Other orthopedic	200	11.1%	10.3
06 : Neurological	133	7.4%	13.5
14 : Cardiac	101	5.6%	9.9
03 : Non-traumatic brain injury	81	4.5%	12.4
17 : Major multiple trauma without brain or spinal cord injury	80	4.4%	12.8
10 : Amputation, lower extremity	73	4.0%	11.2
05 : Non-traumatic spinal cord injury	57	3.2%	12.9
02 : Traumatic brain injury	54	3.0%	14.0
15 : Pulmonary	48	2.7%	8.7
08 : Replacement of lower extremity joint	30	1.7%	8.7
18 : Major multiple trauma with brain or spinal cord injury	21	1.2%	13.5
04 : Traumatic spinal cord injury	19	1.1%	23.2
<b>Top 20 RICs</b>	<b>1,781</b>	<b>98.7%</b>	<b>12.3</b>
<b>All RICs</b>	<b>1,804</b>	<b>100%</b>	<b>12.3</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Michigan  
Discharges for most recent 4 quarters, ending Q4FY2019  
38 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	2,233	23.8%	14.4
06 : Neurological	1,351	14.4%	11.1
20 : Miscellaneous	1,288	13.7%	11.3
03 : Non-traumatic brain injury	918	9.8%	11.8
14 : Cardiac	678	7.2%	10.6
05 : Non-traumatic spinal cord injury	532	5.7%	14.8
09 : Other orthopedic	496	5.3%	11.1
07 : Fracture of lower extremity	483	5.2%	12.2
02 : Traumatic brain injury	460	4.9%	12.6
10 : Amputation, lower extremity	309	3.3%	13.4
15 : Pulmonary	159	1.7%	11.1
17 : Major multiple trauma without brain or spinal cord injury	112	1.2%	11.0
04 : Traumatic spinal cord injury	102	1.1%	19.0
08 : Replacement of lower extremity joint	99	1.1%	10.4
18 : Major multiple trauma with brain or spinal cord injury	73	0.8%	16.3
19 : Guillain Barre	25	0.3%	16.5
13 : Rheumatoid, other arthritis	22	0.2%	13.4
11 : Amputation, non-lower extremity	14	0.1%	12.4
<b>Top 20 RICs</b>	<b>9,354</b>	<b>99.8%</b>	<b>12.5</b>
<b>All RICs</b>	<b>9,371</b>	<b>100%</b>	<b>12.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Minnesota  
Discharges for most recent 4 quarters, ending Q4FY2019  
12 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	856	41.2%	14.1
20 : Miscellaneous	173	8.3%	11.0
03 : Non-traumatic brain injury	167	8.0%	12.3
05 : Non-traumatic spinal cord injury	144	6.9%	14.5
02 : Traumatic brain injury	131	6.3%	13.6
06 : Neurological	107	5.1%	12.9
14 : Cardiac	105	5.1%	10.5
10 : Amputation, lower extremity	99	4.8%	12.0
09 : Other orthopedic	85	4.1%	9.6
07 : Fracture of lower extremity	67	3.2%	11.3
04 : Traumatic spinal cord injury	46	2.2%	23.5
08 : Replacement of lower extremity joint	26	1.3%	9.6
17 : Major multiple trauma without brain or spinal cord injury	20	1.0%	10.9
18 : Major multiple trauma with brain or spinal cord injury	20	1.0%	16.8
19 : Guillain Barre	16	0.8%	18.2
15 : Pulmonary	13	0.6%	10.5
<b>Top 20 RICs</b>	<b>2,075</b>	<b>99.9%</b>	<b>13.2</b>
<b>All RICs</b>	<b>2,078</b>	<b>100%</b>	<b>13.2</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Missouri  
Discharges for most recent 4 quarters, ending Q4FY2019  
30 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	2,076	21.2%	14.3
20 : Miscellaneous	1,367	13.9%	10.9
06 : Neurological	917	9.3%	12.0
07 : Fracture of lower extremity	878	8.9%	12.5
03 : Non-traumatic brain injury	776	7.9%	11.6
09 : Other orthopedic	775	7.9%	10.9
14 : Cardiac	686	7.0%	10.1
05 : Non-traumatic spinal cord injury	492	5.0%	13.8
10 : Amputation, lower extremity	402	4.1%	11.9
02 : Traumatic brain injury	347	3.5%	12.6
08 : Replacement of lower extremity joint	315	3.2%	9.7
15 : Pulmonary	267	2.7%	10.2
17 : Major multiple trauma without brain or spinal cord injury	220	2.2%	12.8
04 : Traumatic spinal cord injury	120	1.2%	15.7
18 : Major multiple trauma with brain or spinal cord injury	77	0.8%	14.2
13 : Rheumatoid, other arthritis	30	0.3%	10.1
11 : Amputation, non-lower extremity	20	0.2%	10.6
19 : Guillain Barre	19	0.2%	18.1
21 : Burns	15	0.2%	12.9
12 : Osteoarthritis	11	0.1%	12.2
<b>Top 20 RICs</b>	<b>9,810</b>	<b>100%</b>	<b>12.2</b>
<b>All RICs</b>	<b>9,814</b>	<b>100%</b>	<b>12.2</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Mississippi  
Discharges for most recent 4 quarters, ending Q4FY2019  
11 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	828	22.2%	13.4
20 : Miscellaneous	545	14.6%	11.0
07 : Fracture of lower extremity	507	13.6%	12.9
06 : Neurological	413	11.1%	11.2
03 : Non-traumatic brain injury	247	6.6%	12.2
14 : Cardiac	214	5.7%	10.8
09 : Other orthopedic	186	5.0%	11.5
05 : Non-traumatic spinal cord injury	184	4.9%	14.6
10 : Amputation, lower extremity	177	4.8%	12.5
08 : Replacement of lower extremity joint	145	3.9%	10.6
17 : Major multiple trauma without brain or spinal cord injury	75	2.0%	12.7
02 : Traumatic brain injury	74	2.0%	13.0
15 : Pulmonary	53	1.4%	10.7
04 : Traumatic spinal cord injury	30	0.8%	17.2
18 : Major multiple trauma with brain or spinal cord injury	19	0.5%	14.6
<b>Top 20 RICs</b>	<b>3,697</b>	<b>99.3%</b>	<b>12.3</b>
<b>All RICs</b>	<b>3,723</b>	<b>100%</b>	<b>12.3</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Montana  
Discharges for most recent 4 quarters, ending Q4FY2019  
5 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	229	35.8%	12.9
07 : Fracture of lower extremity	78	12.2%	10.4
20 : Miscellaneous	44	6.9%	10.7
14 : Cardiac	38	5.9%	9.9
02 : Traumatic brain injury	36	5.6%	10.3
09 : Other orthopedic	32	5.0%	9.3
03 : Non-traumatic brain injury	30	4.7%	10.1
10 : Amputation, lower extremity	30	4.7%	10.6
06 : Neurological	26	4.1%	12.7
08 : Replacement of lower extremity joint	24	3.8%	8.2
05 : Non-traumatic spinal cord injury	22	3.4%	12.3
17 : Major multiple trauma without brain or spinal cord injury	16	2.5%	11.1
18 : Major multiple trauma with brain or spinal cord injury	13	2.0%	11.0
<b>Top 20 RICs</b>	<b>618</b>	<b>96.6%</b>	<b>11.4</b>
<b>All RICs</b>	<b>640</b>	<b>100%</b>	<b>11.4</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
North Carolina  
Discharges for most recent 4 quarters, ending Q4FY2019  
24 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	1,951	28.2%	15.0
20 : Miscellaneous	1,021	14.8%	12.1
07 : Fracture of lower extremity	561	8.1%	12.8
14 : Cardiac	501	7.3%	11.2
09 : Other orthopedic	439	6.4%	12.2
03 : Non-traumatic brain injury	438	6.3%	13.2
10 : Amputation, lower extremity	402	5.8%	13.1
05 : Non-traumatic spinal cord injury	388	5.6%	15.6
06 : Neurological	341	4.9%	13.0
02 : Traumatic brain injury	248	3.6%	13.8
17 : Major multiple trauma without brain or spinal cord injury	169	2.4%	13.1
08 : Replacement of lower extremity joint	132	1.9%	10.6
15 : Pulmonary	111	1.6%	11.3
04 : Traumatic spinal cord injury	92	1.3%	18.7
18 : Major multiple trauma with brain or spinal cord injury	65	0.9%	16.7
19 : Guillain Barre	17	0.2%	18.8
11 : Amputation, non-lower extremity	14	0.2%	13.3
<b>Top 20 RICs</b>	<b>6,890</b>	<b>99.8%</b>	<b>13.5</b>
<b>All RICs</b>	<b>6,907</b>	<b>100%</b>	<b>13.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020



**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
North Dakota  
Discharges for most recent 4 quarters, ending Q4FY2019  
3 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	152	30.8%	13.5
20 : Miscellaneous	89	18.0%	10.0
07 : Fracture of lower extremity	57	11.5%	9.9
06 : Neurological	38	7.7%	9.6
03 : Non-traumatic brain injury	31	6.3%	12.6
09 : Other orthopedic	23	4.7%	7.7
14 : Cardiac	16	3.2%	9.9
10 : Amputation, lower extremity	16	3.2%	14.1
02 : Traumatic brain injury	14	2.8%	12.4
08 : Replacement of lower extremity joint	13	2.6%	7.8
15 : Pulmonary	13	2.6%	8.7
<b>Top 20 RICs</b>	<b>462</b>	<b>93.5%</b>	<b>11.3</b>
<b>All RICs</b>	<b>494</b>	<b>100%</b>	<b>11.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Nebraska  
Discharges for most recent 4 quarters, ending Q4FY2019  
10 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	630	32.6%	16.1
20 : Miscellaneous	229	11.8%	12.6
03 : Non-traumatic brain injury	156	8.1%	12.8
02 : Traumatic brain injury	139	7.2%	15.8
07 : Fracture of lower extremity	120	6.2%	12.7
05 : Non-traumatic spinal cord injury	116	6.0%	15.2
14 : Cardiac	97	5.0%	12.8
10 : Amputation, lower extremity	87	4.5%	14.4
06 : Neurological	81	4.2%	12.9
09 : Other orthopedic	76	3.9%	12.2
17 : Major multiple trauma without brain or spinal cord injury	52	2.7%	12.2
08 : Replacement of lower extremity joint	42	2.2%	10.5
04 : Traumatic spinal cord injury	34	1.8%	17.5
15 : Pulmonary	33	1.7%	12.5
18 : Major multiple trauma with brain or spinal cord injury	23	1.2%	16.6
<b>Top 20 RICs</b>	<b>1,915</b>	<b>99.1%</b>	<b>14.3</b>
<b>All RICs</b>	<b>1,933</b>	<b>100%</b>	<b>14.3</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
New Hampshire  
Discharges for most recent 4 quarters, ending Q4FY2019  
5 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	637	16.7%	14.2
20 : Miscellaneous	598	15.7%	11.3
07 : Fracture of lower extremity	537	14.1%	12.5
09 : Other orthopedic	476	12.5%	11.4
06 : Neurological	356	9.4%	11.7
14 : Cardiac	234	6.2%	9.7
03 : Non-traumatic brain injury	178	4.7%	11.7
17 : Major multiple trauma without brain or spinal cord injury	168	4.4%	12.0
08 : Replacement of lower extremity joint	149	3.9%	10.3
02 : Traumatic brain injury	113	3.0%	12.0
05 : Non-traumatic spinal cord injury	111	2.9%	14.4
10 : Amputation, lower extremity	74	1.9%	13.4
15 : Pulmonary	58	1.5%	10.6
18 : Major multiple trauma with brain or spinal cord injury	47	1.2%	13.3
04 : Traumatic spinal cord injury	21	0.6%	16.9
16 : Pain syndrome	17	0.4%	11.1
13 : Rheumatoid, other arthritis	12	0.3%	13.1
<b>Top 20 RICs</b>	<b>3,786</b>	<b>99.6%</b>	<b>12.1</b>
<b>All RICs</b>	<b>3,803</b>	<b>100%</b>	<b>12.1</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**New Jersey**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**15 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	2,717	22.7%	15.5
20 : Miscellaneous	1,486	12.4%	12.0
06 : Neurological	1,370	11.5%	13.0
09 : Other orthopedic	1,311	11.0%	12.4
07 : Fracture of lower extremity	1,134	9.5%	13.9
03 : Non-traumatic brain injury	847	7.1%	13.2
14 : Cardiac	753	6.3%	11.0
02 : Traumatic brain injury	560	4.7%	14.4
08 : Replacement of lower extremity joint	478	4.0%	10.6
05 : Non-traumatic spinal cord injury	397	3.3%	15.6
17 : Major multiple trauma without brain or spinal cord injury	260	2.2%	14.0
10 : Amputation, lower extremity	202	1.7%	13.8
15 : Pulmonary	187	1.6%	11.3
18 : Major multiple trauma with brain or spinal cord injury	81	0.7%	17.5
04 : Traumatic spinal cord injury	79	0.7%	27.5
12 : Osteoarthritis	35	0.3%	13.1
19 : Guillain Barre	31	0.3%	19.1
13 : Rheumatoid, other arthritis	14	0.1%	12.3
<b>Top 20 RICs</b>	<b>11,942</b>	<b>99.9%</b>	<b>13.6</b>
<b>All RICs</b>	<b>11,954</b>	<b>100%</b>	<b>13.6</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**New Mexico**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**8 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
07 : Fracture of lower extremity	447	17.4%	12.9
01 : Stroke	442	17.2%	14.3
20 : Miscellaneous	393	15.3%	11.1
06 : Neurological	228	8.9%	12.3
09 : Other orthopedic	204	7.9%	11.6
08 : Replacement of lower extremity joint	174	6.8%	10.2
03 : Non-traumatic brain injury	143	5.6%	11.8
02 : Traumatic brain injury	113	4.4%	13.5
17 : Major multiple trauma without brain or spinal cord injury	112	4.4%	11.7
14 : Cardiac	101	3.9%	10.4
05 : Non-traumatic spinal cord injury	85	3.3%	15.0
10 : Amputation, lower extremity	49	1.9%	12.1
18 : Major multiple trauma with brain or spinal cord injury	32	1.2%	13.4
15 : Pulmonary	17	0.7%	11.5
04 : Traumatic spinal cord injury	11	0.4%	22.2
<b>Top 20 RICs</b>	<b>2,551</b>	<b>99.3%</b>	<b>12.5</b>
<b>All RICs</b>	<b>2,570</b>	<b>100%</b>	<b>12.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Nevada**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**14 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
06 : Neurological	1,778	21.6%	12.1
20 : Miscellaneous	1,354	16.4%	11.0
01 : Stroke	998	12.1%	14.8
03 : Non-traumatic brain injury	959	11.6%	12.2
09 : Other orthopedic	699	8.5%	11.3
07 : Fracture of lower extremity	655	7.9%	13.2
14 : Cardiac	443	5.4%	10.7
02 : Traumatic brain injury	263	3.2%	12.5
08 : Replacement of lower extremity joint	230	2.8%	9.3
17 : Major multiple trauma without brain or spinal cord injury	200	2.4%	12.8
05 : Non-traumatic spinal cord injury	191	2.3%	13.8
15 : Pulmonary	182	2.2%	9.8
10 : Amputation, lower extremity	99	1.2%	14.3
12 : Osteoarthritis	52	0.6%	11.0
18 : Major multiple trauma with brain or spinal cord injury	39	0.5%	14.5
04 : Traumatic spinal cord injury	37	0.4%	19.5
13 : Rheumatoid, other arthritis	35	0.4%	10.5
16 : Pain syndrome	22	0.3%	11.0
<b>Top 20 RICs</b>	<b>8,236</b>	<b>99.9%</b>	<b>12.2</b>
<b>All RICs</b>	<b>8,248</b>	<b>100%</b>	<b>12.2</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
New York  
Discharges for most recent 4 quarters, ending Q4FY2019  
47 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	2,881	25.4%	15.9
07 : Fracture of lower extremity	1,422	12.6%	13.6
20 : Miscellaneous	1,191	10.5%	12.2
06 : Neurological	789	7.0%	13.4
03 : Non-traumatic brain injury	748	6.6%	13.7
08 : Replacement of lower extremity joint	733	6.5%	10.2
14 : Cardiac	722	6.4%	11.6
09 : Other orthopedic	667	5.9%	12.4
05 : Non-traumatic spinal cord injury	541	4.8%	14.8
02 : Traumatic brain injury	491	4.3%	14.7
15 : Pulmonary	479	4.2%	11.7
10 : Amputation, lower extremity	221	2.0%	14.6
17 : Major multiple trauma without brain or spinal cord injury	148	1.3%	14.0
04 : Traumatic spinal cord injury	94	0.8%	19.8
18 : Major multiple trauma with brain or spinal cord injury	52	0.5%	17.5
16 : Pain syndrome	41	0.4%	12.6
19 : Guillain Barre	35	0.3%	18.2
13 : Rheumatoid, other arthritis	31	0.3%	13.1
11 : Amputation, non-lower extremity	19	0.2%	13.4
21 : Burns	15	0.1%	18.3
<b>Top 20 RICs</b>	<b>11,320</b>	<b>99.9%</b>	<b>13.8</b>
<b>All RICs</b>	<b>11,327</b>	<b>100%</b>	<b>13.8</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Ohio**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**47 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	3,081	20.9%	14.1
20 : Miscellaneous	2,251	15.2%	10.8
06 : Neurological	1,570	10.6%	12.0
07 : Fracture of lower extremity	1,470	10.0%	12.6
09 : Other orthopedic	1,343	9.1%	11.2
03 : Non-traumatic brain injury	1,156	7.8%	11.4
14 : Cardiac	804	5.4%	10.2
05 : Non-traumatic spinal cord injury	699	4.7%	13.3
08 : Replacement of lower extremity joint	640	4.3%	9.8
02 : Traumatic brain injury	564	3.8%	12.6
10 : Amputation, lower extremity	308	2.1%	13.2
17 : Major multiple trauma without brain or spinal cord injury	292	2.0%	12.2
15 : Pulmonary	207	1.4%	10.5
04 : Traumatic spinal cord injury	111	0.8%	17.0
18 : Major multiple trauma with brain or spinal cord injury	81	0.5%	13.5
12 : Osteoarthritis	67	0.5%	12.4
19 : Guillain Barre	39	0.3%	17.3
13 : Rheumatoid, other arthritis	29	0.2%	10.5
11 : Amputation, non-lower extremity	27	0.2%	12.2
16 : Pain syndrome	23	0.2%	9.9
<b>Top 20 RICs</b>	<b>14,762</b>	<b>100%</b>	<b>12.2</b>
<b>All RICs</b>	<b>14,769</b>	<b>100%</b>	<b>12.2</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020



**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Oklahoma  
Discharges for most recent 4 quarters, ending Q4FY2019  
23 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	1,341	19.1%	13.9
07 : Fracture of lower extremity	1,326	18.9%	12.0
06 : Neurological	881	12.6%	11.0
20 : Miscellaneous	759	10.8%	10.4
09 : Other orthopedic	483	6.9%	10.7
03 : Non-traumatic brain injury	399	5.7%	10.9
05 : Non-traumatic spinal cord injury	341	4.9%	13.2
14 : Cardiac	320	4.6%	10.3
08 : Replacement of lower extremity joint	302	4.3%	9.3
02 : Traumatic brain injury	212	3.0%	12.1
10 : Amputation, lower extremity	201	2.9%	11.9
17 : Major multiple trauma without brain or spinal cord injury	169	2.4%	12.1
15 : Pulmonary	124	1.8%	9.8
04 : Traumatic spinal cord injury	61	0.9%	16.0
18 : Major multiple trauma with brain or spinal cord injury	32	0.5%	11.7
19 : Guillain Barre	21	0.3%	15.6
13 : Rheumatoid, other arthritis	12	0.2%	10.1
16 : Pain syndrome	11	0.2%	10.0
<b>Top 20 RICs</b>	<b>6,995</b>	<b>99.7%</b>	<b>11.8</b>
<b>All RICs</b>	<b>7,018</b>	<b>100%</b>	<b>11.8</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Oregon**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**8 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	383	42.0%	13.7
03 : Non-traumatic brain injury	75	8.2%	11.4
05 : Non-traumatic spinal cord injury	70	7.7%	13.5
20 : Miscellaneous	65	7.1%	10.2
10 : Amputation, lower extremity	52	5.7%	10.8
14 : Cardiac	36	3.9%	10.6
06 : Neurological	35	3.8%	11.9
07 : Fracture of lower extremity	35	3.8%	10.7
08 : Replacement of lower extremity joint	32	3.5%	9.6
02 : Traumatic brain injury	31	3.4%	10.7
17 : Major multiple trauma without brain or spinal cord injury	23	2.5%	12.6
04 : Traumatic spinal cord injury	21	2.3%	19.9
09 : Other orthopedic	18	2.0%	10.7
18 : Major multiple trauma with brain or spinal cord injury	11	1.2%	13.2
<b>Top 20 RICs</b>	<b>887</b>	<b>97.3%</b>	<b>12.6</b>
<b>All RICs</b>	<b>912</b>	<b>100%</b>	<b>12.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Pennsylvania**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**75 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	4,550	18.0%	15.2
06 : Neurological	3,810	15.1%	12.7
20 : Miscellaneous	3,799	15.0%	11.6
09 : Other orthopedic	2,383	9.4%	11.9
07 : Fracture of lower extremity	2,254	8.9%	13.6
03 : Non-traumatic brain injury	1,699	6.7%	12.8
14 : Cardiac	1,456	5.8%	11.2
08 : Replacement of lower extremity joint	1,100	4.3%	10.2
05 : Non-traumatic spinal cord injury	966	3.8%	14.5
02 : Traumatic brain injury	903	3.6%	13.6
10 : Amputation, lower extremity	711	2.8%	13.2
17 : Major multiple trauma without brain or spinal cord injury	506	2.0%	13.1
15 : Pulmonary	425	1.7%	11.5
04 : Traumatic spinal cord injury	233	0.9%	19.5
18 : Major multiple trauma with brain or spinal cord injury	210	0.8%	14.7
12 : Osteoarthritis	82	0.3%	12.0
16 : Pain syndrome	62	0.2%	11.2
13 : Rheumatoid, other arthritis	53	0.2%	11.2
19 : Guillain Barre	50	0.2%	22.4
11 : Amputation, non-lower extremity	25	0.1%	10.9
<b>Top 20 RICs</b>	<b>25,277</b>	<b>99.9%</b>	<b>13.0</b>
<b>All RICs</b>	<b>25,298</b>	<b>100%</b>	<b>13.0</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Puerto Rico  
Discharges for most recent 4 quarters, ending Q4FY2019  
6 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

<b>RIC Code and Description</b>	<b>Total Discharges for RIC*</b>	<b>Proportion of Discharges for Each RIC to Total State Discharges</b>	<b>State Average Length of Stay for RIC</b>
07 : Fracture of lower extremity	158	25.5%	11.8
01 : Stroke	135	21.8%	13.5
06 : Neurological	114	18.4%	11.7
08 : Replacement of lower extremity joint	108	17.4%	9.3
05 : Non-traumatic spinal cord injury	39	6.3%	9.7
10 : Amputation, lower extremity	21	3.4%	11.6
03 : Non-traumatic brain injury	18	2.9%	11.2
<b>Top 20 RICs</b>	<b>593</b>	<b>95.8%</b>	<b>11.6</b>
<b>All RICs</b>	<b>619</b>	<b>100%</b>	<b>11.6</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Rhode Island  
Discharges for most recent 4 quarters, ending Q4FY2019  
5 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	203	30.0%	14.2
07 : Fracture of lower extremity	98	14.5%	12.9
20 : Miscellaneous	86	12.7%	11.2
09 : Other orthopedic	56	8.3%	11.2
03 : Non-traumatic brain injury	43	6.4%	12.2
05 : Non-traumatic spinal cord injury	40	5.9%	14.1
06 : Neurological	38	5.6%	11.6
08 : Replacement of lower extremity joint	32	4.7%	10.8
14 : Cardiac	19	2.8%	9.4
02 : Traumatic brain injury	16	2.4%	11.3
10 : Amputation, lower extremity	13	1.9%	12.8
15 : Pulmonary	13	1.9%	11.2
<b>Top 20 RICs</b>	<b>657</b>	<b>97.0%</b>	<b>12.6</b>
<b>All RICs</b>	<b>677</b>	<b>100%</b>	<b>12.6</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**South Carolina**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**23 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	1,865	17.6%	14.8
06 : Neurological	1,845	17.4%	11.7
07 : Fracture of lower extremity	1,290	12.2%	12.9
20 : Miscellaneous	1,229	11.6%	11.3
09 : Other orthopedic	848	8.0%	11.6
14 : Cardiac	716	6.8%	10.8
03 : Non-traumatic brain injury	630	6.0%	11.8
05 : Non-traumatic spinal cord injury	379	3.6%	14.1
08 : Replacement of lower extremity joint	364	3.4%	10.7
17 : Major multiple trauma without brain or spinal cord injury	358	3.4%	12.5
10 : Amputation, lower extremity	350	3.3%	13.2
15 : Pulmonary	265	2.5%	11.2
02 : Traumatic brain injury	222	2.1%	13.4
18 : Major multiple trauma with brain or spinal cord injury	63	0.6%	14.8
04 : Traumatic spinal cord injury	58	0.5%	14.8
13 : Rheumatoid, other arthritis	27	0.3%	12.8
16 : Pain syndrome	26	0.2%	12.3
12 : Osteoarthritis	24	0.2%	11.8
19 : Guillain Barre	15	0.1%	16.9
<b>Top 20 RICs</b>	<b>10,574</b>	<b>99.9%</b>	<b>12.5</b>
<b>All RICs</b>	<b>10,586</b>	<b>100%</b>	<b>12.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
South Dakota  
Discharges for most recent 4 quarters, ending Q4FY2019  
3 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	219	35.8%	16.5
20 : Miscellaneous	62	10.1%	12.4
03 : Non-traumatic brain injury	60	9.8%	12.7
05 : Non-traumatic spinal cord injury	47	7.7%	13.7
07 : Fracture of lower extremity	44	7.2%	14.8
02 : Traumatic brain injury	43	7.0%	12.8
10 : Amputation, lower extremity	34	5.6%	13.0
06 : Neurological	25	4.1%	15.3
09 : Other orthopedic	23	3.8%	12.0
08 : Replacement of lower extremity joint	21	3.4%	13.7
04 : Traumatic spinal cord injury	12	2.0%	18.7
<b>Top 20 RICs</b>	<b>590</b>	<b>96.6%</b>	<b>14.6</b>
<b>All RICs</b>	<b>611</b>	<b>100%</b>	<b>14.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Tennessee  
Discharges for most recent 4 quarters, ending Q4FY2019  
32 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	2,350	21.3%	14.3
20 : Miscellaneous	1,681	15.2%	11.1
06 : Neurological	1,555	14.1%	12.3
03 : Non-traumatic brain injury	957	8.7%	12.0
07 : Fracture of lower extremity	941	8.5%	13.7
14 : Cardiac	858	7.8%	10.3
09 : Other orthopedic	772	7.0%	11.7
05 : Non-traumatic spinal cord injury	337	3.1%	14.4
02 : Traumatic brain injury	312	2.8%	12.4
17 : Major multiple trauma without brain or spinal cord injury	306	2.8%	13.3
15 : Pulmonary	268	2.4%	10.4
10 : Amputation, lower extremity	250	2.3%	13.5
08 : Replacement of lower extremity joint	196	1.8%	11.4
04 : Traumatic spinal cord injury	75	0.7%	16.2
18 : Major multiple trauma with brain or spinal cord injury	71	0.6%	14.7
13 : Rheumatoid, other arthritis	42	0.4%	11.0
12 : Osteoarthritis	26	0.2%	12.4
19 : Guillain Barre	20	0.2%	17.9
16 : Pain syndrome	13	0.1%	11.5
<b>Top 20 RICs</b>	<b>11,030</b>	<b>99.8%</b>	<b>12.5</b>
<b>All RICs</b>	<b>11,047</b>	<b>100%</b>	<b>12.5</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020



**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**Texas**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**132 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
06 : Neurological	13,116	20.7%	11.9
20 : Miscellaneous	9,128	14.4%	10.8
01 : Stroke	8,987	14.2%	14.9
07 : Fracture of lower extremity	6,468	10.2%	13.2
09 : Other orthopedic	5,451	8.6%	11.3
03 : Non-traumatic brain injury	4,538	7.2%	11.9
14 : Cardiac	3,372	5.3%	10.6
08 : Replacement of lower extremity joint	3,349	5.3%	10.0
05 : Non-traumatic spinal cord injury	2,149	3.4%	13.5
02 : Traumatic brain injury	1,654	2.6%	12.8
10 : Amputation, lower extremity	1,483	2.3%	13.3
17 : Major multiple trauma without brain or spinal cord injury	1,176	1.9%	13.0
15 : Pulmonary	1,151	1.8%	10.3
04 : Traumatic spinal cord injury	395	0.6%	19.1
16 : Pain syndrome	270	0.4%	10.2
12 : Osteoarthritis	215	0.3%	11.3
18 : Major multiple trauma with brain or spinal cord injury	187	0.3%	14.4
13 : Rheumatoid, other arthritis	176	0.3%	11.0
19 : Guillain Barre	98	0.2%	20.6
11 : Amputation, non-lower extremity	58	0.1%	11.2
<b>Top 20 RICs</b>	<b>63,421</b>	<b>100%</b>	<b>12.3</b>
<b>All RICs</b>	<b>63,441</b>	<b>100%</b>	<b>12.3</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Utah  
Discharges for most recent 4 quarters, ending Q4FY2019  
11 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	470	22.2%	14.7
06 : Neurological	278	13.1%	13.4
20 : Miscellaneous	257	12.1%	12.2
09 : Other orthopedic	193	9.1%	12.7
07 : Fracture of lower extremity	182	8.6%	13.8
03 : Non-traumatic brain injury	167	7.9%	11.9
02 : Traumatic brain injury	129	6.1%	12.1
05 : Non-traumatic spinal cord injury	104	4.9%	16.8
08 : Replacement of lower extremity joint	80	3.8%	10.1
14 : Cardiac	65	3.1%	11.7
17 : Major multiple trauma without brain or spinal cord injury	55	2.6%	13.0
10 : Amputation, lower extremity	48	2.3%	12.9
18 : Major multiple trauma with brain or spinal cord injury	30	1.4%	17.2
04 : Traumatic spinal cord injury	15	0.7%	15.3
15 : Pulmonary	13	0.6%	11.1
16 : Pain syndrome	11	0.5%	6.4
<b>Top 20 RICs</b>	<b>2,097</b>	<b>99.1%</b>	<b>13.3</b>
<b>All RICs</b>	<b>2,116</b>	<b>100%</b>	<b>13.3</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Virginia  
Discharges for most recent 4 quarters, ending Q4FY2019  
27 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	2,301	21.8%	15.1
06 : Neurological	1,593	15.1%	12.2
20 : Miscellaneous	1,279	12.1%	11.3
07 : Fracture of lower extremity	1,112	10.6%	12.6
09 : Other orthopedic	985	9.4%	11.5
03 : Non-traumatic brain injury	676	6.4%	12.4
14 : Cardiac	672	6.4%	10.7
05 : Non-traumatic spinal cord injury	371	3.5%	14.2
17 : Major multiple trauma without brain or spinal cord injury	297	2.8%	12.2
02 : Traumatic brain injury	296	2.8%	12.6
08 : Replacement of lower extremity joint	273	2.6%	10.6
10 : Amputation, lower extremity	259	2.5%	13.0
15 : Pulmonary	183	1.7%	10.6
04 : Traumatic spinal cord injury	70	0.7%	18.8
18 : Major multiple trauma with brain or spinal cord injury	54	0.5%	16.8
19 : Guillain Barre	29	0.3%	20.3
13 : Rheumatoid, other arthritis	29	0.3%	11.3
12 : Osteoarthritis	27	0.3%	11.8
16 : Pain syndrome	24	0.2%	10.1
<b>Top 20 RICs</b>	<b>10,530</b>	<b>100%</b>	<b>12.7</b>
<b>All RICs</b>	<b>10,533</b>	<b>100%</b>	<b>12.7</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Washington  
Discharges for most recent 4 quarters, ending Q4FY2019  
16 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	1,210	44.8%	14.1
03 : Non-traumatic brain injury	209	7.7%	10.7
20 : Miscellaneous	194	7.2%	11.5
05 : Non-traumatic spinal cord injury	179	6.6%	14.4
02 : Traumatic brain injury	159	5.9%	11.4
06 : Neurological	123	4.6%	12.1
09 : Other orthopedic	121	4.5%	10.1
07 : Fracture of lower extremity	111	4.1%	12.0
14 : Cardiac	108	4.0%	9.4
08 : Replacement of lower extremity joint	81	3.0%	9.3
10 : Amputation, lower extremity	68	2.5%	11.5
04 : Traumatic spinal cord injury	43	1.6%	18.5
17 : Major multiple trauma without brain or spinal cord injury	31	1.1%	12.1
18 : Major multiple trauma with brain or spinal cord injury	23	0.9%	16.3
15 : Pulmonary	16	0.6%	10.0
19 : Guillain Barre	15	0.6%	15.1
<b>Top 20 RICs</b>	<b>2,691</b>	<b>99.7%</b>	<b>12.8</b>
<b>All RICs</b>	<b>2,699</b>	<b>100%</b>	<b>12.8</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities  
Top 20 Rehabilitation Impairment Categories (RICs)  
Wisconsin  
Discharges for most recent 4 quarters, ending Q4FY2019  
19 Hospitals and Units  
In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
01 : Stroke	859	26.8%	14.5
20 : Miscellaneous	492	15.4%	10.3
07 : Fracture of lower extremity	272	8.5%	11.6
03 : Non-traumatic brain injury	268	8.4%	11.1
06 : Neurological	238	7.4%	12.0
09 : Other orthopedic	189	5.9%	9.6
14 : Cardiac	169	5.3%	9.6
05 : Non-traumatic spinal cord injury	138	4.3%	13.6
02 : Traumatic brain injury	138	4.3%	12.7
10 : Amputation, lower extremity	130	4.1%	11.9
08 : Replacement of lower extremity joint	122	3.8%	8.7
17 : Major multiple trauma without brain or spinal cord injury	59	1.8%	10.1
15 : Pulmonary	47	1.5%	9.1
04 : Traumatic spinal cord injury	37	1.2%	15.9
19 : Guillain Barre	11	0.3%	27.9
16 : Pain syndrome	11	0.3%	10.5
18 : Major multiple trauma with brain or spinal cord injury	11	0.3%	10.7
<b>Top 20 RICs</b>	<b>3,191</b>	<b>99.7%</b>	<b>12.0</b>
<b>All RICs</b>	<b>3,202</b>	<b>100%</b>	<b>12.0</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020

**Inpatient Rehabilitation Facilities**  
**Top 20 Rehabilitation Impairment Categories (RICs)**  
**West Virginia**  
**Discharges for most recent 4 quarters, ending Q4FY2019**  
**8 Hospitals and Units**  
**In Descending Order by Total Discharges Per RIC**

RIC Code and Description	Total Discharges for RIC*	Proportion of Discharges for Each RIC to Total State Discharges	State Average Length of Stay for RIC
06 : Neurological	1,770	32.9%	11.4
01 : Stroke	762	14.2%	14.8
20 : Miscellaneous	566	10.5%	11.6
07 : Fracture of lower extremity	517	9.6%	13.0
09 : Other orthopedic	505	9.4%	11.5
08 : Replacement of lower extremity joint	217	4.0%	9.6
03 : Non-traumatic brain injury	209	3.9%	12.2
14 : Cardiac	184	3.4%	10.8
17 : Major multiple trauma without brain or spinal cord injury	124	2.3%	11.6
10 : Amputation, lower extremity	122	2.3%	12.3
02 : Traumatic brain injury	112	2.1%	12.5
05 : Non-traumatic spinal cord injury	105	2.0%	14.0
15 : Pulmonary	65	1.2%	11.3
04 : Traumatic spinal cord injury	38	0.7%	18.2
16 : Pain syndrome	28	0.5%	10.1
18 : Major multiple trauma with brain or spinal cord injury	19	0.4%	11.2
<b>Top 20 RICs</b>	<b>5,343</b>	<b>99.5%</b>	<b>12.1</b>
<b>All RICs</b>	<b>5,372</b>	<b>100%</b>	<b>12.1</b>

Data Source: Medicare PPS Claims

\*Statistics only displayed when there are 3 or more providers in the state and the total RIC discharge count is greater than 10.

Date prepared: 20MAY2020