

1

Nationwide PHP Top 10 Diagnoses, Q4CY19
Episodes of Care for Most Recent Four Quarters, Ending Q4CY19
539 Hospitals and CMHCs
In Descending Order by Total Episodes of Care

Diag Code Description	Total Episodes for CCS Category	Proportion of Episodes for CCS to Total Episodes	PHP Average Length of Stay for CCS Category
Mood disorders	13,722	51.7%	29.3
Schizophrenia and other psychotic disorders	5,443	20.5%	51.1
Alcohol-related disorders	3,780	14.2%	22.6
Substance-related disorders	1,974	7.4%	22.6
Anxiety disorders	1,220	4.6%	20.8
Miscellaneous mental health disorders	108	0.4%	31.3
Adjustment disorders	76	0.3%	26.0
Personality disorders	71	0.3%	20.5
Delirium dementia and amnestic and other cognitive disorders	42	0.2%	17.4
Residual codes; unclassified	26	0.1%	6.2
Top CCS Categories	26,462	99.6%	31.9
All CCS Categories	26,556	100.0%	31.9

Note: this report is limited to the top diagnosis categories (up to 10) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis code from the first claim for the episode has been collapsed into a general category using Clinical Classification Software (CCS). More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>. Date prepared: 12JUN2020

Nationwide PHP Top 10 Diagnoses, Q4CY19
Episodes of Care for Most Recent Four Quarters, Ending Q4CY19
40 CMHCs Only
In Descending Order by Total Episodes of Care

Diag Code Description	Total Episodes for CCS Category	Proportion of Episodes for CCS to Total Episodes	PHP Average Length of Stay for CCS Category
Mood disorders	1,592	48.1%	37.3
Schizophrenia and other psychotic disorders	1,124	33.9%	68.4
Anxiety disorders	250	7.5%	19.5
Alcohol-related disorders	164	5.0%	17.1
Substance-related disorders	155	4.7%	18.1
No Description	*	*	*
No Description	*	*	*
No Description	*	*	*
No Description	*	*	*
No Description	*	*	*
Top CCS Categories	3,285	99.2%	44.7
All CCS Categories	3,313	100.0%	44.6

Note: this report is limited to the top diagnosis categories (up to 10) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis code from the first claim for the episode has been collapsed into a general category using Clinical Classification Software (CCS). More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>. Date prepared: 12JUN2020

Nationwide PHP Top 10 Diagnoses, Q4CY19
Episodes of Care for Most Recent Four Quarters, Ending Q4CY19
499 Hospitals
In Descending Order by Total Episodes of Care

Diag Code Description	Total Episodes for CCS Category	Proportion of Episodes for CCS to Total Episodes	PHP Average Length of Stay for CCS Category
Mood disorders	12,130	52.2%	28.3
Schizophrenia and other psychotic disorders	4,319	18.6%	46.6
Alcohol-related disorders	3,616	15.6%	22.8
Substance-related disorders	1,819	7.8%	23.0
Anxiety disorders	970	4.2%	21.2
Miscellaneous mental health disorders	102	0.4%	29.0
Adjustment disorders	72	0.3%	25.9
Personality disorders	65	0.3%	20.6
Delirium dementia and amnestic and other cognitive disorders	38	0.2%	15.9
Residual codes; unclassified	26	0.1%	6.2
Top CCS Categories	23,157	99.6%	30.1
All CCS Categories	23,243	100.0%	30.0

Note: this report is limited to the top diagnosis categories (up to 10) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis code from the first claim for the episode has been collapsed into a general category using Clinical Classification Software (CCS). More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>. Date prepared: 12JUN2020