

State Level Home Health Agencies Q4CY19 Top Therapy Report

Alaska

16 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	2,172	55.5%	N/A	5.3
Other aftercare	220	N/A	10.1%	6.3
Chronic ulcer of skin	123	N/A	5.7%	2.3
Late effects of cerebrovascular disease	109	N/A	5.0%	7.0
Hypertension with complications and secondary hypertension	95	N/A	4.4%	5.9
Chronic obstructive pulmonary disease and bronchiectasis	90	N/A	4.1%	4.5
2. Early 14-19 therapy visits episodes	414	10.6%	N/A	16.1
Other connective tissue disease	31	N/A	7.5%	16.2
Late effects of cerebrovascular disease	29	N/A	7.0%	15.1
Fracture of neck of femur (hip)	22	N/A	5.3%	16.1
Other fractures	21	N/A	5.1%	16.2
Other aftercare	19	N/A	4.6%	16.8
3. Late 0-13 therapy visits episodes	897	22.9%	N/A	2.2
Chronic ulcer of skin	135	N/A	15.1%	1.3
Genitourinary symptoms and ill-defined conditions	122	N/A	13.6%	0.3
Other diseases of veins and lymphatics	74	N/A	8.3%	1.5
Diabetes mellitus with complications	44	N/A	4.9%	2.3
Hypertension with complications and secondary hypertension	36	N/A	4.0%	2.6
5. All 20+ therapy visits episodes	359	9.2%	N/A	24.9
Late effects of cerebrovascular disease	53	N/A	14.8%	26.0
Other aftercare	19	N/A	5.3%	22.7
Fracture of neck of femur (hip)	17	N/A	4.7%	26.9
Pathological fracture	16	N/A	4.5%	26.3
Parkinson`s disease	15	N/A	4.2%	24.1
TOTAL	3,912	100%	N/A	7.8

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Alabama

152 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	57,025	43.8%	N/A	4.8
Other aftercare	7,835	N/A	13.7%	6.1
Hypertension with complications and secondary hypertension	4,735	N/A	8.3%	4.3
Chronic obstructive pulmonary disease and bronchiectasis	3,705	N/A	6.5%	4.1
Diabetes mellitus with complications	3,182	N/A	5.6%	3.2
Essential hypertension	2,928	N/A	5.1%	4.0
2. Early 14-19 therapy visits episodes	16,142	12.4%	N/A	16.2
Other aftercare	1,464	N/A	9.1%	16.2
Hypertension with complications and secondary hypertension	1,375	N/A	8.5%	16.1
Chronic obstructive pulmonary disease and bronchiectasis	897	N/A	5.6%	16.1
Late effects of cerebrovascular disease	803	N/A	5.0%	16.5
Essential hypertension	797	N/A	4.9%	16.3
3. Late 0-13 therapy visits episodes	35,739	27.5%	N/A	2.7
Hypertension with complications and secondary hypertension	3,784	N/A	10.6%	2.9
Diabetes mellitus with complications	2,715	N/A	7.6%	2.2
Chronic ulcer of skin	2,711	N/A	7.6%	1.4
Chronic obstructive pulmonary disease and bronchiectasis	2,562	N/A	7.2%	2.9
Genitourinary symptoms and ill-defined conditions	1,774	N/A	5.0%	1.0
4. Late 14-19 therapy visits episodes	5,915	4.6%	N/A	16.5
Hypertension with complications and secondary hypertension	686	N/A	11.6%	16.4
Chronic obstructive pulmonary disease and bronchiectasis	410	N/A	6.9%	16.4
Diabetes mellitus with complications	338	N/A	5.7%	16.4
Late effects of cerebrovascular disease	296	N/A	5.0%	17.0
Essential hypertension	274	N/A	4.6%	16.4
5. All 20+ therapy visits episodes	15,307	11.8%	N/A	25.3
Late effects of cerebrovascular disease	1,549	N/A	10.1%	27.8
Hypertension with complications and secondary hypertension	1,271	N/A	8.3%	24.6
Other aftercare	1,013	N/A	6.6%	24.6
Chronic obstructive pulmonary disease and bronchiectasis	850	N/A	5.6%	24.6
Essential hypertension	666	N/A	4.4%	24.7
TOTAL	130,128	100%	N/A	8.6

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Arkansas

108 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	32,309	47.3%	N/A	5.0
Other aftercare	4,048	N/A	12.5%	5.7
Hypertension with complications and secondary hypertension	2,171	N/A	6.7%	4.6
Chronic obstructive pulmonary disease and bronchiectasis	2,000	N/A	6.2%	4.7
Diabetes mellitus with complications	1,637	N/A	5.1%	3.4
Essential hypertension	1,111	N/A	3.4%	4.5
2. Early 14-19 therapy visits episodes	8,738	12.8%	N/A	16.1
Other aftercare	804	N/A	9.2%	16.3
Hypertension with complications and secondary hypertension	534	N/A	6.1%	16.0
Chronic obstructive pulmonary disease and bronchiectasis	506	N/A	5.8%	15.9
Late effects of cerebrovascular disease	434	N/A	5.0%	16.5
Other connective tissue disease	428	N/A	4.9%	16.5
3. Late 0-13 therapy visits episodes	17,266	25.3%	N/A	2.3
Diabetes mellitus with complications	1,536	N/A	8.9%	1.4
Hypertension with complications and secondary hypertension	1,498	N/A	8.7%	2.6
Chronic ulcer of skin	1,389	N/A	8.0%	1.2
Genitourinary symptoms and ill-defined conditions	1,337	N/A	7.7%	0.9
Chronic obstructive pulmonary disease and bronchiectasis	1,211	N/A	7.0%	2.6
4. Late 14-19 therapy visits episodes	2,340	3.4%	N/A	16.3
Hypertension with complications and secondary hypertension	223	N/A	9.5%	16.0
Late effects of cerebrovascular disease	156	N/A	6.7%	16.7
Chronic obstructive pulmonary disease and bronchiectasis	154	N/A	6.6%	16.2
Diabetes mellitus with complications	140	N/A	6.0%	16.3
Coronary atherosclerosis and other heart disease	117	N/A	5.0%	16.2
5. All 20+ therapy visits episodes	7,648	11.2%	N/A	26.4
Late effects of cerebrovascular disease	853	N/A	11.2%	29.4
Other aftercare	506	N/A	6.6%	24.8
Hypertension with complications and secondary hypertension	476	N/A	6.2%	25.5
Chronic obstructive pulmonary disease and bronchiectasis	411	N/A	5.4%	25.6
Fracture of neck of femur (hip)	322	N/A	4.2%	26.0
TOTAL	68,301	100%	N/A	8.5

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Arizona

170 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	44,787	58.4%	N/A	5.6
Other aftercare	8,049	N/A	18.0%	6.2
Hypertension with complications and secondary hypertension	2,256	N/A	5.0%	5.3
Chronic obstructive pulmonary disease and bronchiectasis	1,793	N/A	4.0%	5.2
Diabetes mellitus with complications	1,607	N/A	3.6%	3.8
Chronic ulcer of skin	1,366	N/A	3.1%	2.7
2. Early 14-19 therapy visits episodes	9,808	12.8%	N/A	16.0
Other aftercare	994	N/A	10.1%	15.6
Late effects of cerebrovascular disease	590	N/A	6.0%	16.3
Hypertension with complications and secondary hypertension	509	N/A	5.2%	15.6
Fracture of neck of femur (hip)	496	N/A	5.1%	16.3
Other nervous system disorders	459	N/A	4.7%	16.2
3. Late 0-13 therapy visits episodes	12,972	16.9%	N/A	3.1
Genitourinary symptoms and ill-defined conditions	1,541	N/A	11.9%	1.0
Chronic ulcer of skin	1,445	N/A	11.1%	1.7
Diabetes mellitus with complications	788	N/A	6.1%	2.0
Hypertension with complications and secondary hypertension	750	N/A	5.8%	3.5
Other aftercare	616	N/A	4.8%	3.2
4. Late 14-19 therapy visits episodes	2,323	3.0%	N/A	16.6
Hypertension with complications and secondary hypertension	155	N/A	6.7%	16.4
Late effects of cerebrovascular disease	153	N/A	6.6%	17.1
Other connective tissue disease	136	N/A	5.9%	16.8
Other aftercare	120	N/A	5.2%	16.6
Parkinson`s disease	119	N/A	5.1%	17.2
5. All 20+ therapy visits episodes	6,848	8.9%	N/A	25.2
Late effects of cerebrovascular disease	791	N/A	11.6%	27.5
Other aftercare	449	N/A	6.6%	24.4
Fracture of neck of femur (hip)	419	N/A	6.1%	25.2
Parkinson`s disease	406	N/A	5.9%	27.1
Other connective tissue disease	293	N/A	4.3%	24.5
TOTAL	76,738	100%	N/A	8.6

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report California 1,498 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	403,301	62.8%	N/A	5.1
Other aftercare	48,098	N/A	11.9%	5.8
Hypertension with complications and secondary hypertension	43,378	N/A	10.8%	3.6
Osteoarthritis	28,699	N/A	7.1%	8.5
Diabetes mellitus with complications	24,476	N/A	6.1%	3.7
Spondylosis; intervertebral disc disorders; other back problems	22,443	N/A	5.6%	8.1
2. Early 14-19 therapy visits episodes	41,337	6.4%	N/A	15.9
Other aftercare	3,897	N/A	9.4%	15.8
Late effects of cerebrovascular disease	2,702	N/A	6.5%	16.3
Hypertension with complications and secondary hypertension	2,701	N/A	6.5%	15.6
Other connective tissue disease	2,278	N/A	5.5%	15.8
Spondylosis; intervertebral disc disorders; other back problems	2,147	N/A	5.2%	16.0
3. Late 0-13 therapy visits episodes	161,564	25.2%	N/A	3.2
Hypertension with complications and secondary hypertension	18,505	N/A	11.5%	3.0
Diabetes mellitus with complications	17,492	N/A	10.8%	2.2
Chronic ulcer of skin	12,412	N/A	7.7%	1.7
Genitourinary symptoms and ill-defined conditions	6,592	N/A	4.1%	1.1
Essential hypertension	6,434	N/A	4.0%	2.9
4. Late 14-19 therapy visits episodes	13,634	2.1%	N/A	16.2
Hypertension with complications and secondary hypertension	1,242	N/A	9.1%	16.0
Other connective tissue disease	934	N/A	6.9%	16.3
Diabetes mellitus with complications	807	N/A	5.9%	15.9
Late effects of cerebrovascular disease	722	N/A	5.3%	16.5
Other nervous system disorders	703	N/A	5.2%	16.4
5. All 20+ therapy visits episodes	22,167	3.5%	N/A	24.4
Late effects of cerebrovascular disease	2,710	N/A	12.2%	26.3
Other aftercare	1,438	N/A	6.5%	23.9
Hypertension with complications and secondary hypertension	1,299	N/A	5.9%	23.5
Other connective tissue disease	1,045	N/A	4.7%	24.3
Parkinson`s disease	989	N/A	4.5%	25.5
TOTAL	642,004	100%	N/A	6.2

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Colorado

168 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	28,532	55.7%	N/A	6.5
Other aftercare	6,289	N/A	22.0%	6.9
Hypertension with complications and secondary hypertension	1,046	N/A	3.7%	6.4
Spondylosis; intervertebral disc disorders; other back problems	955	N/A	3.4%	8.4
Chronic obstructive pulmonary disease and bronchiectasis	923	N/A	3.2%	6.6
Diabetes mellitus with complications	875	N/A	3.1%	4.4
2. Early 14-19 therapy visits episodes	7,021	13.7%	N/A	16.4
Other aftercare	743	N/A	10.6%	16.2
Late effects of cerebrovascular disease	371	N/A	5.3%	16.7
Spondylosis; intervertebral disc disorders; other back problems	370	N/A	5.3%	16.4
Other nervous system disorders	352	N/A	5.0%	16.4
Other fractures	336	N/A	4.8%	16.6
3. Late 0-13 therapy visits episodes	7,673	15.0%	N/A	3.4
Genitourinary symptoms and ill-defined conditions	795	N/A	10.4%	1.2
Chronic ulcer of skin	703	N/A	9.2%	1.7
Diabetes mellitus with complications	611	N/A	8.0%	2.1
Other diseases of veins and lymphatics	361	N/A	4.7%	1.8
Hypertension with complications and secondary hypertension	322	N/A	4.2%	4.3
4. Late 14-19 therapy visits episodes	1,411	2.8%	N/A	16.7
Late effects of cerebrovascular disease	91	N/A	6.5%	16.9
Other nervous system disorders	81	N/A	5.7%	16.6
Parkinson`s disease	77	N/A	5.5%	17.3
Hypertension with complications and secondary hypertension	72	N/A	5.1%	16.9
Diabetes mellitus with complications	69	N/A	4.9%	16.2
5. All 20+ therapy visits episodes	6,578	12.8%	N/A	25.9
Late effects of cerebrovascular disease	609	N/A	9.3%	28.6
Other aftercare	425	N/A	6.5%	24.7
Other nervous system disorders	352	N/A	5.4%	26.1
Parkinson`s disease	334	N/A	5.1%	27.0
Other fractures	316	N/A	4.8%	25.5
TOTAL	51,215	100%	N/A	10.2

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report Connecticut 91 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	44,627	58.2%	N/A	5.0
Other aftercare	8,695	N/A	19.5%	5.9
Hypertension with complications and secondary hypertension	2,939	N/A	6.6%	4.6
Chronic obstructive pulmonary disease and bronchiectasis	2,023	N/A	4.5%	4.5
Diabetes mellitus with complications	1,467	N/A	3.3%	3.4
Chronic ulcer of skin	1,256	N/A	2.8%	2.7
2. Early 14-19 therapy visits episodes	7,192	9.4%	N/A	16.1
Other aftercare	812	N/A	11.3%	15.9
Hypertension with complications and secondary hypertension	426	N/A	5.9%	15.9
Late effects of cerebrovascular disease	320	N/A	4.5%	16.5
Fracture of neck of femur (hip)	300	N/A	4.2%	16.4
Other fractures	296	N/A	4.1%	16.2
3. Late 0-13 therapy visits episodes	16,100	21.0%	N/A	2.8
Chronic ulcer of skin	1,715	N/A	10.7%	1.7
Hypertension with complications and secondary hypertension	1,172	N/A	7.3%	3.5
Diabetes mellitus with complications	1,025	N/A	6.4%	1.8
Genitourinary symptoms and ill-defined conditions	1,004	N/A	6.2%	1.2
Deficiency and other anemia	805	N/A	5.0%	1.1
4. Late 14-19 therapy visits episodes	1,993	2.6%	N/A	16.3
Hypertension with complications and secondary hypertension	158	N/A	7.9%	16.1
Chronic obstructive pulmonary disease and bronchiectasis	111	N/A	5.6%	16.4
Parkinson`s disease	111	N/A	5.6%	16.3
Late effects of cerebrovascular disease	94	N/A	4.7%	16.6
Other nervous system disorders	90	N/A	4.5%	16.9
5. All 20+ therapy visits episodes	6,820	8.9%	N/A	26.1
Late effects of cerebrovascular disease	519	N/A	7.6%	29.3
Other aftercare	424	N/A	6.2%	25.1
Hypertension with complications and secondary hypertension	407	N/A	6.0%	25.2
Fracture of neck of femur (hip)	318	N/A	4.7%	26.6
Parkinson`s disease	283	N/A	4.2%	27.0
TOTAL	76,732	100%	N/A	7.8

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

**State Level Home Health Agencies Q4CY19 Top Therapy Report
District of Columbia
23 HHAs**

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	3,290	60.3%	N/A	5.7
Other aftercare	506	N/A	15.4%	6.5
Hypertension with complications and secondary hypertension	331	N/A	10.1%	5.1
Diabetes mellitus with complications	175	N/A	5.3%	4.0
Chronic ulcer of skin	172	N/A	5.2%	2.1
Essential hypertension	132	N/A	4.0%	6.1
2. Early 14-19 therapy visits episodes	730	13.4%	N/A	16.0
Hypertension with complications and secondary hypertension	75	N/A	10.3%	15.8
Other aftercare	71	N/A	9.7%	15.6
Late effects of cerebrovascular disease	47	N/A	6.4%	16.0
Osteoarthritis	42	N/A	5.8%	16.4
Other connective tissue disease	35	N/A	4.8%	15.8
3. Late 0-13 therapy visits episodes	852	15.6%	N/A	2.3
Chronic ulcer of skin	189	N/A	22.2%	0.8
Other diseases of veins and lymphatics	122	N/A	14.3%	1.1
Genitourinary symptoms and ill-defined conditions	92	N/A	10.8%	1.1
Hypertension with complications and secondary hypertension	92	N/A	10.8%	2.8
Diabetes mellitus with complications	57	N/A	6.7%	2.4
5. All 20+ therapy visits episodes	499	9.2%	N/A	23.0
Late effects of cerebrovascular disease	59	N/A	11.8%	26.0
Other connective tissue disease	49	N/A	9.8%	22.7
Other nervous system disorders	30	N/A	6.0%	22.6
Other aftercare	26	N/A	5.2%	23.3
Hypertension with complications and secondary hypertension	25	N/A	5.0%	23.4
TOTAL	5,453	100%	N/A	8.3

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Delaware

20 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	14,456	65.7%	N/A	5.3
Other aftercare	3,315	N/A	22.9%	5.5
Hypertension with complications and secondary hypertension	1,230	N/A	8.5%	5.1
Chronic obstructive pulmonary disease and bronchiectasis	713	N/A	4.9%	4.8
Diabetes mellitus with complications	523	N/A	3.6%	3.9
Late effects of cerebrovascular disease	431	N/A	3.0%	7.3
2. Early 14-19 therapy visits episodes	2,454	11.2%	N/A	15.4
Other aftercare	242	N/A	9.9%	15.4
Hypertension with complications and secondary hypertension	202	N/A	8.2%	15.0
Late effects of cerebrovascular disease	182	N/A	7.4%	15.7
Chronic obstructive pulmonary disease and bronchiectasis	111	N/A	4.5%	15.4
Other fractures	109	N/A	4.4%	15.9
3. Late 0-13 therapy visits episodes	2,896	13.2%	N/A	3.4
Genitourinary symptoms and ill-defined conditions	375	N/A	13.0%	0.8
Chronic ulcer of skin	318	N/A	11.0%	2.0
Hypertension with complications and secondary hypertension	275	N/A	9.5%	4.4
Other diseases of veins and lymphatics	226	N/A	7.8%	1.9
Diabetes mellitus with complications	191	N/A	6.6%	2.1
4. Late 14-19 therapy visits episodes	473	2.2%	N/A	16.4
Hypertension with complications and secondary hypertension	46	N/A	9.7%	16.4
Late effects of cerebrovascular disease	36	N/A	7.6%	16.6
Chronic ulcer of skin	28	N/A	5.9%	16.2
Chronic obstructive pulmonary disease and bronchiectasis	22	N/A	4.7%	15.6
Parkinson`s disease	18	N/A	3.8%	17.1
5. All 20+ therapy visits episodes	1,730	7.9%	N/A	25.2
Late effects of cerebrovascular disease	252	N/A	14.6%	27.8
Other aftercare	105	N/A	6.1%	24.5
Hypertension with complications and secondary hypertension	100	N/A	5.8%	23.4
Fracture of neck of femur (hip)	82	N/A	4.7%	24.9
Other fractures	79	N/A	4.6%	24.4
TOTAL	22,009	100%	N/A	8.0

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Florida

953 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	271,322	48.7%	N/A	5.4
Other aftercare	58,903	N/A	21.7%	5.5
Hypertension with complications and secondary hypertension	13,543	N/A	5.0%	5.3
Open wounds of extremities	10,918	N/A	4.0%	2.5
Chronic obstructive pulmonary disease and bronchiectasis	10,865	N/A	4.0%	5.3
Diabetes mellitus with complications	9,599	N/A	3.5%	3.7
2. Early 14-19 therapy visits episodes	82,432	14.8%	N/A	16.4
Other aftercare	7,208	N/A	8.7%	16.2
Spondylosis; intervertebral disc disorders; other back problems	6,999	N/A	8.5%	17.1
Osteoarthritis	5,937	N/A	7.2%	17.2
Other nervous system disorders	4,598	N/A	5.6%	16.7
Other connective tissue disease	4,423	N/A	5.4%	16.7
3. Late 0-13 therapy visits episodes	111,219	20.0%	N/A	3.7
Diabetes mellitus with complications	12,537	N/A	11.3%	2.1
Chronic ulcer of skin	10,155	N/A	9.1%	2.1
Hypertension with complications and secondary hypertension	6,553	N/A	5.9%	4.2
Open wounds of extremities	6,033	N/A	5.4%	2.7
Genitourinary symptoms and ill-defined conditions	5,467	N/A	4.9%	1.4
4. Late 14-19 therapy visits episodes	33,878	6.1%	N/A	16.7
Osteoarthritis	2,215	N/A	6.5%	17.3
Other nervous system disorders	2,193	N/A	6.5%	17.0
Diabetes mellitus with complications	1,973	N/A	5.8%	16.5
Other connective tissue disease	1,971	N/A	5.8%	17.0
Spondylosis; intervertebral disc disorders; other back problems	1,936	N/A	5.7%	17.0
5. All 20+ therapy visits episodes	58,568	10.5%	N/A	24.4
Late effects of cerebrovascular disease	4,912	N/A	8.4%	26.2
Other aftercare	3,503	N/A	6.0%	23.9
Other nervous system disorders	3,083	N/A	5.3%	24.6
Hypertension with complications and secondary hypertension	2,899	N/A	5.0%	23.9
Parkinson's disease	2,805	N/A	4.8%	25.4
TOTAL	557,419	100%	N/A	9.4

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Georgia

102 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	75,366	51.6%	N/A	5.4
Other aftercare	11,177	N/A	14.8%	6.4
Hypertension with complications and secondary hypertension	6,068	N/A	8.1%	4.8
Chronic obstructive pulmonary disease and bronchiectasis	4,002	N/A	5.3%	4.9
Diabetes mellitus with complications	3,775	N/A	5.0%	4.0
Chronic ulcer of skin	2,656	N/A	3.5%	2.6
2. Early 14-19 therapy visits episodes	18,974	13.0%	N/A	16.2
Other aftercare	1,899	N/A	10.0%	16.2
Hypertension with complications and secondary hypertension	1,468	N/A	7.7%	16.0
Late effects of cerebrovascular disease	1,146	N/A	6.0%	16.5
Chronic obstructive pulmonary disease and bronchiectasis	872	N/A	4.6%	16.0
Fracture of neck of femur (hip)	831	N/A	4.4%	16.4
3. Late 0-13 therapy visits episodes	31,361	21.5%	N/A	2.8
Chronic ulcer of skin	3,553	N/A	11.3%	1.4
Hypertension with complications and secondary hypertension	2,712	N/A	8.7%	3.3
Diabetes mellitus with complications	2,524	N/A	8.1%	2.3
Genitourinary symptoms and ill-defined conditions	2,308	N/A	7.4%	0.9
Chronic obstructive pulmonary disease and bronchiectasis	1,695	N/A	5.4%	3.5
4. Late 14-19 therapy visits episodes	4,595	3.2%	N/A	16.6
Hypertension with complications and secondary hypertension	458	N/A	10.0%	16.6
Chronic obstructive pulmonary disease and bronchiectasis	257	N/A	5.6%	16.6
Late effects of cerebrovascular disease	246	N/A	5.4%	16.8
Diabetes mellitus with complications	243	N/A	5.3%	16.4
Chronic ulcer of skin	196	N/A	4.3%	16.5
5. All 20+ therapy visits episodes	15,662	10.7%	N/A	24.9
Late effects of cerebrovascular disease	1,894	N/A	12.1%	27.1
Other aftercare	1,096	N/A	7.0%	23.8
Hypertension with complications and secondary hypertension	1,086	N/A	6.9%	24.3
Fracture of neck of femur (hip)	769	N/A	4.9%	25.2
Parkinson`s disease	662	N/A	4.2%	26.0
TOTAL	145,958	100%	N/A	8.7

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Guam

4 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	839	48.8%	N/A	3.8
Late effects of cerebrovascular disease	82	N/A	9.8%	5.7
Hypertension with complications and secondary hypertension	73	N/A	8.7%	3.2
Other aftercare	58	N/A	6.9%	5.7
Chronic ulcer of skin	52	N/A	6.2%	2.3
Diabetes mellitus with complications	46	N/A	5.5%	1.6
2. Early 14-19 therapy visits episodes	153	8.9%	N/A	15.9
Late effects of cerebrovascular disease	28	N/A	18.3%	16.2
Fracture of neck of femur (hip)	21	N/A	13.7%	15.9
Other aftercare	20	N/A	13.1%	16.0
3. Late 0-13 therapy visits episodes	607	35.3%	N/A	2.4
Late effects of cerebrovascular disease	97	N/A	16.0%	3.4
Hypertension with complications and secondary hypertension	82	N/A	13.5%	3.0
Chronic ulcer of skin	63	N/A	10.4%	1.8
Congestive heart failure; nonhypertensive	41	N/A	6.8%	2.0
Delirium dementia and amnestic and other cognitive disorders	37	N/A	6.1%	1.0
4. Late 14-19 therapy visits episodes	49	2.9%	N/A	16.7
Late effects of cerebrovascular disease	12	N/A	24.5%	17.4
5. All 20+ therapy visits episodes	23	1.3%	N/A	24.3
Late effects of cerebrovascular disease	12	N/A	52.2%	25.3
TOTAL	1,721	100%	N/A	5.0

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Hawaii

14 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	3,483	66.9%	N/A	6.5
Other aftercare	388	N/A	11.1%	6.6
Late effects of cerebrovascular disease	180	N/A	5.2%	7.7
Hypertension with complications and secondary hypertension	176	N/A	5.1%	7.3
Chronic ulcer of skin	157	N/A	4.5%	2.8
Diabetes mellitus with complications	131	N/A	3.8%	4.3
2. Early 14-19 therapy visits episodes	757	14.6%	N/A	16.4
Late effects of cerebrovascular disease	62	N/A	8.2%	17.1
Other aftercare	55	N/A	7.3%	16.5
Hypertension with complications and secondary hypertension	46	N/A	6.1%	16.2
Other connective tissue disease	42	N/A	5.6%	16.1
Fracture of neck of femur (hip)	40	N/A	5.3%	16.8
3. Late 0-13 therapy visits episodes	464	8.9%	N/A	2.8
Genitourinary symptoms and ill-defined conditions	102	N/A	22.0%	0.6
Chronic ulcer of skin	91	N/A	19.6%	1.2
Other aftercare	33	N/A	7.1%	3.5
Diabetes mellitus with complications	23	N/A	5.0%	1.2
Skin and subcutaneous tissue infections	16	N/A	3.5%	1.2
5. All 20+ therapy visits episodes	470	9.0%	N/A	26.0
Late effects of cerebrovascular disease	96	N/A	20.4%	29.4
Other aftercare	34	N/A	7.2%	25.4
Other connective tissue disease	33	N/A	7.0%	27.1
Other fractures	22	N/A	4.7%	26.2
Pathological fracture	19	N/A	4.0%	23.8
TOTAL	5,204	100%	N/A	9.4

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Iowa 159 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	20,621	62.5%	N/A	5.1
Other aftercare	3,468	N/A	16.8%	5.0
Hypertension with complications and secondary hypertension	1,126	N/A	5.5%	4.6
Chronic obstructive pulmonary disease and bronchiectasis	1,022	N/A	5.0%	4.3
Diabetes mellitus with complications	638	N/A	3.1%	3.6
Other fractures	596	N/A	2.9%	6.9
2. Early 14-19 therapy visits episodes	3,525	10.7%	N/A	15.9
Other aftercare	305	N/A	8.7%	15.6
Other connective tissue disease	194	N/A	5.5%	16.6
Late effects of cerebrovascular disease	178	N/A	5.1%	15.9
Other nervous system disorders	157	N/A	4.5%	16.7
Fracture of neck of femur (hip)	153	N/A	4.3%	16.3
3. Late 0-13 therapy visits episodes	5,681	17.2%	N/A	1.9
Genitourinary symptoms and ill-defined conditions	841	N/A	14.8%	0.7
Diabetes mellitus with complications	409	N/A	7.2%	1.6
Chronic ulcer of skin	379	N/A	6.7%	1.1
Hypertension with complications and secondary hypertension	347	N/A	6.1%	2.5
Chronic obstructive pulmonary disease and bronchiectasis	264	N/A	4.7%	2.3
4. Late 14-19 therapy visits episodes	483	1.5%	N/A	16.6
Late effects of cerebrovascular disease	36	N/A	7.5%	17.0
Hypertension with complications and secondary hypertension	29	N/A	6.0%	16.9
Genitourinary symptoms and ill-defined conditions	23	N/A	4.8%	16.5
Other connective tissue disease	22	N/A	4.6%	17.4
Osteoarthritis	20	N/A	4.1%	18.1
5. All 20+ therapy visits episodes	2,685	8.1%	N/A	25.3
Late effects of cerebrovascular disease	269	N/A	10.0%	28.4
Other aftercare	195	N/A	7.3%	24.1
Other connective tissue disease	167	N/A	6.2%	26.2
Fracture of neck of femur (hip)	132	N/A	4.9%	25.4
Other nervous system disorders	126	N/A	4.7%	26.1
TOTAL	32,995	100%	N/A	7.5

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Idaho

56 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	12,644	48.6%	N/A	6.2
Other aftercare	2,757	N/A	21.8%	6.5
Hypertension with complications and secondary hypertension	577	N/A	4.6%	5.9
Diabetes mellitus with complications	501	N/A	4.0%	4.3
Other connective tissue disease	471	N/A	3.7%	8.5
Chronic obstructive pulmonary disease and bronchiectasis	445	N/A	3.5%	6.1
2. Early 14-19 therapy visits episodes	3,887	14.9%	N/A	16.0
Other aftercare	417	N/A	10.7%	15.9
Other connective tissue disease	306	N/A	7.9%	16.2
Other nervous system disorders	215	N/A	5.5%	16.5
Late effects of cerebrovascular disease	195	N/A	5.0%	16.4
Hypertension with complications and secondary hypertension	172	N/A	4.4%	15.6
3. Late 0-13 therapy visits episodes	5,042	19.4%	N/A	3.9
Genitourinary symptoms and ill-defined conditions	537	N/A	10.7%	1.0
Diabetes mellitus with complications	430	N/A	8.5%	2.5
Chronic ulcer of skin	385	N/A	7.6%	2.0
Other diseases of veins and lymphatics	290	N/A	5.8%	2.4
Hypertension with complications and secondary hypertension	262	N/A	5.2%	5.0
4. Late 14-19 therapy visits episodes	1,202	4.6%	N/A	16.5
Other connective tissue disease	119	N/A	9.9%	16.8
Late effects of cerebrovascular disease	97	N/A	8.1%	17.0
Hypertension with complications and secondary hypertension	81	N/A	6.7%	16.8
Diabetes mellitus with complications	79	N/A	6.6%	16.3
Other nervous system disorders	54	N/A	4.5%	16.7
5. All 20+ therapy visits episodes	3,242	12.5%	N/A	25.4
Late effects of cerebrovascular disease	315	N/A	9.7%	28.1
Other connective tissue disease	245	N/A	7.6%	25.7
Other aftercare	235	N/A	7.3%	24.2
Fracture of neck of femur (hip)	181	N/A	5.6%	26.3
Other nervous system disorders	171	N/A	5.3%	26.4
TOTAL	26,018	100%	N/A	10.1

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Illinois

674 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	151,169	54.6%	N/A	5.0
Other aftercare	25,191	N/A	16.7%	6.0
Hypertension with complications and secondary hypertension	13,087	N/A	8.7%	4.2
Osteoarthritis	9,374	N/A	6.2%	5.3
Essential hypertension	7,265	N/A	4.8%	3.1
Chronic obstructive pulmonary disease and bronchiectasis	7,243	N/A	4.8%	4.4
2. Early 14-19 therapy visits episodes	27,088	9.8%	N/A	16.1
Osteoarthritis	2,184	N/A	8.1%	16.1
Hypertension with complications and secondary hypertension	2,057	N/A	7.6%	15.8
Other aftercare	1,911	N/A	7.1%	16.0
Late effects of cerebrovascular disease	1,440	N/A	5.3%	16.4
Spondylosis; intervertebral disc disorders; other back problems	1,315	N/A	4.9%	16.3
3. Late 0-13 therapy visits episodes	73,498	26.5%	N/A	2.7
Hypertension with complications and secondary hypertension	8,261	N/A	11.2%	2.7
Osteoarthritis	6,075	N/A	8.3%	3.6
Diabetes mellitus with complications	5,793	N/A	7.9%	2.1
Chronic ulcer of skin	5,358	N/A	7.3%	1.8
Essential hypertension	5,209	N/A	7.1%	2.0
4. Late 14-19 therapy visits episodes	9,110	3.3%	N/A	16.3
Osteoarthritis	987	N/A	10.8%	16.3
Hypertension with complications and secondary hypertension	918	N/A	10.1%	16.2
Diabetes mellitus with complications	528	N/A	5.8%	16.0
Chronic ulcer of skin	428	N/A	4.7%	16.1
Late effects of cerebrovascular disease	408	N/A	4.5%	16.4
5. All 20+ therapy visits episodes	16,200	5.9%	N/A	24.8
Late effects of cerebrovascular disease	1,715	N/A	10.6%	26.4
Hypertension with complications and secondary hypertension	1,030	N/A	6.4%	24.1
Other aftercare	857	N/A	5.3%	24.1
Osteoarthritis	758	N/A	4.7%	24.5
Parkinson`s disease	756	N/A	4.7%	26.0
TOTAL	277,065	100%	N/A	7.0

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Indiana

215 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	51,213	51.9%	N/A	5.7
Other aftercare	9,138	N/A	17.8%	6.5
Hypertension with complications and secondary hypertension	3,463	N/A	6.8%	5.0
Chronic obstructive pulmonary disease and bronchiectasis	3,078	N/A	6.0%	5.2
Diabetes mellitus with complications	2,159	N/A	4.2%	3.9
Chronic ulcer of skin	1,706	N/A	3.3%	2.5
2. Early 14-19 therapy visits episodes	13,002	13.2%	N/A	16.0
Other aftercare	1,254	N/A	9.6%	16.1
Hypertension with complications and secondary hypertension	824	N/A	6.3%	15.8
Chronic obstructive pulmonary disease and bronchiectasis	759	N/A	5.8%	15.8
Late effects of cerebrovascular disease	731	N/A	5.6%	16.3
Other connective tissue disease	671	N/A	5.2%	16.4
3. Late 0-13 therapy visits episodes	20,676	20.9%	N/A	2.7
Chronic ulcer of skin	2,083	N/A	10.1%	1.5
Hypertension with complications and secondary hypertension	1,828	N/A	8.8%	3.0
Genitourinary symptoms and ill-defined conditions	1,704	N/A	8.2%	0.8
Diabetes mellitus with complications	1,596	N/A	7.7%	2.0
Chronic obstructive pulmonary disease and bronchiectasis	1,272	N/A	6.2%	3.2
4. Late 14-19 therapy visits episodes	2,936	3.0%	N/A	16.4
Hypertension with complications and secondary hypertension	262	N/A	8.9%	16.4
Chronic obstructive pulmonary disease and bronchiectasis	198	N/A	6.7%	16.3
Late effects of cerebrovascular disease	186	N/A	6.3%	16.9
Diabetes mellitus with complications	153	N/A	5.2%	16.3
Other connective tissue disease	144	N/A	4.9%	16.6
5. All 20+ therapy visits episodes	10,926	11.1%	N/A	25.6
Late effects of cerebrovascular disease	1,054	N/A	9.7%	27.9
Other connective tissue disease	644	N/A	5.9%	26.0
Hypertension with complications and secondary hypertension	643	N/A	5.9%	24.9
Other aftercare	637	N/A	5.8%	24.8
Chronic obstructive pulmonary disease and bronchiectasis	600	N/A	5.5%	25.1
TOTAL	98,753	100%	N/A	9.0

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Kansas

123 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	25,969	50.4%	N/A	5.8
Other aftercare	3,766	N/A	14.5%	6.3
Hypertension with complications and secondary hypertension	1,578	N/A	6.1%	5.3
Chronic obstructive pulmonary disease and bronchiectasis	1,321	N/A	5.1%	5.4
Diabetes mellitus with complications	1,122	N/A	4.3%	4.1
Chronic ulcer of skin	848	N/A	3.3%	2.7
2. Early 14-19 therapy visits episodes	7,412	14.4%	N/A	16.0
Other aftercare	704	N/A	9.5%	15.7
Hypertension with complications and secondary hypertension	406	N/A	5.5%	15.7
Other connective tissue disease	384	N/A	5.2%	16.3
Late effects of cerebrovascular disease	358	N/A	4.8%	16.2
Other nervous system disorders	333	N/A	4.5%	16.2
3. Late 0-13 therapy visits episodes	11,144	21.6%	N/A	2.5
Diabetes mellitus with complications	1,054	N/A	9.5%	1.8
Chronic ulcer of skin	1,040	N/A	9.3%	1.4
Hypertension with complications and secondary hypertension	920	N/A	8.3%	2.8
Genitourinary symptoms and ill-defined conditions	856	N/A	7.7%	1.0
Chronic obstructive pulmonary disease and bronchiectasis	610	N/A	5.5%	2.9
4. Late 14-19 therapy visits episodes	1,439	2.8%	N/A	16.5
Hypertension with complications and secondary hypertension	124	N/A	8.6%	16.3
Diabetes mellitus with complications	92	N/A	6.4%	16.3
Spondylosis; intervertebral disc disorders; other back problems	67	N/A	4.7%	16.7
Other connective tissue disease	65	N/A	4.5%	17.3
Chronic obstructive pulmonary disease and bronchiectasis	65	N/A	4.5%	16.4
5. All 20+ therapy visits episodes	5,530	10.7%	N/A	25.2
Late effects of cerebrovascular disease	493	N/A	8.9%	28.3
Other aftercare	377	N/A	6.8%	25.0
Other connective tissue disease	298	N/A	5.4%	25.6
Hypertension with complications and secondary hypertension	260	N/A	4.7%	24.1
Fracture of neck of femur (hip)	246	N/A	4.5%	25.0
TOTAL	51,494	100%	N/A	8.9

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Kentucky

102 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	49,031	48.1%	N/A	5.2
Other aftercare	7,753	N/A	15.8%	6.4
Chronic obstructive pulmonary disease and bronchiectasis	3,550	N/A	7.2%	4.7
Hypertension with complications and secondary hypertension	2,760	N/A	5.6%	4.7
Diabetes mellitus with complications	2,305	N/A	4.7%	3.4
Chronic ulcer of skin	1,477	N/A	3.0%	2.4
2. Early 14-19 therapy visits episodes	11,666	11.4%	N/A	16.2
Other aftercare	1,235	N/A	10.6%	16.3
Chronic obstructive pulmonary disease and bronchiectasis	733	N/A	6.3%	15.9
Hypertension with complications and secondary hypertension	624	N/A	5.4%	15.8
Late effects of cerebrovascular disease	575	N/A	4.9%	16.5
Other connective tissue disease	547	N/A	4.7%	16.4
3. Late 0-13 therapy visits episodes	26,339	25.8%	N/A	2.7
Chronic ulcer of skin	2,246	N/A	8.5%	1.4
Chronic obstructive pulmonary disease and bronchiectasis	2,013	N/A	7.6%	3.2
Hypertension with complications and secondary hypertension	1,995	N/A	7.6%	3.0
Genitourinary symptoms and ill-defined conditions	1,909	N/A	7.3%	0.9
Diabetes mellitus with complications	1,888	N/A	7.2%	2.2
4. Late 14-19 therapy visits episodes	3,706	3.6%	N/A	16.4
Hypertension with complications and secondary hypertension	320	N/A	8.6%	16.3
Chronic obstructive pulmonary disease and bronchiectasis	304	N/A	8.2%	16.4
Late effects of cerebrovascular disease	194	N/A	5.2%	16.5
Diabetes mellitus with complications	179	N/A	4.8%	16.4
Osteoarthritis	158	N/A	4.3%	17.0
5. All 20+ therapy visits episodes	11,265	11.0%	N/A	25.7
Late effects of cerebrovascular disease	1,026	N/A	9.1%	28.2
Other aftercare	774	N/A	6.9%	25.0
Chronic obstructive pulmonary disease and bronchiectasis	768	N/A	6.8%	24.6
Hypertension with complications and secondary hypertension	627	N/A	5.6%	25.2
Fracture of neck of femur (hip)	487	N/A	4.3%	25.9
TOTAL	102,007	100%	N/A	8.5

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Louisiana

194 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	52,520	35.6%	N/A	4.4
Other aftercare	6,982	N/A	13.3%	6.2
Hypertension with complications and secondary hypertension	4,504	N/A	8.6%	3.5
Diabetes mellitus with complications	3,465	N/A	6.6%	3.0
Essential hypertension	3,259	N/A	6.2%	3.1
Chronic obstructive pulmonary disease and bronchiectasis	2,388	N/A	4.6%	3.9
2. Early 14-19 therapy visits episodes	11,887	8.1%	N/A	16.3
Other aftercare	1,386	N/A	11.7%	16.5
Hypertension with complications and secondary hypertension	845	N/A	7.1%	16.0
Late effects of cerebrovascular disease	716	N/A	6.0%	16.6
Essential hypertension	534	N/A	4.5%	16.1
Diabetes mellitus with complications	516	N/A	4.3%	16.1
3. Late 0-13 therapy visits episodes	67,880	46.0%	N/A	2.0
Hypertension with complications and secondary hypertension	9,631	N/A	14.2%	1.9
Diabetes mellitus with complications	7,063	N/A	10.4%	1.6
Essential hypertension	5,375	N/A	7.9%	1.7
Chronic obstructive pulmonary disease and bronchiectasis	4,263	N/A	6.3%	2.1
Coronary atherosclerosis and other heart disease	3,519	N/A	5.2%	2.1
4. Late 14-19 therapy visits episodes	6,729	4.6%	N/A	16.3
Hypertension with complications and secondary hypertension	836	N/A	12.4%	16.3
Diabetes mellitus with complications	504	N/A	7.5%	16.1
Essential hypertension	494	N/A	7.3%	16.5
Chronic obstructive pulmonary disease and bronchiectasis	375	N/A	5.6%	16.2
Osteoarthritis	348	N/A	5.2%	16.4
5. All 20+ therapy visits episodes	8,653	5.9%	N/A	24.7
Late effects of cerebrovascular disease	929	N/A	10.7%	26.6
Other aftercare	732	N/A	8.5%	24.0
Hypertension with complications and secondary hypertension	576	N/A	6.7%	24.1
Diabetes mellitus with complications	373	N/A	4.3%	24.4
Fracture of neck of femur (hip)	352	N/A	4.1%	25.0
TOTAL	147,669	100%	N/A	6.0

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report Massachusetts 232 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	112,458	58.7%	N/A	4.9
Other aftercare	22,670	N/A	20.2%	5.9
Hypertension with complications and secondary hypertension	8,060	N/A	7.2%	4.2
Chronic obstructive pulmonary disease and bronchiectasis	5,360	N/A	4.8%	4.1
Diabetes mellitus with complications	3,524	N/A	3.1%	3.1
Spondylosis; intervertebral disc disorders; other back problems	3,108	N/A	2.8%	7.5
2. Early 14-19 therapy visits episodes	18,921	9.9%	N/A	16.1
Other aftercare	2,809	N/A	14.9%	16.1
Hypertension with complications and secondary hypertension	1,222	N/A	6.5%	15.7
Spondylosis; intervertebral disc disorders; other back problems	929	N/A	4.9%	16.3
Other fractures	786	N/A	4.2%	16.3
Other nervous system disorders	735	N/A	3.9%	16.4
3. Late 0-13 therapy visits episodes	38,893	20.3%	N/A	3.0
Hypertension with complications and secondary hypertension	3,484	N/A	9.0%	3.5
Chronic ulcer of skin	2,910	N/A	7.5%	1.7
Diabetes mellitus with complications	2,590	N/A	6.7%	1.8
Genitourinary symptoms and ill-defined conditions	2,054	N/A	5.3%	1.0
Chronic obstructive pulmonary disease and bronchiectasis	1,862	N/A	4.8%	3.5
4. Late 14-19 therapy visits episodes	4,675	2.4%	N/A	16.4
Hypertension with complications and secondary hypertension	431	N/A	9.2%	16.4
Chronic obstructive pulmonary disease and bronchiectasis	235	N/A	5.0%	16.1
Parkinson's disease	211	N/A	4.5%	16.6
Diabetes mellitus with complications	207	N/A	4.4%	16.3
Spondylosis; intervertebral disc disorders; other back problems	203	N/A	4.3%	16.7
5. All 20+ therapy visits episodes	16,501	8.6%	N/A	25.5
Other aftercare	1,431	N/A	8.7%	24.8
Late effects of cerebrovascular disease	1,360	N/A	8.2%	28.2
Hypertension with complications and secondary hypertension	974	N/A	5.9%	24.6
Fracture of neck of femur (hip)	896	N/A	5.4%	26.2
Other fractures	760	N/A	4.6%	25.2
TOTAL	191,449	100%	N/A	7.7

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Maryland

53 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	64,109	60.9%	N/A	5.9
Other aftercare	13,966	N/A	21.8%	6.4
Hypertension with complications and secondary hypertension	5,366	N/A	8.4%	5.6
Chronic obstructive pulmonary disease and bronchiectasis	3,066	N/A	4.8%	5.2
Diabetes mellitus with complications	2,326	N/A	3.6%	4.3
Chronic ulcer of skin	1,961	N/A	3.1%	3.2
2. Early 14-19 therapy visits episodes	14,084	13.4%	N/A	16.2
Other aftercare	1,446	N/A	10.3%	16.1
Hypertension with complications and secondary hypertension	1,164	N/A	8.3%	15.9
Late effects of cerebrovascular disease	958	N/A	6.8%	16.6
Chronic obstructive pulmonary disease and bronchiectasis	578	N/A	4.1%	15.9
Fracture of neck of femur (hip)	539	N/A	3.8%	16.7
3. Late 0-13 therapy visits episodes	13,444	12.8%	N/A	3.2
Chronic ulcer of skin	1,949	N/A	14.5%	1.5
Genitourinary symptoms and ill-defined conditions	1,873	N/A	13.9%	1.0
Hypertension with complications and secondary hypertension	1,001	N/A	7.5%	4.3
Diabetes mellitus with complications	902	N/A	6.7%	2.6
Other diseases of veins and lymphatics	824	N/A	6.1%	1.4
4. Late 14-19 therapy visits episodes	2,196	2.1%	N/A	16.6
Hypertension with complications and secondary hypertension	205	N/A	9.3%	16.2
Late effects of cerebrovascular disease	132	N/A	6.0%	17.1
Chronic ulcer of skin	124	N/A	5.7%	16.2
Diabetes mellitus with complications	104	N/A	4.7%	16.3
Parkinson`s disease	103	N/A	4.7%	17.0
5. All 20+ therapy visits episodes	11,423	10.9%	N/A	25.6
Late effects of cerebrovascular disease	1,387	N/A	12.1%	27.8
Hypertension with complications and secondary hypertension	809	N/A	7.1%	24.7
Other aftercare	777	N/A	6.8%	24.7
Fracture of neck of femur (hip)	494	N/A	4.3%	26.0
Chronic obstructive pulmonary disease and bronchiectasis	396	N/A	3.5%	24.7
TOTAL	105,256	100%	N/A	9.3

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Maine 23 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	16,714	62.3%	N/A	5.5
Other aftercare	3,549	N/A	21.2%	6.3
Hypertension with complications and secondary hypertension	1,002	N/A	6.0%	4.6
Chronic obstructive pulmonary disease and bronchiectasis	993	N/A	5.9%	4.6
Diabetes mellitus with complications	538	N/A	3.2%	3.4
Late effects of cerebrovascular disease	411	N/A	2.5%	7.1
2. Early 14-19 therapy visits episodes	2,959	11.0%	N/A	16.3
Other aftercare	376	N/A	12.7%	16.2
Hypertension with complications and secondary hypertension	175	N/A	5.9%	16.0
Chronic obstructive pulmonary disease and bronchiectasis	163	N/A	5.5%	15.9
Late effects of cerebrovascular disease	144	N/A	4.9%	17.0
Other fractures	142	N/A	4.8%	16.1
3. Late 0-13 therapy visits episodes	4,450	16.6%	N/A	3.0
Chronic ulcer of skin	357	N/A	8.0%	1.6
Hypertension with complications and secondary hypertension	340	N/A	7.6%	3.1
Genitourinary symptoms and ill-defined conditions	332	N/A	7.5%	1.1
Other diseases of veins and lymphatics	320	N/A	7.2%	1.6
Diabetes mellitus with complications	294	N/A	6.6%	1.8
4. Late 14-19 therapy visits episodes	503	1.9%	N/A	16.7
Chronic obstructive pulmonary disease and bronchiectasis	36	N/A	7.2%	16.2
Hypertension with complications and secondary hypertension	36	N/A	7.2%	16.4
Other aftercare	23	N/A	4.6%	16.3
Parkinson`s disease	23	N/A	4.6%	17.0
Spondylosis; intervertebral disc disorders; other back problems	23	N/A	4.6%	17.0
5. All 20+ therapy visits episodes	2,202	8.2%	N/A	25.1
Late effects of cerebrovascular disease	253	N/A	11.5%	28.4
Other aftercare	173	N/A	7.9%	24.8
Hypertension with complications and secondary hypertension	124	N/A	5.6%	24.1
Fracture of neck of femur (hip)	121	N/A	5.5%	24.5
Other nervous system disorders	99	N/A	4.5%	24.8
TOTAL	26,828	100%	N/A	8.1

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Michigan

514 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	115,317	61.5%	N/A	5.8
Other aftercare	20,656	N/A	17.9%	5.4
Hypertension with complications and secondary hypertension	7,835	N/A	6.8%	5.3
Chronic obstructive pulmonary disease and bronchiectasis	6,024	N/A	5.2%	4.9
Osteoarthritis	5,764	N/A	5.0%	9.8
Spondylosis; intervertebral disc disorders; other back problems	5,518	N/A	4.8%	9.3
2. Early 14-19 therapy visits episodes	21,816	11.6%	N/A	15.7
Osteoarthritis	1,588	N/A	7.3%	16.1
Other aftercare	1,476	N/A	6.8%	15.6
Hypertension with complications and secondary hypertension	1,462	N/A	6.7%	15.3
Late effects of cerebrovascular disease	1,385	N/A	6.4%	16.2
Spondylosis; intervertebral disc disorders; other back problems	1,357	N/A	6.2%	16.0
3. Late 0-13 therapy visits episodes	34,133	18.2%	N/A	3.9
Genitourinary symptoms and ill-defined conditions	4,297	N/A	12.6%	1.0
Chronic ulcer of skin	3,338	N/A	9.8%	1.7
Hypertension with complications and secondary hypertension	2,348	N/A	6.9%	4.5
Diabetes mellitus with complications	2,252	N/A	6.6%	3.5
Chronic obstructive pulmonary disease and bronchiectasis	1,828	N/A	5.4%	4.6
4. Late 14-19 therapy visits episodes	5,305	2.8%	N/A	16.3
Osteoarthritis	496	N/A	9.4%	16.3
Hypertension with complications and secondary hypertension	409	N/A	7.7%	16.0
Spondylosis; intervertebral disc disorders; other back problems	325	N/A	6.1%	16.5
Late effects of cerebrovascular disease	317	N/A	6.0%	16.9
Chronic obstructive pulmonary disease and bronchiectasis	302	N/A	5.7%	15.8
5. All 20+ therapy visits episodes	11,075	5.9%	N/A	24.2
Late effects of cerebrovascular disease	1,381	N/A	12.5%	26.8
Hypertension with complications and secondary hypertension	703	N/A	6.4%	23.3
Other aftercare	604	N/A	5.5%	24.1
Parkinson's disease	478	N/A	4.3%	25.4
Osteoarthritis	442	N/A	4.0%	23.6
TOTAL	187,653	100%	N/A	8.0

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Minnesota

164 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	31,032	62.8%	N/A	6.0
Other aftercare	4,449	N/A	14.3%	5.9
Hypertension with complications and secondary hypertension	1,656	N/A	5.3%	5.7
Other nervous system disorders	1,172	N/A	3.8%	8.0
Chronic obstructive pulmonary disease and bronchiectasis	1,056	N/A	3.4%	5.5
Delirium dementia and amnestic and other cognitive disorders	1,034	N/A	3.3%	7.5
2. Early 14-19 therapy visits episodes	6,206	12.6%	N/A	16.0
Other aftercare	504	N/A	8.1%	15.9
Late effects of cerebrovascular disease	362	N/A	5.8%	16.5
Other nervous system disorders	323	N/A	5.2%	16.7
Hypertension with complications and secondary hypertension	314	N/A	5.1%	16.0
Other fractures	275	N/A	4.4%	16.0
3. Late 0-13 therapy visits episodes	7,423	15.0%	N/A	2.9
Genitourinary symptoms and ill-defined conditions	1,110	N/A	15.0%	1.3
Chronic ulcer of skin	777	N/A	10.5%	1.6
Other diseases of veins and lymphatics	383	N/A	5.2%	2.2
Hypertension with complications and secondary hypertension	372	N/A	5.0%	4.2
Diabetes mellitus with complications	369	N/A	5.0%	2.4
4. Late 14-19 therapy visits episodes	695	1.4%	N/A	16.4
Other nervous system disorders	46	N/A	6.6%	16.3
Hypertension with complications and secondary hypertension	43	N/A	6.2%	15.9
Other diseases of veins and lymphatics	34	N/A	4.9%	16.6
Delirium dementia and amnestic and other cognitive disorders	33	N/A	4.8%	16.8
Other connective tissue disease	29	N/A	4.2%	16.6
5. All 20+ therapy visits episodes	4,087	8.3%	N/A	25.4
Late effects of cerebrovascular disease	410	N/A	10.0%	28.7
Other aftercare	212	N/A	5.2%	24.6
Hypertension with complications and secondary hypertension	203	N/A	5.0%	24.4
Other nervous system disorders	197	N/A	4.8%	25.5
Fracture of neck of femur (hip)	186	N/A	4.6%	25.2
TOTAL	49,443	100%	N/A	8.6

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Missouri 169 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	52,567	63.2%	N/A	5.5
Other aftercare	13,051	N/A	24.8%	5.6
Hypertension with complications and secondary hypertension	3,116	N/A	5.9%	5.4
Chronic obstructive pulmonary disease and bronchiectasis	2,671	N/A	5.1%	5.3
Diabetes mellitus with complications	1,955	N/A	3.7%	4.0
Chronic ulcer of skin	1,278	N/A	2.4%	2.6
2. Early 14-19 therapy visits episodes	10,087	12.1%	N/A	16.0
Other aftercare	1,006	N/A	10.0%	15.9
Hypertension with complications and secondary hypertension	616	N/A	6.1%	15.5
Late effects of cerebrovascular disease	579	N/A	5.7%	16.5
Other connective tissue disease	509	N/A	5.1%	16.3
Chronic obstructive pulmonary disease and bronchiectasis	495	N/A	4.9%	15.5
3. Late 0-13 therapy visits episodes	12,305	14.8%	N/A	2.7
Chronic ulcer of skin	1,585	N/A	12.9%	1.2
Genitourinary symptoms and ill-defined conditions	1,515	N/A	12.3%	0.9
Diabetes mellitus with complications	972	N/A	7.9%	1.9
Hypertension with complications and secondary hypertension	736	N/A	6.0%	3.6
Other diseases of veins and lymphatics	615	N/A	5.0%	1.8
4. Late 14-19 therapy visits episodes	1,594	1.9%	N/A	16.4
Hypertension with complications and secondary hypertension	122	N/A	7.7%	16.3
Late effects of cerebrovascular disease	103	N/A	6.5%	16.3
Diabetes mellitus with complications	101	N/A	6.3%	16.3
Chronic obstructive pulmonary disease and bronchiectasis	87	N/A	5.5%	16.1
Other aftercare	79	N/A	5.0%	16.6
5. All 20+ therapy visits episodes	6,652	8.0%	N/A	25.1
Late effects of cerebrovascular disease	688	N/A	10.3%	27.3
Other aftercare	485	N/A	7.3%	24.0
Hypertension with complications and secondary hypertension	378	N/A	5.7%	24.0
Chronic obstructive pulmonary disease and bronchiectasis	303	N/A	4.6%	23.6
Fracture of neck of femur (hip)	296	N/A	4.5%	25.2
TOTAL	83,205	100%	N/A	8.2

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

**State Level Home Health Agencies Q4CY19 Top Therapy Report
Northern Mariana Isl
2 HHAs**

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	195	36.0%	N/A	6.5
Late effects of cerebrovascular disease	39	N/A	20.0%	8.5
Diabetes mellitus with complications	35	N/A	18.0%	5.3
Chronic ulcer of skin	20	N/A	10.3%	5.6
3. Late 0-13 therapy visits episodes	306	56.5%	N/A	6.0
Late effects of cerebrovascular disease	82	N/A	26.8%	7.9
Diabetes mellitus with complications	66	N/A	21.6%	6.1
Chronic ulcer of skin	37	N/A	12.1%	4.0
Essential hypertension	13	N/A	4.3%	4.3
Other diseases of bladder and urethra	12	N/A	3.9%	2.5
TOTAL	542	100%	N/A	6.6

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Mississippi

46 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	51,718	40.6%	N/A	4.3
Other aftercare	6,246	N/A	12.1%	6.3
Hypertension with complications and secondary hypertension	4,872	N/A	9.4%	3.5
Essential hypertension	4,598	N/A	8.9%	3.2
Diabetes mellitus with complications	3,619	N/A	7.0%	2.8
Chronic obstructive pulmonary disease and bronchiectasis	3,075	N/A	6.0%	3.4
2. Early 14-19 therapy visits episodes	13,823	10.9%	N/A	16.1
Other aftercare	1,350	N/A	9.8%	16.3
Hypertension with complications and secondary hypertension	1,089	N/A	7.9%	15.9
Essential hypertension	984	N/A	7.1%	16.2
Late effects of cerebrovascular disease	717	N/A	5.2%	16.5
Chronic obstructive pulmonary disease and bronchiectasis	672	N/A	4.9%	16.0
3. Late 0-13 therapy visits episodes	44,094	34.6%	N/A	2.2
Hypertension with complications and secondary hypertension	6,151	N/A	14.0%	2.0
Diabetes mellitus with complications	4,815	N/A	10.9%	1.7
Essential hypertension	3,363	N/A	7.6%	1.7
Chronic obstructive pulmonary disease and bronchiectasis	3,124	N/A	7.1%	2.2
Chronic ulcer of skin	2,842	N/A	6.5%	1.3
4. Late 14-19 therapy visits episodes	6,446	5.1%	N/A	16.4
Hypertension with complications and secondary hypertension	768	N/A	11.9%	16.2
Diabetes mellitus with complications	414	N/A	6.4%	16.2
Essential hypertension	410	N/A	6.4%	16.4
Chronic obstructive pulmonary disease and bronchiectasis	399	N/A	6.2%	16.3
Osteoarthritis	331	N/A	5.1%	16.8
5. All 20+ therapy visits episodes	11,372	8.9%	N/A	26.0
Late effects of cerebrovascular disease	1,066	N/A	9.4%	28.1
Hypertension with complications and secondary hypertension	904	N/A	8.0%	25.9
Other aftercare	800	N/A	7.0%	24.9
Essential hypertension	682	N/A	6.0%	25.8
Chronic obstructive pulmonary disease and bronchiectasis	590	N/A	5.2%	25.5
TOTAL	127,453	100%	N/A	7.4

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Montana

27 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	5,445	63.4%	N/A	6.3
Other aftercare	778	N/A	14.3%	6.3
Hypertension with complications and secondary hypertension	245	N/A	4.5%	5.6
Chronic obstructive pulmonary disease and bronchiectasis	240	N/A	4.4%	5.6
Chronic ulcer of skin	210	N/A	3.9%	2.5
Spondylosis; intervertebral disc disorders; other back problems	199	N/A	3.7%	8.2
2. Early 14-19 therapy visits episodes	1,148	13.4%	N/A	16.1
Other aftercare	110	N/A	9.6%	15.6
Fracture of neck of femur (hip)	68	N/A	5.9%	16.2
Other fractures	60	N/A	5.2%	16.7
Late effects of cerebrovascular disease	59	N/A	5.1%	16.2
Other connective tissue disease	56	N/A	4.9%	16.6
3. Late 0-13 therapy visits episodes	1,272	14.8%	N/A	1.9
Genitourinary symptoms and ill-defined conditions	338	N/A	26.6%	0.6
Chronic ulcer of skin	154	N/A	12.1%	1.0
Other diseases of bladder and urethra	71	N/A	5.6%	1.3
Other diseases of veins and lymphatics	67	N/A	5.3%	0.5
Hyperplasia of prostate	61	N/A	4.8%	0.2
5. All 20+ therapy visits episodes	616	7.2%	N/A	25.0
Late effects of cerebrovascular disease	91	N/A	14.8%	28.2
Fracture of neck of femur (hip)	37	N/A	6.0%	26.7
Other aftercare	32	N/A	5.2%	23.7
Parkinson`s disease	28	N/A	4.6%	25.2
Other fractures	26	N/A	4.2%	25.2
TOTAL	8,587	100%	N/A	8.4

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report North Carolina 169 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	95,708	56.3%	N/A	5.6
Other aftercare	17,237	N/A	18.0%	6.2
Hypertension with complications and secondary hypertension	7,751	N/A	8.1%	5.0
Chronic obstructive pulmonary disease and bronchiectasis	5,048	N/A	5.3%	5.2
Diabetes mellitus with complications	4,452	N/A	4.7%	3.7
Chronic ulcer of skin	3,402	N/A	3.6%	2.3
2. Early 14-19 therapy visits episodes	20,480	12.0%	N/A	16.2
Other aftercare	1,703	N/A	8.3%	16.2
Hypertension with complications and secondary hypertension	1,618	N/A	7.9%	15.9
Late effects of cerebrovascular disease	1,304	N/A	6.4%	16.5
Chronic obstructive pulmonary disease and bronchiectasis	1,075	N/A	5.3%	15.8
Other connective tissue disease	863	N/A	4.2%	16.4
3. Late 0-13 therapy visits episodes	32,561	19.2%	N/A	2.7
Chronic ulcer of skin	4,145	N/A	12.7%	1.3
Hypertension with complications and secondary hypertension	2,803	N/A	8.6%	3.3
Genitourinary symptoms and ill-defined conditions	2,717	N/A	8.3%	1.0
Diabetes mellitus with complications	2,398	N/A	7.4%	2.0
Other diseases of veins and lymphatics	1,854	N/A	5.7%	1.4
4. Late 14-19 therapy visits episodes	4,611	2.7%	N/A	16.5
Hypertension with complications and secondary hypertension	451	N/A	9.8%	16.1
Chronic obstructive pulmonary disease and bronchiectasis	271	N/A	5.9%	16.5
Late effects of cerebrovascular disease	268	N/A	5.8%	16.8
Diabetes mellitus with complications	223	N/A	4.8%	16.1
Chronic ulcer of skin	223	N/A	4.8%	16.2
5. All 20+ therapy visits episodes	16,682	9.8%	N/A	25.8
Late effects of cerebrovascular disease	1,994	N/A	12.0%	28.2
Hypertension with complications and secondary hypertension	1,205	N/A	7.2%	24.6
Other aftercare	988	N/A	5.9%	25.1
Chronic obstructive pulmonary disease and bronchiectasis	738	N/A	4.4%	24.8
Fracture of neck of femur (hip)	725	N/A	4.4%	25.8
TOTAL	170,042	100%	N/A	8.6

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report North Dakota 19 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	3,468	67.3%	N/A	5.7
Other aftercare	544	N/A	15.7%	6.4
Hypertension with complications and secondary hypertension	293	N/A	8.5%	5.3
Chronic obstructive pulmonary disease and bronchiectasis	218	N/A	6.3%	4.8
Spondylosis; intervertebral disc disorders; other back problems	114	N/A	3.3%	7.7
Diabetes mellitus with complications	113	N/A	3.3%	3.9
2. Early 14-19 therapy visits episodes	574	11.1%	N/A	16.1
Other aftercare	74	N/A	12.9%	16.2
Hypertension with complications and secondary hypertension	43	N/A	7.5%	15.7
Fracture of neck of femur (hip)	39	N/A	6.8%	16.2
Late effects of cerebrovascular disease	37	N/A	6.5%	15.7
Chronic obstructive pulmonary disease and bronchiectasis	24	N/A	4.2%	15.7
3. Late 0-13 therapy visits episodes	689	13.4%	N/A	2.1
Genitourinary symptoms and ill-defined conditions	153	N/A	22.2%	0.6
Chronic ulcer of skin	50	N/A	7.3%	0.9
Diabetes mellitus with complications	50	N/A	7.3%	0.9
Chronic obstructive pulmonary disease and bronchiectasis	36	N/A	5.2%	2.9
Deficiency and other anemia	33	N/A	4.8%	0.3
5. All 20+ therapy visits episodes	386	7.5%	N/A	26.1
Late effects of cerebrovascular disease	55	N/A	14.3%	30.2
Other aftercare	25	N/A	6.5%	24.0
Parkinson`s disease	23	N/A	6.0%	27.8
Hypertension with complications and secondary hypertension	22	N/A	5.7%	23.7
Fracture of neck of femur (hip)	19	N/A	4.9%	26.9
TOTAL	5,152	100%	N/A	8.0

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Nebraska

79 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	14,209	56.0%	N/A	5.9
Other aftercare	2,412	N/A	17.0%	6.0
Hypertension with complications and secondary hypertension	774	N/A	5.5%	5.6
Chronic obstructive pulmonary disease and bronchiectasis	672	N/A	4.7%	5.7
Diabetes mellitus with complications	511	N/A	3.6%	5.0
Spondylosis; intervertebral disc disorders; other back problems	417	N/A	2.9%	8.2
2. Early 14-19 therapy visits episodes	3,391	13.4%	N/A	16.2
Other aftercare	330	N/A	9.7%	15.9
Hypertension with complications and secondary hypertension	198	N/A	5.8%	16.3
Chronic obstructive pulmonary disease and bronchiectasis	163	N/A	4.8%	16.1
Spondylosis; intervertebral disc disorders; other back problems	154	N/A	4.5%	16.0
Other fractures	140	N/A	4.1%	16.7
3. Late 0-13 therapy visits episodes	3,865	15.2%	N/A	2.9
Genitourinary symptoms and ill-defined conditions	423	N/A	10.9%	0.7
Hypertension with complications and secondary hypertension	263	N/A	6.8%	3.1
Chronic ulcer of skin	259	N/A	6.7%	1.4
Diabetes mellitus with complications	237	N/A	6.1%	2.4
Chronic obstructive pulmonary disease and bronchiectasis	188	N/A	4.9%	4.1
4. Late 14-19 therapy visits episodes	587	2.3%	N/A	16.8
Hypertension with complications and secondary hypertension	48	N/A	8.2%	16.3
Chronic obstructive pulmonary disease and bronchiectasis	38	N/A	6.5%	16.6
Delirium dementia and amnestic and other cognitive disorders	38	N/A	6.5%	18.0
Late effects of cerebrovascular disease	28	N/A	4.8%	17.4
Parkinson`s disease	28	N/A	4.8%	17.6
5. All 20+ therapy visits episodes	3,344	13.2%	N/A	25.5
Other aftercare	236	N/A	7.1%	26.3
Late effects of cerebrovascular disease	210	N/A	6.3%	27.8
Delirium dementia and amnestic and other cognitive disorders	197	N/A	5.9%	24.3
Hypertension with complications and secondary hypertension	185	N/A	5.5%	25.3
Chronic obstructive pulmonary disease and bronchiectasis	149	N/A	4.5%	24.1
TOTAL	25,396	100%	N/A	9.7

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report New Hampshire 30 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	19,806	64.5%	N/A	5.6
Other aftercare	4,830	N/A	24.4%	6.5
Chronic obstructive pulmonary disease and bronchiectasis	1,091	N/A	5.5%	4.7
Hypertension with complications and secondary hypertension	1,014	N/A	5.1%	4.7
Diabetes mellitus with complications	550	N/A	2.8%	4.2
Other fractures	494	N/A	2.5%	7.5
2. Early 14-19 therapy visits episodes	3,080	10.0%	N/A	16.2
Other aftercare	374	N/A	12.1%	16.0
Late effects of cerebrovascular disease	175	N/A	5.7%	16.4
Hypertension with complications and secondary hypertension	157	N/A	5.1%	16.0
Chronic obstructive pulmonary disease and bronchiectasis	140	N/A	4.6%	15.8
Other fractures	136	N/A	4.4%	16.2
3. Late 0-13 therapy visits episodes	5,143	16.8%	N/A	2.8
Diabetes mellitus with complications	469	N/A	9.1%	1.8
Chronic ulcer of skin	447	N/A	8.7%	1.5
Genitourinary symptoms and ill-defined conditions	360	N/A	7.0%	0.9
Hypertension with complications and secondary hypertension	320	N/A	6.2%	3.1
Other diseases of veins and lymphatics	318	N/A	6.2%	1.7
4. Late 14-19 therapy visits episodes	504	1.6%	N/A	16.4
Hypertension with complications and secondary hypertension	43	N/A	8.5%	16.4
Other aftercare	34	N/A	6.8%	16.7
Chronic obstructive pulmonary disease and bronchiectasis	24	N/A	4.8%	17.0
Diabetes mellitus with complications	24	N/A	4.8%	16.5
Parkinson`s disease	19	N/A	3.8%	16.8
5. All 20+ therapy visits episodes	2,162	7.0%	N/A	25.3
Other aftercare	184	N/A	8.5%	24.5
Late effects of cerebrovascular disease	180	N/A	8.3%	27.2
Other fractures	112	N/A	5.2%	25.6
Parkinson`s disease	107	N/A	5.0%	26.4
Hypertension with complications and secondary hypertension	96	N/A	4.4%	24.7
TOTAL	30,695	100%	N/A	7.7

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

New Jersey

43 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	88,772	70.2%	N/A	5.3
Other aftercare	19,173	N/A	21.6%	5.4
Hypertension with complications and secondary hypertension	7,216	N/A	8.1%	5.1
Chronic obstructive pulmonary disease and bronchiectasis	3,891	N/A	4.4%	5.0
Chronic ulcer of skin	3,419	N/A	3.9%	3.2
Diabetes mellitus with complications	2,650	N/A	3.0%	4.0
2. Early 14-19 therapy visits episodes	11,276	8.9%	N/A	15.9
Other aftercare	1,036	N/A	9.2%	15.6
Hypertension with complications and secondary hypertension	858	N/A	7.6%	15.6
Late effects of cerebrovascular disease	767	N/A	6.8%	16.2
Fracture of neck of femur (hip)	487	N/A	4.3%	16.3
Chronic obstructive pulmonary disease and bronchiectasis	471	N/A	4.2%	15.6
3. Late 0-13 therapy visits episodes	18,820	14.9%	N/A	2.6
Genitourinary symptoms and ill-defined conditions	4,235	N/A	22.5%	1.1
Chronic ulcer of skin	2,956	N/A	15.7%	1.6
Hypertension with complications and secondary hypertension	1,185	N/A	6.3%	4.1
Other diseases of veins and lymphatics	1,159	N/A	6.2%	1.6
Diabetes mellitus with complications	1,051	N/A	5.6%	2.1
4. Late 14-19 therapy visits episodes	1,535	1.2%	N/A	16.2
Chronic ulcer of skin	143	N/A	9.3%	16.2
Hypertension with complications and secondary hypertension	139	N/A	9.1%	16.0
Genitourinary symptoms and ill-defined conditions	108	N/A	7.0%	16.1
Other aftercare	76	N/A	5.0%	16.1
Chronic obstructive pulmonary disease and bronchiectasis	65	N/A	4.2%	16.2
5. All 20+ therapy visits episodes	6,149	4.9%	N/A	24.7
Late effects of cerebrovascular disease	776	N/A	12.6%	26.3
Other aftercare	408	N/A	6.6%	23.9
Hypertension with complications and secondary hypertension	397	N/A	6.5%	23.9
Fracture of neck of femur (hip)	320	N/A	5.2%	25.1
Chronic ulcer of skin	270	N/A	4.4%	24.9
TOTAL	126,552	100%	N/A	6.9

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

New Mexico

77 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	14,537	46.1%	N/A	5.3
Other aftercare	2,142	N/A	14.7%	6.2
Hypertension with complications and secondary hypertension	759	N/A	5.2%	5.2
Diabetes mellitus with complications	690	N/A	4.8%	3.7
Chronic obstructive pulmonary disease and bronchiectasis	671	N/A	4.6%	4.9
Chronic ulcer of skin	455	N/A	3.1%	2.0
2. Early 14-19 therapy visits episodes	3,690	11.7%	N/A	15.5
Other aftercare	318	N/A	8.6%	15.3
Hypertension with complications and secondary hypertension	222	N/A	6.0%	14.9
Other connective tissue disease	200	N/A	5.4%	16.1
Late effects of cerebrovascular disease	196	N/A	5.3%	15.9
Fracture of neck of femur (hip)	178	N/A	4.8%	16.2
3. Late 0-13 therapy visits episodes	8,874	28.1%	N/A	2.4
Diabetes mellitus with complications	837	N/A	9.4%	1.6
Hypertension with complications and secondary hypertension	745	N/A	8.4%	2.7
Chronic ulcer of skin	581	N/A	6.6%	1.5
Chronic obstructive pulmonary disease and bronchiectasis	563	N/A	6.3%	2.3
Genitourinary symptoms and ill-defined conditions	487	N/A	5.5%	1.0
4. Late 14-19 therapy visits episodes	1,220	3.9%	N/A	16.3
Hypertension with complications and secondary hypertension	112	N/A	9.2%	16.1
Diabetes mellitus with complications	74	N/A	6.1%	16.6
Chronic obstructive pulmonary disease and bronchiectasis	73	N/A	6.0%	16.0
Parkinson`s disease	71	N/A	5.8%	16.6
Late effects of cerebrovascular disease	66	N/A	5.4%	16.8
5. All 20+ therapy visits episodes	3,230	10.2%	N/A	26.2
Late effects of cerebrovascular disease	319	N/A	9.9%	28.5
Other aftercare	184	N/A	5.7%	24.5
Hypertension with complications and secondary hypertension	167	N/A	5.2%	26.1
Fracture of neck of femur (hip)	151	N/A	4.7%	25.6
Parkinson`s disease	146	N/A	4.5%	27.4
TOTAL	31,551	100%	N/A	8.2

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Nevada

157 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	29,700	44.4%	N/A	4.7
Other aftercare	4,499	N/A	15.2%	5.4
Hypertension with complications and secondary hypertension	2,053	N/A	6.9%	4.5
Essential hypertension	1,831	N/A	6.2%	3.9
Chronic obstructive pulmonary disease and bronchiectasis	1,716	N/A	5.8%	4.4
Diabetes mellitus with complications	1,587	N/A	5.3%	4.0
2. Early 14-19 therapy visits episodes	5,754	8.6%	N/A	15.6
Other aftercare	525	N/A	9.1%	15.6
Hypertension with complications and secondary hypertension	408	N/A	7.1%	15.7
Late effects of cerebrovascular disease	349	N/A	6.1%	16.0
Essential hypertension	312	N/A	5.4%	15.4
Chronic obstructive pulmonary disease and bronchiectasis	302	N/A	5.3%	15.3
3. Late 0-13 therapy visits episodes	22,706	34.0%	N/A	3.4
Diabetes mellitus with complications	2,023	N/A	8.9%	3.1
Essential hypertension	1,833	N/A	8.1%	3.1
Hypertension with complications and secondary hypertension	1,772	N/A	7.8%	3.6
Chronic obstructive pulmonary disease and bronchiectasis	1,497	N/A	6.6%	3.7
Chronic ulcer of skin	1,220	N/A	5.4%	2.2
4. Late 14-19 therapy visits episodes	3,870	5.8%	N/A	16.1
Diabetes mellitus with complications	283	N/A	7.3%	15.9
Hypertension with complications and secondary hypertension	279	N/A	7.2%	16.2
Chronic obstructive pulmonary disease and bronchiectasis	248	N/A	6.4%	16.0
Spondylosis; intervertebral disc disorders; other back problems	242	N/A	6.3%	16.0
Other connective tissue disease	201	N/A	5.2%	16.3
5. All 20+ therapy visits episodes	4,840	7.2%	N/A	23.8
Late effects of cerebrovascular disease	487	N/A	10.1%	27.1
Hypertension with complications and secondary hypertension	290	N/A	6.0%	23.2
Other aftercare	271	N/A	5.6%	23.7
Essential hypertension	242	N/A	5.0%	22.1
Chronic obstructive pulmonary disease and bronchiectasis	234	N/A	4.8%	22.5
TOTAL	66,870	100%	N/A	7.3

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

New York

130 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	174,234	70.9%	N/A	4.9
Other aftercare	34,859	N/A	20.0%	5.5
Hypertension with complications and secondary hypertension	12,546	N/A	7.2%	4.6
Chronic obstructive pulmonary disease and bronchiectasis	7,375	N/A	4.2%	4.4
Chronic ulcer of skin	7,067	N/A	4.1%	2.9
Diabetes mellitus with complications	5,771	N/A	3.3%	3.4
2. Early 14-19 therapy visits episodes	17,106	7.0%	N/A	15.9
Other aftercare	2,041	N/A	11.9%	15.6
Late effects of cerebrovascular disease	1,160	N/A	6.8%	16.2
Hypertension with complications and secondary hypertension	959	N/A	5.6%	15.6
Fracture of neck of femur (hip)	834	N/A	4.9%	16.3
Other fractures	623	N/A	3.6%	16.1
3. Late 0-13 therapy visits episodes	42,305	17.2%	N/A	2.3
Chronic ulcer of skin	6,537	N/A	15.5%	1.4
Genitourinary symptoms and ill-defined conditions	3,627	N/A	8.6%	0.8
Other diseases of veins and lymphatics	3,483	N/A	8.2%	1.1
Diabetes mellitus with complications	3,246	N/A	7.7%	1.3
Hypertension with complications and secondary hypertension	2,194	N/A	5.2%	3.8
4. Late 14-19 therapy visits episodes	2,980	1.2%	N/A	16.4
Chronic ulcer of skin	246	N/A	8.3%	16.2
Hypertension with complications and secondary hypertension	180	N/A	6.0%	16.5
Late effects of cerebrovascular disease	134	N/A	4.5%	16.8
Multiple sclerosis	134	N/A	4.5%	16.7
Parkinson`s disease	125	N/A	4.2%	16.6
5. All 20+ therapy visits episodes	9,212	3.8%	N/A	25.1
Late effects of cerebrovascular disease	1,049	N/A	11.4%	26.8
Other aftercare	649	N/A	7.1%	24.3
Parkinson`s disease	466	N/A	5.1%	26.4
Hypertension with complications and secondary hypertension	435	N/A	4.7%	23.9
Fracture of neck of femur (hip)	392	N/A	4.3%	25.0
TOTAL	245,838	100%	N/A	6.1

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Ohio

614 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	97,587	50.7%	N/A	5.2
Other aftercare	19,590	N/A	20.1%	6.1
Hypertension with complications and secondary hypertension	6,823	N/A	7.0%	4.6
Chronic obstructive pulmonary disease and bronchiectasis	5,591	N/A	5.7%	4.4
Diabetes mellitus with complications	4,117	N/A	4.2%	3.5
Chronic ulcer of skin	2,389	N/A	2.5%	2.3
2. Early 14-19 therapy visits episodes	22,683	11.8%	N/A	16.1
Other aftercare	2,594	N/A	11.4%	16.0
Hypertension with complications and secondary hypertension	1,475	N/A	6.5%	15.7
Other connective tissue disease	1,130	N/A	5.0%	16.5
Late effects of cerebrovascular disease	1,069	N/A	4.7%	16.4
Chronic obstructive pulmonary disease and bronchiectasis	1,055	N/A	4.7%	15.6
3. Late 0-13 therapy visits episodes	41,775	21.7%	N/A	2.5
Hypertension with complications and secondary hypertension	4,275	N/A	10.2%	2.9
Diabetes mellitus with complications	3,678	N/A	8.8%	1.7
Chronic ulcer of skin	3,117	N/A	7.5%	1.5
Chronic obstructive pulmonary disease and bronchiectasis	2,961	N/A	7.1%	2.5
Genitourinary symptoms and ill-defined conditions	2,723	N/A	6.5%	1.0
4. Late 14-19 therapy visits episodes	6,621	3.4%	N/A	16.5
Hypertension with complications and secondary hypertension	628	N/A	9.5%	16.2
Other connective tissue disease	546	N/A	8.3%	17.0
Diabetes mellitus with complications	351	N/A	5.3%	16.5
Chronic obstructive pulmonary disease and bronchiectasis	338	N/A	5.1%	16.3
Late effects of cerebrovascular disease	331	N/A	5.0%	16.5
5. All 20+ therapy visits episodes	23,881	12.4%	N/A	27.7
Late effects of cerebrovascular disease	2,006	N/A	8.4%	30.6
Other connective tissue disease	1,884	N/A	7.9%	30.8
Hypertension with complications and secondary hypertension	1,530	N/A	6.4%	26.2
Other aftercare	1,530	N/A	6.4%	25.9
Chronic obstructive pulmonary disease and bronchiectasis	988	N/A	4.1%	25.9
TOTAL	192,547	100%	N/A	9.1

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Oklahoma

252 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	53,283	29.8%	N/A	4.5
Other aftercare	9,336	N/A	17.5%	6.6
Hypertension with complications and secondary hypertension	3,576	N/A	6.7%	3.7
Chronic obstructive pulmonary disease and bronchiectasis	3,510	N/A	6.6%	3.8
Diabetes mellitus with complications	3,477	N/A	6.5%	2.8
Essential hypertension	2,578	N/A	4.8%	3.1
2. Early 14-19 therapy visits episodes	14,527	8.1%	N/A	15.6
Other aftercare	1,928	N/A	13.3%	15.8
Hypertension with complications and secondary hypertension	861	N/A	5.9%	15.3
Chronic obstructive pulmonary disease and bronchiectasis	816	N/A	5.6%	15.2
Late effects of cerebrovascular disease	708	N/A	4.9%	15.8
Osteoarthritis	664	N/A	4.6%	15.9
3. Late 0-13 therapy visits episodes	89,707	50.2%	N/A	1.8
Hypertension with complications and secondary hypertension	11,488	N/A	12.8%	1.6
Diabetes mellitus with complications	9,928	N/A	11.1%	1.3
Chronic obstructive pulmonary disease and bronchiectasis	8,547	N/A	9.5%	1.7
Essential hypertension	6,707	N/A	7.5%	1.3
Osteoarthritis	3,528	N/A	3.9%	2.6
4. Late 14-19 therapy visits episodes	13,355	7.5%	N/A	16.2
Hypertension with complications and secondary hypertension	1,417	N/A	10.6%	16.1
Osteoarthritis	1,249	N/A	9.4%	16.5
Chronic obstructive pulmonary disease and bronchiectasis	1,045	N/A	7.8%	16.1
Diabetes mellitus with complications	981	N/A	7.4%	16.1
Essential hypertension	621	N/A	4.7%	16.5
5. All 20+ therapy visits episodes	7,827	4.4%	N/A	24.9
Late effects of cerebrovascular disease	946	N/A	12.1%	27.7
Other aftercare	717	N/A	9.2%	23.4
Hypertension with complications and secondary hypertension	521	N/A	6.7%	24.9
Fracture of neck of femur (hip)	376	N/A	4.8%	24.6
Chronic obstructive pulmonary disease and bronchiectasis	359	N/A	4.6%	23.6
TOTAL	178,699	100%	N/A	5.8

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Oregon 62 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	22,767	60.4%	N/A	5.5
Other aftercare	2,849	N/A	12.5%	5.8
Hypertension with complications and secondary hypertension	1,312	N/A	5.8%	4.9
Delirium dementia and amnestic and other cognitive disorders	1,084	N/A	4.8%	5.1
Chronic obstructive pulmonary disease and bronchiectasis	1,038	N/A	4.6%	5.1
Chronic ulcer of skin	1,014	N/A	4.5%	2.7
2. Early 14-19 therapy visits episodes	3,975	10.6%	N/A	15.9
Other aftercare	351	N/A	8.8%	15.8
Late effects of cerebrovascular disease	299	N/A	7.5%	16.5
Fracture of neck of femur (hip)	184	N/A	4.6%	16.4
Hypertension with complications and secondary hypertension	180	N/A	4.5%	15.7
Other fractures	176	N/A	4.4%	16.1
3. Late 0-13 therapy visits episodes	8,004	21.3%	N/A	2.4
Genitourinary symptoms and ill-defined conditions	1,620	N/A	20.2%	0.8
Chronic ulcer of skin	940	N/A	11.7%	1.6
Hypertension with complications and secondary hypertension	498	N/A	6.2%	2.8
Other diseases of veins and lymphatics	479	N/A	6.0%	1.4
Diabetes mellitus with complications	439	N/A	5.5%	2.2
4. Late 14-19 therapy visits episodes	595	1.6%	N/A	16.5
Late effects of cerebrovascular disease	49	N/A	8.2%	16.6
Hypertension with complications and secondary hypertension	38	N/A	6.4%	16.0
Chronic obstructive pulmonary disease and bronchiectasis	32	N/A	5.4%	16.3
Chronic ulcer of skin	28	N/A	4.7%	16.3
Parkinson`s disease	26	N/A	4.4%	16.9
5. All 20+ therapy visits episodes	2,325	6.2%	N/A	24.8
Late effects of cerebrovascular disease	368	N/A	15.8%	28.0
Other aftercare	141	N/A	6.1%	23.7
Parkinson`s disease	136	N/A	5.9%	25.2
Fracture of neck of femur (hip)	115	N/A	5.0%	24.2
Other fractures	87	N/A	3.7%	25.0
TOTAL	37,666	100%	N/A	7.3

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report Pennsylvania 347 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	129,950	60.3%	N/A	4.8
Other aftercare	25,976	N/A	20.0%	5.1
Hypertension with complications and secondary hypertension	8,904	N/A	6.9%	4.6
Chronic obstructive pulmonary disease and bronchiectasis	5,801	N/A	4.5%	4.3
Diabetes mellitus with complications	4,468	N/A	3.4%	3.4
Chronic ulcer of skin	3,622	N/A	2.8%	2.6
2. Early 14-19 therapy visits episodes	22,997	10.7%	N/A	15.9
Other aftercare	2,174	N/A	9.5%	15.8
Hypertension with complications and secondary hypertension	1,650	N/A	7.2%	15.9
Late effects of cerebrovascular disease	1,210	N/A	5.3%	16.3
Other nervous system disorders	1,101	N/A	4.8%	16.0
Chronic obstructive pulmonary disease and bronchiectasis	897	N/A	3.9%	15.6
3. Late 0-13 therapy visits episodes	37,730	17.5%	N/A	2.8
Genitourinary symptoms and ill-defined conditions	4,297	N/A	11.4%	1.2
Chronic ulcer of skin	4,023	N/A	10.7%	1.7
Hypertension with complications and secondary hypertension	2,743	N/A	7.3%	3.6
Other diseases of veins and lymphatics	2,410	N/A	6.4%	1.5
Diabetes mellitus with complications	2,315	N/A	6.1%	2.1
4. Late 14-19 therapy visits episodes	5,319	2.5%	N/A	16.5
Hypertension with complications and secondary hypertension	473	N/A	8.9%	16.1
Chronic obstructive pulmonary disease and bronchiectasis	304	N/A	5.7%	16.4
Other nervous system disorders	292	N/A	5.5%	16.9
Chronic ulcer of skin	277	N/A	5.2%	16.3
Late effects of cerebrovascular disease	240	N/A	4.5%	17.0
5. All 20+ therapy visits episodes	19,686	9.1%	N/A	25.7
Late effects of cerebrovascular disease	1,866	N/A	9.5%	28.3
Other aftercare	1,329	N/A	6.8%	24.9
Hypertension with complications and secondary hypertension	1,135	N/A	5.8%	24.7
Other nervous system disorders	905	N/A	4.6%	25.9
Fracture of neck of femur (hip)	816	N/A	4.2%	26.1
TOTAL	215,683	100%	N/A	7.8

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

**State Level Home Health Agencies Q4CY19 Top Therapy Report
Puerto Rico
39 HHAs**

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	4,276	56.5%	N/A	4.5
Chronic ulcer of skin	865	N/A	20.2%	1.2
Other connective tissue disease	357	N/A	8.4%	9.2
Other aftercare	266	N/A	6.2%	7.8
Diabetes mellitus with complications	238	N/A	5.6%	1.8
Complications of surgical procedures or medical care	184	N/A	4.3%	1.7
2. Early 14-19 therapy visits episodes	636	8.4%	N/A	16.5
Other connective tissue disease	122	N/A	19.2%	15.6
Other aftercare	68	N/A	10.7%	16.6
Late effects of cerebrovascular disease	65	N/A	10.2%	16.5
Fracture of neck of femur (hip)	48	N/A	7.6%	16.9
Spondylosis; intervertebral disc disorders; other back problems	41	N/A	6.5%	17.4
3. Late 0-13 therapy visits episodes	2,129	28.1%	N/A	0.6
Chronic ulcer of skin	799	N/A	37.5%	0.4
Genitourinary symptoms and ill-defined conditions	503	N/A	23.6%	0.1
Other diseases of veins and lymphatics	126	N/A	5.9%	0.4
Diabetes mellitus with complications	123	N/A	5.8%	0.4
Complications of surgical procedures or medical care	103	N/A	4.8%	0.5
5. All 20+ therapy visits episodes	476	6.3%	N/A	24.9
Late effects of cerebrovascular disease	111	N/A	23.3%	27.9
Other connective tissue disease	64	N/A	13.5%	23.6
Fracture of neck of femur (hip)	44	N/A	9.2%	23.2
Other aftercare	36	N/A	7.6%	23.9
Chronic ulcer of skin	28	N/A	5.9%	26.2
TOTAL	7,566	100%	N/A	5.8

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report Rhode Island 25 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	11,339	58.3%	N/A	5.4
Other aftercare	2,551	N/A	22.5%	6.3
Hypertension with complications and secondary hypertension	581	N/A	5.1%	4.9
Chronic obstructive pulmonary disease and bronchiectasis	515	N/A	4.5%	4.5
Diabetes mellitus with complications	357	N/A	3.2%	3.5
Spondylosis; intervertebral disc disorders; other back problems	333	N/A	2.9%	8.1
2. Early 14-19 therapy visits episodes	2,326	12.0%	N/A	16.3
Other aftercare	299	N/A	12.9%	16.2
Hypertension with complications and secondary hypertension	120	N/A	5.2%	15.6
Spondylosis; intervertebral disc disorders; other back problems	107	N/A	4.6%	17.3
Late effects of cerebrovascular disease	92	N/A	4.0%	16.8
Chronic obstructive pulmonary disease and bronchiectasis	92	N/A	4.0%	16.1
3. Late 0-13 therapy visits episodes	3,272	16.8%	N/A	3.1
Chronic ulcer of skin	290	N/A	8.9%	1.6
Other diseases of veins and lymphatics	276	N/A	8.4%	1.4
Diabetes mellitus with complications	238	N/A	7.3%	2.0
Hypertension with complications and secondary hypertension	223	N/A	6.8%	3.5
Other aftercare	208	N/A	6.4%	2.2
4. Late 14-19 therapy visits episodes	519	2.7%	N/A	16.5
Hypertension with complications and secondary hypertension	42	N/A	8.1%	16.4
Parkinson's disease	30	N/A	5.8%	16.6
Other aftercare	28	N/A	5.4%	16.2
Other connective tissue disease	24	N/A	4.6%	17.4
Diabetes mellitus with complications	23	N/A	4.4%	16.3
5. All 20+ therapy visits episodes	2,004	10.3%	N/A	26.3
Late effects of cerebrovascular disease	176	N/A	8.8%	29.6
Other aftercare	169	N/A	8.4%	26.0
Parkinson's disease	126	N/A	6.3%	28.3
Fracture of neck of femur (hip)	99	N/A	4.9%	26.5
Hypertension with complications and secondary hypertension	90	N/A	4.5%	24.6
TOTAL	19,460	100%	N/A	8.8

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report South Carolina 78 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	58,941	55.8%	N/A	5.6
Other aftercare	13,406	N/A	22.7%	6.7
Hypertension with complications and secondary hypertension	4,560	N/A	7.7%	5.2
Chronic obstructive pulmonary disease and bronchiectasis	2,955	N/A	5.0%	4.9
Diabetes mellitus with complications	2,643	N/A	4.5%	3.8
Chronic ulcer of skin	1,780	N/A	3.0%	2.9
2. Early 14-19 therapy visits episodes	13,225	12.5%	N/A	16.1
Other aftercare	1,563	N/A	11.8%	16.1
Hypertension with complications and secondary hypertension	983	N/A	7.4%	15.5
Late effects of cerebrovascular disease	828	N/A	6.3%	16.6
Chronic obstructive pulmonary disease and bronchiectasis	675	N/A	5.1%	15.8
Fracture of neck of femur (hip)	495	N/A	3.7%	16.3
3. Late 0-13 therapy visits episodes	19,341	18.3%	N/A	3.2
Chronic ulcer of skin	2,229	N/A	11.5%	1.4
Hypertension with complications and secondary hypertension	1,939	N/A	10.0%	3.9
Diabetes mellitus with complications	1,646	N/A	8.5%	2.4
Genitourinary symptoms and ill-defined conditions	1,483	N/A	7.7%	0.8
Other diseases of veins and lymphatics	1,177	N/A	6.1%	1.5
4. Late 14-19 therapy visits episodes	3,190	3.0%	N/A	16.4
Hypertension with complications and secondary hypertension	332	N/A	10.4%	16.2
Late effects of cerebrovascular disease	213	N/A	6.7%	16.6
Diabetes mellitus with complications	208	N/A	6.5%	16.4
Chronic obstructive pulmonary disease and bronchiectasis	189	N/A	5.9%	16.3
Other aftercare	152	N/A	4.8%	16.7
5. All 20+ therapy visits episodes	11,028	10.4%	N/A	25.4
Late effects of cerebrovascular disease	1,272	N/A	11.5%	28.0
Hypertension with complications and secondary hypertension	850	N/A	7.7%	24.4
Other aftercare	771	N/A	7.0%	24.6
Chronic obstructive pulmonary disease and bronchiectasis	507	N/A	4.6%	24.0
Fracture of neck of femur (hip)	457	N/A	4.1%	25.0
TOTAL	105,725	100%	N/A	8.9

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

South Dakota

32 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	4,676	67.1%	N/A	6.2
Other aftercare	957	N/A	20.5%	6.3
Hypertension with complications and secondary hypertension	316	N/A	6.8%	6.4
Chronic obstructive pulmonary disease and bronchiectasis	269	N/A	5.8%	5.6
Pneumonia (except that caused by tuberculosis or sexually transmitted disease)	131	N/A	2.8%	5.6
Diabetes mellitus with complications	131	N/A	2.8%	4.1
2. Early 14-19 therapy visits episodes	971	13.9%	N/A	16.1
Other aftercare	151	N/A	15.6%	16.1
Hypertension with complications and secondary hypertension	68	N/A	7.0%	16.0
Late effects of cerebrovascular disease	52	N/A	5.4%	15.6
Fracture of neck of femur (hip)	49	N/A	5.1%	16.9
Chronic obstructive pulmonary disease and bronchiectasis	38	N/A	3.9%	16.2
3. Late 0-13 therapy visits episodes	772	11.1%	N/A	1.6
Genitourinary symptoms and ill-defined conditions	118	N/A	15.3%	0.8
Diabetes mellitus with complications	110	N/A	14.3%	0.6
Chronic ulcer of skin	80	N/A	10.4%	0.2
Other aftercare	33	N/A	4.3%	3.3
Chronic obstructive pulmonary disease and bronchiectasis	26	N/A	3.4%	4.0
5. All 20+ therapy visits episodes	508	7.3%	N/A	24.8
Other aftercare	61	N/A	12.0%	25.0
Late effects of cerebrovascular disease	55	N/A	10.8%	26.7
Hypertension with complications and secondary hypertension	29	N/A	5.7%	25.1
Fracture of neck of femur (hip)	28	N/A	5.5%	25.0
Fracture of lower limb	21	N/A	4.1%	25.0
TOTAL	6,970	100%	N/A	8.5

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Tennessee

126 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	56,255	39.2%	N/A	5.5
Other aftercare	5,774	N/A	10.3%	6.0
Hypertension with complications and secondary hypertension	3,668	N/A	6.5%	5.3
Chronic obstructive pulmonary disease and bronchiectasis	3,445	N/A	6.1%	5.1
Diabetes mellitus with complications	2,909	N/A	5.2%	4.1
Delirium dementia and amnestic and other cognitive disorders	2,092	N/A	3.7%	6.1
2. Early 14-19 therapy visits episodes	21,407	14.9%	N/A	16.3
Other aftercare	1,429	N/A	6.7%	16.3
Hypertension with complications and secondary hypertension	1,361	N/A	6.4%	15.9
Chronic obstructive pulmonary disease and bronchiectasis	1,125	N/A	5.3%	15.9
Other connective tissue disease	1,072	N/A	5.0%	16.7
Late effects of cerebrovascular disease	1,066	N/A	5.0%	16.7
3. Late 0-13 therapy visits episodes	39,753	27.7%	N/A	3.2
Chronic ulcer of skin	3,600	N/A	9.1%	1.8
Hypertension with complications and secondary hypertension	3,045	N/A	7.7%	3.5
Diabetes mellitus with complications	2,921	N/A	7.4%	2.5
Chronic obstructive pulmonary disease and bronchiectasis	2,725	N/A	6.9%	3.6
Genitourinary symptoms and ill-defined conditions	2,042	N/A	5.1%	1.3
4. Late 14-19 therapy visits episodes	9,273	6.5%	N/A	16.7
Hypertension with complications and secondary hypertension	719	N/A	7.8%	16.7
Chronic obstructive pulmonary disease and bronchiectasis	634	N/A	6.8%	16.6
Other connective tissue disease	497	N/A	5.4%	17.1
Osteoarthritis	486	N/A	5.2%	17.0
Late effects of cerebrovascular disease	469	N/A	5.1%	17.0
5. All 20+ therapy visits episodes	16,962	11.8%	N/A	25.3
Late effects of cerebrovascular disease	1,619	N/A	9.5%	27.6
Hypertension with complications and secondary hypertension	1,025	N/A	6.0%	24.5
Chronic obstructive pulmonary disease and bronchiectasis	914	N/A	5.4%	24.4
Other aftercare	896	N/A	5.3%	24.4
Other connective tissue disease	769	N/A	4.5%	25.9
TOTAL	143,651	100%	N/A	9.6

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Texas

2,253 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	208,870	30.4%	N/A	4.8
Other aftercare	31,913	N/A	15.3%	6.9
Hypertension with complications and secondary hypertension	17,502	N/A	8.4%	4.0
Diabetes mellitus with complications	14,605	N/A	7.0%	2.9
Essential hypertension	14,111	N/A	6.8%	3.1
Chronic obstructive pulmonary disease and bronchiectasis	9,394	N/A	4.5%	4.2
2. Early 14-19 therapy visits episodes	66,040	9.6%	N/A	15.8
Other aftercare	6,763	N/A	10.2%	16.0
Hypertension with complications and secondary hypertension	4,965	N/A	7.5%	15.6
Essential hypertension	3,537	N/A	5.4%	15.8
Late effects of cerebrovascular disease	3,197	N/A	4.8%	16.1
Osteoarthritis	3,107	N/A	4.7%	16.1
3. Late 0-13 therapy visits episodes	306,808	44.7%	N/A	2.2
Hypertension with complications and secondary hypertension	41,187	N/A	13.4%	2.1
Diabetes mellitus with complications	39,818	N/A	13.0%	1.5
Essential hypertension	31,574	N/A	10.3%	1.5
Chronic obstructive pulmonary disease and bronchiectasis	18,095	N/A	5.9%	2.1
Osteoarthritis	14,739	N/A	4.8%	2.6
4. Late 14-19 therapy visits episodes	53,824	7.8%	N/A	16.3
Hypertension with complications and secondary hypertension	6,170	N/A	11.5%	16.1
Diabetes mellitus with complications	4,399	N/A	8.2%	16.1
Essential hypertension	3,840	N/A	7.1%	16.2
Osteoarthritis	3,787	N/A	7.0%	16.3
Chronic obstructive pulmonary disease and bronchiectasis	2,885	N/A	5.4%	16.0
5. All 20+ therapy visits episodes	51,350	7.5%	N/A	25.1
Late effects of cerebrovascular disease	4,766	N/A	9.3%	27.4
Hypertension with complications and secondary hypertension	3,830	N/A	7.5%	24.5
Other aftercare	3,543	N/A	6.9%	24.2
Essential hypertension	2,443	N/A	4.8%	25.0
Diabetes mellitus with complications	2,246	N/A	4.4%	24.7
TOTAL	686,893	100%	N/A	7.1

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Utah

98 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	20,935	51.5%	N/A	6.5
Other aftercare	5,349	N/A	25.6%	6.7
Diabetes mellitus with complications	844	N/A	4.0%	4.5
Other connective tissue disease	819	N/A	3.9%	8.4
Other nervous system disorders	741	N/A	3.5%	8.4
Spondylosis; intervertebral disc disorders; other back problems	631	N/A	3.0%	8.4
2. Early 14-19 therapy visits episodes	5,342	13.1%	N/A	16.1
Other aftercare	632	N/A	11.8%	15.9
Other connective tissue disease	356	N/A	6.7%	16.0
Other nervous system disorders	323	N/A	6.1%	16.1
Spondylosis; intervertebral disc disorders; other back problems	253	N/A	4.7%	16.2
Osteoarthritis	237	N/A	4.4%	16.4
3. Late 0-13 therapy visits episodes	9,166	22.6%	N/A	3.5
Diabetes mellitus with complications	1,335	N/A	14.6%	1.9
Genitourinary symptoms and ill-defined conditions	795	N/A	8.7%	0.9
Chronic ulcer of skin	661	N/A	7.2%	1.9
Other diseases of veins and lymphatics	383	N/A	4.2%	2.1
Hypertension with complications and secondary hypertension	366	N/A	4.0%	4.7
4. Late 14-19 therapy visits episodes	1,583	3.9%	N/A	16.4
Other connective tissue disease	137	N/A	8.7%	16.7
Other nervous system disorders	116	N/A	7.3%	16.6
Diabetes mellitus with complications	115	N/A	7.3%	15.9
Parkinson`s disease	84	N/A	5.3%	16.6
Hypertension with complications and secondary hypertension	71	N/A	4.5%	16.0
5. All 20+ therapy visits episodes	3,627	8.9%	N/A	25.1
Late effects of cerebrovascular disease	300	N/A	8.3%	27.5
Other aftercare	280	N/A	7.7%	24.4
Other connective tissue disease	242	N/A	6.7%	24.4
Other nervous system disorders	215	N/A	5.9%	25.4
Parkinson`s disease	151	N/A	4.2%	26.6
TOTAL	40,653	100%	N/A	9.1

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Virginia

251 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	90,219	53.9%	N/A	5.6
Other aftercare	18,314	N/A	20.3%	6.6
Hypertension with complications and secondary hypertension	6,149	N/A	6.8%	5.2
Chronic obstructive pulmonary disease and bronchiectasis	4,004	N/A	4.4%	5.0
Diabetes mellitus with complications	3,332	N/A	3.7%	3.7
Chronic ulcer of skin	3,183	N/A	3.5%	2.5
2. Early 14-19 therapy visits episodes	21,660	12.9%	N/A	16.0
Other aftercare	2,688	N/A	12.4%	15.9
Hypertension with complications and secondary hypertension	1,432	N/A	6.6%	15.8
Late effects of cerebrovascular disease	1,277	N/A	5.9%	16.3
Other connective tissue disease	1,207	N/A	5.6%	16.1
Other nervous system disorders	880	N/A	4.1%	16.4
3. Late 0-13 therapy visits episodes	31,738	19.0%	N/A	2.8
Chronic ulcer of skin	3,927	N/A	12.4%	1.4
Diabetes mellitus with complications	2,623	N/A	8.3%	1.9
Genitourinary symptoms and ill-defined conditions	2,509	N/A	7.9%	1.1
Hypertension with complications and secondary hypertension	2,195	N/A	6.9%	3.7
Other diseases of veins and lymphatics	1,970	N/A	6.2%	1.4
4. Late 14-19 therapy visits episodes	4,792	2.9%	N/A	16.5
Hypertension with complications and secondary hypertension	405	N/A	8.5%	16.3
Late effects of cerebrovascular disease	330	N/A	6.9%	17.0
Chronic ulcer of skin	268	N/A	5.6%	16.0
Other connective tissue disease	260	N/A	5.4%	16.8
Chronic obstructive pulmonary disease and bronchiectasis	250	N/A	5.2%	16.4
5. All 20+ therapy visits episodes	18,988	11.3%	N/A	26.0
Late effects of cerebrovascular disease	2,123	N/A	11.2%	28.6
Other aftercare	1,495	N/A	7.9%	25.0
Hypertension with complications and secondary hypertension	1,194	N/A	6.3%	24.9
Other connective tissue disease	953	N/A	5.0%	25.7
Fracture of neck of femur (hip)	852	N/A	4.5%	26.1
TOTAL	167,397	100%	N/A	9.1

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

**State Level Home Health Agencies Q4CY19 Top Therapy Report
Virgin Islands
2 HHAs**

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	275	60.0%	N/A	5.1
Chronic ulcer of skin	34	N/A	12.4%	2.6
Late effects of cerebrovascular disease	29	N/A	10.6%	5.4
Hypertension with complications and secondary hypertension	29	N/A	10.6%	4.8
Other aftercare	20	N/A	7.3%	5.8
Diabetes mellitus with complications	16	N/A	5.8%	3.2
2. Early 14-19 therapy visits episodes	77	16.8%	N/A	16.6
Late effects of cerebrovascular disease	12	N/A	15.6%	16.9
TOTAL	458	100%	N/A	9.1

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Vermont

11 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	12,125	60.2%	N/A	5.3
Other aftercare	2,708	N/A	22.3%	6.2
Hypertension with complications and secondary hypertension	711	N/A	5.9%	4.1
Chronic obstructive pulmonary disease and bronchiectasis	629	N/A	5.2%	4.3
Diabetes mellitus with complications	449	N/A	3.7%	3.2
Delirium dementia and amnestic and other cognitive disorders	313	N/A	2.6%	5.9
2. Early 14-19 therapy visits episodes	1,731	8.6%	N/A	16.3
Other aftercare	207	N/A	12.0%	16.1
Fracture of neck of femur (hip)	103	N/A	6.0%	16.6
Late effects of cerebrovascular disease	99	N/A	5.7%	17.0
Spondylosis; intervertebral disc disorders; other back problems	82	N/A	4.7%	16.1
Osteoarthritis	74	N/A	4.3%	16.6
3. Late 0-13 therapy visits episodes	5,036	25.0%	N/A	2.2
Hypertension with complications and secondary hypertension	458	N/A	9.1%	2.0
Diabetes mellitus with complications	440	N/A	8.7%	1.4
Chronic ulcer of skin	430	N/A	8.5%	1.1
Genitourinary symptoms and ill-defined conditions	394	N/A	7.8%	0.9
Chronic obstructive pulmonary disease and bronchiectasis	366	N/A	7.3%	2.1
4. Late 14-19 therapy visits episodes	305	1.5%	N/A	16.4
Diabetes mellitus with complications	24	N/A	7.9%	16.5
Hypertension with complications and secondary hypertension	21	N/A	6.9%	16.4
Parkinson`s disease	19	N/A	6.2%	16.8
Other aftercare	17	N/A	5.6%	15.7
Late effects of cerebrovascular disease	16	N/A	5.3%	16.7
5. All 20+ therapy visits episodes	939	4.7%	N/A	25.2
Late effects of cerebrovascular disease	113	N/A	12.0%	28.0
Other aftercare	66	N/A	7.0%	23.7
Fracture of neck of femur (hip)	59	N/A	6.3%	25.9
Fracture of upper limb	47	N/A	5.0%	24.2
Parkinson`s disease	45	N/A	4.8%	26.9
TOTAL	20,137	100%	N/A	6.6

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report Washington 65 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	40,520	55.1%	N/A	6.3
Other aftercare	5,450	N/A	13.5%	6.7
Hypertension with complications and secondary hypertension	2,411	N/A	6.0%	5.9
Chronic ulcer of skin	2,009	N/A	5.0%	2.7
Chronic obstructive pulmonary disease and bronchiectasis	1,680	N/A	4.2%	6.1
Diabetes mellitus with complications	1,582	N/A	3.9%	4.5
2. Early 14-19 therapy visits episodes	10,514	14.3%	N/A	16.2
Other aftercare	880	N/A	8.4%	16.0
Late effects of cerebrovascular disease	687	N/A	6.5%	16.6
Hypertension with complications and secondary hypertension	629	N/A	6.0%	15.8
Other nervous system disorders	503	N/A	4.8%	16.6
Other connective tissue disease	495	N/A	4.7%	16.8
3. Late 0-13 therapy visits episodes	12,464	16.9%	N/A	3.0
Genitourinary symptoms and ill-defined conditions	2,461	N/A	19.7%	0.8
Chronic ulcer of skin	1,715	N/A	13.8%	1.5
Diabetes mellitus with complications	777	N/A	6.2%	2.3
Other diseases of veins and lymphatics	705	N/A	5.7%	1.7
Hypertension with complications and secondary hypertension	539	N/A	4.3%	4.4
4. Late 14-19 therapy visits episodes	1,648	2.2%	N/A	16.4
Late effects of cerebrovascular disease	141	N/A	8.6%	16.2
Hypertension with complications and secondary hypertension	119	N/A	7.2%	16.3
Chronic ulcer of skin	93	N/A	5.6%	16.1
Parkinson`s disease	85	N/A	5.2%	16.7
Other connective tissue disease	73	N/A	4.4%	16.8
5. All 20+ therapy visits episodes	8,439	11.5%	N/A	25.5
Late effects of cerebrovascular disease	1,120	N/A	13.3%	28.9
Other aftercare	465	N/A	5.5%	24.1
Parkinson`s disease	465	N/A	5.5%	26.3
Fracture of neck of femur (hip)	436	N/A	5.2%	25.2
Hypertension with complications and secondary hypertension	402	N/A	4.8%	24.2
TOTAL	73,585	100%	N/A	9.6

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report

Wisconsin 116 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	34,104	63.2%	N/A	5.6
Other aftercare	5,860	N/A	17.2%	5.8
Hypertension with complications and secondary hypertension	2,105	N/A	6.2%	5.6
Chronic obstructive pulmonary disease and bronchiectasis	1,476	N/A	4.3%	5.2
Chronic ulcer of skin	1,362	N/A	4.0%	2.4
Diabetes mellitus with complications	1,193	N/A	3.5%	3.9
2. Early 14-19 therapy visits episodes	6,109	11.3%	N/A	15.8
Other aftercare	629	N/A	10.3%	15.5
Late effects of cerebrovascular disease	384	N/A	6.3%	16.3
Hypertension with complications and secondary hypertension	351	N/A	5.8%	15.0
Other connective tissue disease	268	N/A	4.4%	15.9
Fracture of neck of femur (hip)	242	N/A	4.0%	16.0
3. Late 0-13 therapy visits episodes	9,292	17.2%	N/A	2.1
Genitourinary symptoms and ill-defined conditions	1,785	N/A	19.2%	0.8
Chronic ulcer of skin	1,289	N/A	13.9%	1.2
Other diseases of veins and lymphatics	797	N/A	8.6%	1.4
Diabetes mellitus with complications	566	N/A	6.1%	1.7
Hypertension with complications and secondary hypertension	454	N/A	4.9%	2.7
4. Late 14-19 therapy visits episodes	662	1.2%	N/A	16.5
Other diseases of veins and lymphatics	42	N/A	6.3%	16.6
Chronic ulcer of skin	40	N/A	6.0%	15.8
Late effects of cerebrovascular disease	38	N/A	5.7%	16.8
Parkinson`s disease	37	N/A	5.6%	17.0
Spondylosis; intervertebral disc disorders; other back problems	36	N/A	5.4%	17.2
5. All 20+ therapy visits episodes	3,782	7.0%	N/A	24.9
Late effects of cerebrovascular disease	406	N/A	10.7%	27.5
Other aftercare	256	N/A	6.8%	24.9
Parkinson`s disease	169	N/A	4.5%	26.0
Hypertension with complications and secondary hypertension	165	N/A	4.4%	24.0
Fracture of neck of femur (hip)	160	N/A	4.2%	25.2
TOTAL	53,949	100%	N/A	7.6

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020

State Level Home Health Agencies Q4CY19 Top Therapy Report West Virginia 63 HHAs

CCS Diagnosis Categories	Number of Episodes	Prop. Of All Episodes	Prop. w in Episode Group	Avg. Number of Therapy Visits
1. Early 0-13 therapy visits episodes	19,859	45.4%	N/A	5.3
Other aftercare	2,890	N/A	14.6%	6.0
Chronic obstructive pulmonary disease and bronchiectasis	1,522	N/A	7.7%	5.3
Diabetes mellitus with complications	1,051	N/A	5.3%	3.6
Hypertension with complications and secondary hypertension	981	N/A	4.9%	5.3
Coronary atherosclerosis and other heart disease	842	N/A	4.2%	5.3
2. Early 14-19 therapy visits episodes	6,892	15.8%	N/A	16.0
Other aftercare	709	N/A	10.3%	16.2
Chronic obstructive pulmonary disease and bronchiectasis	539	N/A	7.8%	15.7
Hypertension with complications and secondary hypertension	391	N/A	5.7%	15.9
Late effects of cerebrovascular disease	325	N/A	4.7%	16.5
Coronary atherosclerosis and other heart disease	284	N/A	4.1%	15.4
3. Late 0-13 therapy visits episodes	8,844	20.2%	N/A	3.1
Genitourinary symptoms and ill-defined conditions	951	N/A	10.8%	1.1
Chronic ulcer of skin	892	N/A	10.1%	1.4
Diabetes mellitus with complications	746	N/A	8.4%	2.5
Chronic obstructive pulmonary disease and bronchiectasis	563	N/A	6.4%	4.7
Hypertension with complications and secondary hypertension	470	N/A	5.3%	4.2
4. Late 14-19 therapy visits episodes	1,943	4.5%	N/A	16.4
Chronic obstructive pulmonary disease and bronchiectasis	179	N/A	9.2%	16.5
Hypertension with complications and secondary hypertension	144	N/A	7.4%	16.4
Late effects of cerebrovascular disease	123	N/A	6.3%	16.6
Diabetes mellitus with complications	110	N/A	5.7%	16.1
Coronary atherosclerosis and other heart disease	101	N/A	5.2%	16.7
5. All 20+ therapy visits episodes	6,169	14.1%	N/A	25.7
Late effects of cerebrovascular disease	586	N/A	9.5%	28.4
Chronic obstructive pulmonary disease and bronchiectasis	450	N/A	7.3%	25.2
Other aftercare	449	N/A	7.3%	24.5
Hypertension with complications and secondary hypertension	323	N/A	5.2%	25.3
Coronary atherosclerosis and other heart disease	286	N/A	4.6%	25.4
TOTAL	43,707	100%	N/A	9.9

Note: This report is limited to the top diagnosis categories (up to 5) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date Produced: 03JUL2020