

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Alabama**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**18 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	4,437	43.9%	11.8
Tier D, Low Comorbidity	4,024	39.8%	12.3
Tier B, High Comorbidity	922	9.1%	12.8
Tier C, Medium Comorbidity	720	7.1%	13.4
<b>Total</b>	<b>10,103</b>	<b>100%</b>	<b>12.2</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,188	61.2%	12.7
Home	1,473	14.6%	11.2
Transfer to ST	1,107	11.0%	8.1
Transfer to SNF	1,025	10.1%	15.6
Other	310	3.1%	10.7
<b>Total</b>	<b>10,103</b>	<b>100%</b>	<b>12.2</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Arkansas**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**23 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	5,252	48.0%	11.8
Tier A, No Comorbidity	4,528	41.4%	11.8
Tier C, Medium Comorbidity	706	6.5%	13.1
Tier B, High Comorbidity	454	4.1%	12.9
<b>Total</b>	<b>10,940</b>	<b>100%</b>	<b>11.9</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,255	57.2%	12.3
Home	2,038	18.6%	10.7
Transfer to SNF	1,407	12.9%	15.0
Transfer to ST	968	8.8%	7.8
Other	272	2.5%	9.3
<b>Total</b>	<b>10,940</b>	<b>100%</b>	<b>11.9</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Arizona**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**26 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	4,922	46.6%	11.7
Tier D, Low Comorbidity	4,091	38.8%	12.1
Tier C, Medium Comorbidity	1,025	9.7%	13.6
Tier B, High Comorbidity	513	4.9%	13.8
<b>Total</b>	<b>10,551</b>	<b>100%</b>	<b>12.1</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	5,200	49.3%	12.7
Home	3,051	28.9%	11.4
Transfer to SNF	1,127	10.7%	15.8
Transfer to ST	993	9.4%	8.1
Other	180	1.7%	9.7
<b>Total</b>	<b>10,551</b>	<b>100%</b>	<b>12.1</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility  
Average Length of Stay by Case Mix Group Tier and by Discharge Destination  
California**

**Discharges for most recent four quarters, ending Q4FY2019  
75 Hospitals and Units  
In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	9,476	44.4%	12.2
Tier D, Low Comorbidity	8,194	38.4%	12.7
Tier C, Medium Comorbidity	2,305	10.8%	13.5
Tier B, High Comorbidity	1,390	6.5%	13.5
<b>Total</b>	<b>21,365</b>	<b>100%</b>	<b>12.6</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	12,109	56.7%	13.1
Home	4,360	20.4%	11.7
Transfer to SNF	2,635	12.3%	14.9
Transfer to ST	1,940	9.1%	8.7
Other	321	1.5%	8.9
<b>Total</b>	<b>21,365</b>	<b>100%</b>	<b>12.6</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility  
Average Length of Stay by Case Mix Group Tier and by Discharge Destination  
Colorado**

**Discharges for most recent four quarters, ending Q4FY2019  
19 Hospitals and Units  
In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	2,536	54.3%	11.6
Tier D, Low Comorbidity	1,549	33.2%	12.5
Tier C, Medium Comorbidity	412	8.8%	13.9
Tier B, High Comorbidity	173	3.7%	13.0
<b>Total</b>	<b>4,670</b>	<b>100%</b>	<b>12.2</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	2,465	52.8%	12.6
Home	959	20.5%	9.9
Transfer to SNF	773	16.6%	15.9
Transfer to ST	419	9.0%	8.2
Other	54	1.2%	10.9
<b>Total</b>	<b>4,670</b>	<b>100%</b>	<b>12.2</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Connecticut**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**7 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	685	44.5%	12.5
Tier D, Low Comorbidity	610	39.7%	13.7
Tier C, Medium Comorbidity	174	11.3%	13.6
Tier B, High Comorbidity	69	4.5%	15.5
<b>Total</b>	<b>1,538</b>	<b>100%</b>	<b>13.2</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	861	56.0%	12.9
Transfer to SNF	427	27.8%	16.4
Transfer to ST	145	9.4%	7.8
Home	98	6.4%	10.3
<b>Total</b>	<b>1,538</b>	<b>100%</b>	<b>13.2</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Delaware**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**4 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	1,149	47.4%	11.2
Tier D, Low Comorbidity	894	36.9%	11.7
Tier C, Medium Comorbidity	255	10.5%	12.0
Tier B, High Comorbidity	128	5.3%	12.3
<b>Total</b>	<b>2,426</b>	<b>100%</b>	<b>11.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,597	65.8%	11.8
Transfer to SNF	328	13.5%	14.0
Home	306	12.6%	10.1
Transfer to ST	139	5.7%	6.6
Other	56	2.3%	9.1
<b>Total</b>	<b>2,426</b>	<b>100%</b>	<b>11.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Florida**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**51 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	13,940	42.9%	12.0
Tier D, Low Comorbidity	12,522	38.5%	12.8
Tier C, Medium Comorbidity	3,828	11.8%	13.9
Tier B, High Comorbidity	2,196	6.8%	14.1
<b>Total</b>	<b>32,486</b>	<b>100%</b>	<b>12.7</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	19,835	61.1%	13.1
Transfer to SNF	4,549	14.0%	15.8
Home	4,110	12.7%	11.4
Transfer to ST	3,306	10.2%	8.4
Other	686	2.1%	9.4
<b>Total</b>	<b>32,486</b>	<b>100%</b>	<b>12.7</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**



**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Georgia**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**28 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	3,880	43.1%	12.5
Tier A, No Comorbidity	3,393	37.7%	12.1
Tier B, High Comorbidity	953	10.6%	13.1
Tier C, Medium Comorbidity	778	8.6%	13.7
<b>Total</b>	<b>9,004</b>	<b>100%</b>	<b>12.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,930	54.8%	12.8
Home	1,843	20.5%	11.9
Transfer to SNF	1,138	12.6%	16.1
Transfer to ST	930	10.3%	8.1
Other	163	1.8%	10.1
<b>Total</b>	<b>9,004</b>	<b>100%</b>	<b>12.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Iowa**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**15 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	1,174	43.6%	12.1
Tier A, No Comorbidity	1,149	42.7%	11.8
Tier C, Medium Comorbidity	260	9.7%	13.3
Tier B, High Comorbidity	107	4.0%	12.3
<b>Total</b>	<b>2,690</b>	<b>100%</b>	<b>12.1</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,036	38.5%	12.4
Home	886	32.9%	10.4
Transfer to SNF	490	18.2%	16.9
Transfer to ST	229	8.5%	8.0
Other	49	1.8%	9.8
<b>Total</b>	<b>2,690</b>	<b>100%</b>	<b>12.1</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Idaho**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**7 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	560	44.6%	12.7
Tier A, No Comorbidity	554	44.1%	11.9
Tier C, Medium Comorbidity	98	7.8%	13.9
Tier B, High Comorbidity	43	3.4%	15.1
<b>Total</b>	<b>1,255</b>	<b>100%</b>	<b>12.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	686	54.7%	12.6
Home	321	25.6%	10.8
Transfer to SNF	134	10.7%	19.3
Transfer to ST	87	6.9%	8.4
Other	27	2.2%	9.6
<b>Total</b>	<b>1,255</b>	<b>100%</b>	<b>12.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Illinois**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**42 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	6,862	46.5%	12.9
Tier A, No Comorbidity	5,141	34.8%	12.6
Tier C, Medium Comorbidity	1,900	12.9%	14.5
Tier B, High Comorbidity	862	5.8%	14.5
<b>Total</b>	<b>14,765</b>	<b>100%</b>	<b>13.1</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,556	44.4%	13.0
Home	3,650	24.7%	12.8
Transfer to SNF	2,789	18.9%	16.3
Transfer to ST	1,561	10.6%	8.6
Other	209	1.4%	9.9
<b>Total</b>	<b>14,765</b>	<b>100%</b>	<b>13.1</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Indiana**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**36 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	5,098	46.6%	12.3
Tier A, No Comorbidity	4,075	37.3%	11.9
Tier C, Medium Comorbidity	1,025	9.4%	13.3
Tier B, High Comorbidity	738	6.7%	13.2
<b>Total</b>	<b>10,936</b>	<b>100%</b>	<b>12.3</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,706	43.0%	12.8
Home	3,186	29.1%	10.9
Transfer to SNF	1,816	16.6%	16.0
Transfer to ST	1,053	9.6%	8.2
Other	175	1.6%	8.7
<b>Total</b>	<b>10,936</b>	<b>100%</b>	<b>12.3</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Kansas**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**20 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	2,612	42.9%	11.2
Tier D, Low Comorbidity	2,578	42.3%	11.7
Tier C, Medium Comorbidity	556	9.1%	13.3
Tier B, High Comorbidity	349	5.7%	12.8
<b>Total</b>	<b>6,095</b>	<b>100%</b>	<b>11.7</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	3,025	49.6%	12.0
Home	1,500	24.6%	9.8
Transfer to SNF	938	15.4%	15.7
Transfer to ST	522	8.6%	8.4
Other	110	1.8%	10.4
<b>Total</b>	<b>6,095</b>	<b>100%</b>	<b>11.7</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Kentucky**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**16 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	3,247	44.1%	12.3
Tier A, No Comorbidity	3,135	42.6%	11.8
Tier C, Medium Comorbidity	626	8.5%	14.2
Tier B, High Comorbidity	355	4.8%	13.8
<b>Total</b>	<b>7,363</b>	<b>100%</b>	<b>12.3</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	3,936	53.5%	12.8
Home	1,477	20.1%	10.8
Transfer to SNF	1,099	14.9%	16.0
Transfer to ST	729	9.9%	8.0
Other	122	1.7%	7.1
<b>Total</b>	<b>7,363</b>	<b>100%</b>	<b>12.3</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Louisiana**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**49 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	4,406	44.3%	12.8
Tier A, No Comorbidity	4,076	41.0%	12.5
Tier C, Medium Comorbidity	879	8.8%	14.4
Tier B, High Comorbidity	586	5.9%	14.1
<b>Total</b>	<b>9,947</b>	<b>100%</b>	<b>12.9</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,932	49.6%	13.1
Transfer to SNF	2,296	23.1%	15.2
Home	1,505	15.1%	12.1
Transfer to ST	978	9.8%	8.5
Other	236	2.4%	9.2
<b>Total</b>	<b>9,947</b>	<b>100%</b>	<b>12.9</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**



**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Massachusetts**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**10 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	4,044	44.8%	12.4
Tier D, Low Comorbidity	3,635	40.3%	13.5
Tier C, Medium Comorbidity	954	10.6%	15.0
Tier B, High Comorbidity	395	4.4%	14.5
<b>Total</b>	<b>9,028</b>	<b>100%</b>	<b>13.2</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,158	68.2%	13.1
Transfer to SNF	1,420	15.7%	17.6
Transfer to ST	839	9.3%	8.8
Home	519	5.7%	10.3
Other	92	1.0%	11.2
<b>Total</b>	<b>9,028</b>	<b>100%</b>	<b>13.2</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Maine**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**5 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	832	46.1%	11.9
Tier D, Low Comorbidity	702	38.9%	12.4
Tier C, Medium Comorbidity	186	10.3%	13.1
Tier B, High Comorbidity	84	4.7%	13.1
<b>Total</b>	<b>1,804</b>	<b>100%</b>	<b>12.3</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,154	64.0%	12.0
Transfer to SNF	307	17.0%	17.1
Home	168	9.3%	9.2
Transfer to ST	152	8.4%	8.3
Other	23	1.3%	14.1
<b>Total</b>	<b>1,804</b>	<b>100%</b>	<b>12.3</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Michigan**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**38 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	4,697	50.1%	12.5
Tier A, No Comorbidity	2,981	31.8%	11.9
Tier C, Medium Comorbidity	1,010	10.8%	13.6
Tier B, High Comorbidity	683	7.3%	13.4
<b>Total</b>	<b>9,371</b>	<b>100%</b>	<b>12.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,808	51.3%	12.9
Home	1,963	20.9%	11.4
Transfer to SNF	1,422	15.2%	16.0
Transfer to ST	1,056	11.3%	8.8
Other	122	1.3%	10.0
<b>Total</b>	<b>9,371</b>	<b>100%</b>	<b>12.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Minnesota**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**12 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	904	43.5%	13.4
Tier A, No Comorbidity	858	41.3%	12.6
Tier C, Medium Comorbidity	218	10.5%	14.7
Tier B, High Comorbidity	98	4.7%	13.8
<b>Total</b>	<b>2,078</b>	<b>100%</b>	<b>13.2</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	906	43.6%	11.3
Transfer to SNF	484	23.3%	18.8
Home with Home Health	433	20.8%	13.1
Transfer to ST	210	10.1%	9.0
Other	45	2.2%	12.3
<b>Total</b>	<b>2,078</b>	<b>100%</b>	<b>13.2</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Missouri**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**30 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	4,586	46.7%	12.2
Tier A, No Comorbidity	3,764	38.4%	11.7
Tier C, Medium Comorbidity	842	8.6%	13.6
Tier B, High Comorbidity	622	6.3%	13.4
<b>Total</b>	<b>9,814</b>	<b>100%</b>	<b>12.2</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,823	49.1%	12.5
Home	2,367	24.1%	10.9
Transfer to SNF	1,533	15.6%	16.2
Transfer to ST	957	9.8%	7.8
Other	134	1.4%	9.0
<b>Total</b>	<b>9,814</b>	<b>100%</b>	<b>12.2</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Mississippi**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**11 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	1,669	44.8%	12.3
Tier D, Low Comorbidity	1,563	42.0%	12.1
Tier B, High Comorbidity	252	6.8%	12.8
Tier C, Medium Comorbidity	239	6.4%	13.0
<b>Total</b>	<b>3,723</b>	<b>100%</b>	<b>12.3</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	2,114	56.8%	12.7
Home	634	17.0%	11.7
Transfer to SNF	579	15.6%	14.5
Transfer to ST	343	9.2%	8.0
Other	53	1.4%	8.8
<b>Total</b>	<b>3,723</b>	<b>100%</b>	<b>12.3</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Montana**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**5 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	288	45.0%	10.9
Tier D, Low Comorbidity	287	44.8%	11.3
Tier C, Medium Comorbidity	51	8.0%	14.1
Tier B, High Comorbidity	14	2.2%	13.2
<b>Total</b>	<b>640</b>	<b>100%</b>	<b>11.4</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	317	49.5%	10.4
Home with Home Health	165	25.8%	11.3
Transfer to SNF	100	15.6%	15.8
Transfer to ST	44	6.9%	9.3
Other	14	2.2%	10.9
<b>Total</b>	<b>640</b>	<b>100%</b>	<b>11.4</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**North Carolina**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**24 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	2,965	42.9%	13.4
Tier A, No Comorbidity	2,661	38.5%	12.9
Tier C, Medium Comorbidity	738	10.7%	14.9
Tier B, High Comorbidity	543	7.9%	14.7
<b>Total</b>	<b>6,907</b>	<b>100%</b>	<b>13.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	3,075	44.5%	13.7
Home	2,155	31.2%	12.2
Transfer to SNF	1,006	14.6%	18.4
Transfer to ST	598	8.7%	8.8
Other	73	1.1%	11.1
<b>Total</b>	<b>6,907</b>	<b>100%</b>	<b>13.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**



**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**North Dakota**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**3 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	231	46.8%	10.4
Tier D, Low Comorbidity	209	42.3%	12.0
Tier C, Medium Comorbidity	34	6.9%	13.8
Tier B, High Comorbidity	20	4.0%	14.5
<b>Total</b>	<b>494</b>	<b>100%</b>	<b>11.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	245	49.6%	10.2
Transfer to SNF	95	19.2%	16.4
Home with Home Health	65	13.2%	13.2
Transfer to ST	55	11.1%	6.7
Other	34	6.9%	10.8
<b>Total</b>	<b>494</b>	<b>100%</b>	<b>11.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Nebraska**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**10 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	845	43.7%	14.5
Tier A, No Comorbidity	835	43.2%	13.5
Tier C, Medium Comorbidity	170	8.8%	15.9
Tier B, High Comorbidity	83	4.3%	17.7
<b>Total</b>	<b>1,933</b>	<b>100%</b>	<b>14.3</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	726	37.6%	12.7
Home with Home Health	650	33.6%	14.9
Transfer to SNF	362	18.7%	18.9
Transfer to ST	152	7.9%	9.0
Other	43	2.2%	14.6
<b>Total</b>	<b>1,933</b>	<b>100%</b>	<b>14.3</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**New Hampshire**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**5 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	1,681	44.2%	12.3
Tier A, No Comorbidity	1,575	41.4%	11.4
Tier C, Medium Comorbidity	413	10.9%	13.7
Tier B, High Comorbidity	134	3.5%	13.7
<b>Total</b>	<b>3,803</b>	<b>100%</b>	<b>12.1</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	2,527	66.4%	11.9
Transfer to SNF	633	16.6%	16.1
Transfer to ST	326	8.6%	8.3
Home	294	7.7%	9.8
Other	23	0.6%	8.9
<b>Total</b>	<b>3,803</b>	<b>100%</b>	<b>12.1</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**New Jersey**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**15 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	5,435	45.5%	12.8
Tier D, Low Comorbidity	4,865	40.7%	13.7
Tier C, Medium Comorbidity	1,217	10.2%	15.3
Tier B, High Comorbidity	437	3.7%	16.6
<b>Total</b>	<b>11,954</b>	<b>100%</b>	<b>13.6</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,139	51.4%	13.8
Transfer to SNF	2,306	19.3%	17.4
Home	2,046	17.1%	11.9
Transfer to ST	1,360	11.4%	8.6
Other	103	0.9%	9.8
<b>Total</b>	<b>11,954</b>	<b>100%</b>	<b>13.6</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**New Mexico**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**8 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	1,350	52.5%	12.1
Tier D, Low Comorbidity	871	33.9%	12.6
Tier C, Medium Comorbidity	200	7.8%	14.2
Tier B, High Comorbidity	149	5.8%	12.7
<b>Total</b>	<b>2,570</b>	<b>100%</b>	<b>12.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,383	53.8%	13.0
Home	643	25.0%	11.2
Transfer to SNF	292	11.4%	16.6
Transfer to ST	210	8.2%	7.9
Other	42	1.6%	9.6
<b>Total</b>	<b>2,570</b>	<b>100%</b>	<b>12.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Nevada**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**14 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	3,782	45.9%	12.3
Tier A, No Comorbidity	3,154	38.2%	11.4
Tier C, Medium Comorbidity	720	8.7%	14.0
Tier B, High Comorbidity	592	7.2%	13.9
<b>Total</b>	<b>8,248</b>	<b>100%</b>	<b>12.2</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,635	56.2%	12.6
Home	1,328	16.1%	10.8
Transfer to SNF	1,140	13.8%	15.7
Transfer to ST	863	10.5%	8.7
Other	282	3.4%	9.1
<b>Total</b>	<b>8,248</b>	<b>100%</b>	<b>12.2</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**New York**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**47 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	5,988	52.9%	13.1
Tier D, Low Comorbidity	3,913	34.5%	14.0
Tier C, Medium Comorbidity	891	7.9%	15.5
Tier B, High Comorbidity	535	4.7%	16.3
<b>Total</b>	<b>11,327</b>	<b>100%</b>	<b>13.8</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	5,418	47.8%	13.6
Transfer to SNF	2,452	21.6%	18.0
Home	2,050	18.1%	11.5
Transfer to ST	1,207	10.7%	9.8
Other	200	1.8%	12.2
<b>Total</b>	<b>11,327</b>	<b>100%</b>	<b>13.8</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Ohio**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**47 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	6,723	45.5%	12.1
Tier A, No Comorbidity	5,907	40.0%	11.8
Tier C, Medium Comorbidity	1,369	9.3%	13.3
Tier B, High Comorbidity	770	5.2%	13.5
<b>Total</b>	<b>14,769</b>	<b>100%</b>	<b>12.2</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	7,321	49.6%	12.4
Home	3,424	23.2%	11.0
Transfer to SNF	2,413	16.3%	15.7
Transfer to ST	1,366	9.2%	8.1
Other	245	1.7%	8.3
<b>Total</b>	<b>14,769</b>	<b>100%</b>	<b>12.2</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**



**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Oklahoma**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**23 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	3,149	44.9%	12.0
Tier A, No Comorbidity	2,825	40.3%	11.2
Tier C, Medium Comorbidity	697	9.9%	12.8
Tier B, High Comorbidity	346	4.9%	12.3
<b>Total</b>	<b>7,018</b>	<b>100%</b>	<b>11.8</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	3,835	54.6%	12.0
Home	1,378	19.6%	10.4
Transfer to SNF	1,090	15.5%	15.1
Transfer to ST	577	8.2%	7.8
Other	138	2.0%	9.1
<b>Total</b>	<b>7,018</b>	<b>100%</b>	<b>11.8</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Oregon**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**8 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	461	50.5%	12.5
Tier D, Low Comorbidity	318	34.9%	12.6
Tier C, Medium Comorbidity	96	10.5%	12.5
Tier B, High Comorbidity	37	4.1%	12.0
<b>Total</b>	<b>912</b>	<b>100%</b>	<b>12.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	406	44.5%	13.7
Home	401	44.0%	11.4
Transfer to SNF	54	5.9%	15.1
Transfer to ST	44	4.8%	10.1
<b>Total</b>	<b>912</b>	<b>100%</b>	<b>12.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Pennsylvania**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**75 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	11,014	43.5%	12.9
Tier A, No Comorbidity	10,032	39.7%	12.4
Tier C, Medium Comorbidity	2,733	10.8%	14.6
Tier B, High Comorbidity	1,519	6.0%	14.7
<b>Total</b>	<b>25,298</b>	<b>100%</b>	<b>13.0</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	13,761	54.4%	13.3
Home	5,121	20.2%	11.5
Transfer to SNF	3,617	14.3%	17.0
Transfer to ST	2,495	9.9%	8.8
Other	304	1.2%	10.7
<b>Total</b>	<b>25,298</b>	<b>100%</b>	<b>13.0</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Puerto Rico**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**6 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	355	57.4%	11.1
Tier D, Low Comorbidity	134	21.6%	12.3
Tier C, Medium Comorbidity	65	10.5%	11.2
Tier B, High Comorbidity	65	10.5%	12.9
<b>Total</b>	<b>619</b>	<b>100%</b>	<b>11.6</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	284	45.9%	11.1
Home with Home Health	274	44.3%	12.6
Transfer to ST	48	7.8%	8.5
<b>Total</b>	<b>619</b>	<b>100%</b>	<b>11.6</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Rhode Island**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**5 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	354	52.3%	12.8
Tier D, Low Comorbidity	245	36.2%	12.2
Tier C, Medium Comorbidity	52	7.7%	14.0
Tier B, High Comorbidity	26	3.8%	11.8
<b>Total</b>	<b>677</b>	<b>100%</b>	<b>12.6</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	373	55.1%	12.9
Transfer to SNF	162	23.9%	14.5
Transfer to ST	70	10.3%	8.8
Home	62	9.2%	11.5
<b>Total</b>	<b>677</b>	<b>100%</b>	<b>12.6</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**South Carolina**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**23 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	4,645	43.9%	12.1
Tier D, Low Comorbidity	4,399	41.6%	12.6
Tier C, Medium Comorbidity	878	8.3%	13.3
Tier B, High Comorbidity	664	6.3%	13.7
<b>Total</b>	<b>10,586</b>	<b>100%</b>	<b>12.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,893	65.1%	12.8
Home	1,651	15.6%	11.0
Transfer to SNF	1,070	10.1%	16.4
Transfer to ST	816	7.7%	8.3
Other	156	1.5%	9.9
<b>Total</b>	<b>10,586</b>	<b>100%</b>	<b>12.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**South Dakota**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**3 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	292	47.8%	14.5
Tier D, Low Comorbidity	254	41.6%	14.3
Tier C, Medium Comorbidity	45	7.4%	15.9
Tier B, High Comorbidity	20	3.3%	14.8
<b>Total</b>	<b>611</b>	<b>100%</b>	<b>14.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	245	40.1%	13.0
Home with Home Health	214	35.0%	16.3
Transfer to SNF	82	13.4%	19.5
Transfer to ST	62	10.1%	7.8
<b>Total</b>	<b>611</b>	<b>100%</b>	<b>14.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Tennessee**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**32 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	4,977	45.1%	12.6
Tier A, No Comorbidity	4,309	39.0%	12.1
Tier C, Medium Comorbidity	968	8.8%	13.8
Tier B, High Comorbidity	793	7.2%	13.1
<b>Total</b>	<b>11,047</b>	<b>100%</b>	<b>12.5</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	5,933	53.7%	13.0
Home	2,515	22.8%	11.3
Transfer to SNF	1,303	11.8%	17.0
Transfer to ST	1,143	10.3%	8.0
Other	153	1.4%	10.1
<b>Total</b>	<b>11,047</b>	<b>100%</b>	<b>12.5</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**



**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Texas**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**132 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	28,634	45.1%	12.3
Tier A, No Comorbidity	24,124	38.0%	11.6
Tier C, Medium Comorbidity	5,922	9.3%	13.7
Tier B, High Comorbidity	4,761	7.5%	13.4
<b>Total</b>	<b>63,441</b>	<b>100%</b>	<b>12.3</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	35,663	56.2%	12.6
Home	11,934	18.8%	11.2
Transfer to SNF	8,655	13.6%	15.7
Transfer to ST	5,878	9.3%	8.2
Other	1,311	2.1%	9.1
<b>Total</b>	<b>63,441</b>	<b>100%</b>	<b>12.3</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Utah**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**11 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	887	41.9%	13.4
Tier A, No Comorbidity	781	36.9%	12.6
Tier C, Medium Comorbidity	355	16.8%	14.5
Tier B, High Comorbidity	93	4.4%	14.3
<b>Total</b>	<b>2,116</b>	<b>100%</b>	<b>13.3</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,145	54.1%	13.6
Transfer to SNF	397	18.8%	16.9
Home	361	17.1%	10.8
Transfer to ST	177	8.4%	9.2
Other	36	1.7%	11.6
<b>Total</b>	<b>2,116</b>	<b>100%</b>	<b>13.3</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Virginia**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**27 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	4,523	42.9%	12.1
Tier D, Low Comorbidity	4,491	42.6%	12.9
Tier C, Medium Comorbidity	903	8.6%	14.2
Tier B, High Comorbidity	616	5.8%	13.9
<b>Total</b>	<b>10,533</b>	<b>100%</b>	<b>12.7</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,747	64.1%	12.8
Transfer to SNF	1,351	12.8%	17.0
Home	1,336	12.7%	11.1
Transfer to ST	970	9.2%	8.8
Other	129	1.2%	10.2
<b>Total</b>	<b>10,533</b>	<b>100%</b>	<b>12.7</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Washington**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**16 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	1,297	48.1%	12.2
Tier D, Low Comorbidity	1,080	40.0%	13.1
Tier C, Medium Comorbidity	222	8.2%	13.5
Tier B, High Comorbidity	100	3.7%	14.1
<b>Total</b>	<b>2,699</b>	<b>100%</b>	<b>12.8</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	1,151	42.6%	11.2
Home with Home Health	891	33.0%	14.1
Transfer to SNF	412	15.3%	16.7
Transfer to ST	214	7.9%	8.8
Other	31	1.1%	9.8
<b>Total</b>	<b>2,699</b>	<b>100%</b>	<b>12.8</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**Wisconsin**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**19 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	1,365	42.6%	11.9
Tier A, No Comorbidity	1,279	39.9%	11.4
Tier C, Medium Comorbidity	347	10.8%	13.7
Tier B, High Comorbidity	211	6.6%	13.6
<b>Total</b>	<b>3,202</b>	<b>100%</b>	<b>12.0</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,453	45.4%	12.4
Home	1,055	32.9%	9.8
Transfer to SNF	419	13.1%	18.3
Transfer to ST	229	7.2%	8.5
Other	46	1.4%	9.5
<b>Total</b>	<b>3,202</b>	<b>100%</b>	<b>12.0</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**

**Inpatient Rehabilitation Facility**  
**Average Length of Stay by Case Mix Group Tier and by Discharge Destination**  
**West Virginia**  
**Discharges for most recent four quarters, ending Q4FY2019**  
**8 Hospitals and Units**  
**In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	2,612	48.6%	12.1
Tier D, Low Comorbidity	2,182	40.6%	11.9
Tier C, Medium Comorbidity	335	6.2%	13.5
Tier B, High Comorbidity	243	4.5%	12.5
<b>Total</b>	<b>5,372</b>	<b>100%</b>	<b>12.1</b>

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	3,236	60.2%	12.8
Home	959	17.9%	10.7
Transfer to SNF	567	10.6%	15.3
Transfer to ST	514	9.6%	8.0
Other	96	1.8%	8.8
<b>Total</b>	<b>5,372</b>	<b>100%</b>	<b>12.1</b>

**Discharge Status Codes Include**

**HOME: Discharge to home (01), Discharge to home w/planned readmission (81)**

**TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),**

**Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)**

**TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),**

**Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)**

**HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),**

**Discharge/transfer to home care of HHA w/planned readmission (86)**

**NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.**

**Date prepared: 27MAY2020**