

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Alaska
Discharges for most recent four quarters, ending Q4FY2020
3 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	85	49.1%	15.3
Tier D, Low Comorbidity	66	38.2%	14.8
Tier C, Medium Comorbidity	18	10.4%	21.7
Total	173	100%	15.7

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	80	46.2%	15.7
Home with Home Health	74	42.8%	14.0
Total	173	100%	15.7

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Alabama
Discharges for most recent four quarters, ending Q4FY2020
18 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	3,810	41.4%	12.6
Tier A, No Comorbidity	3,788	41.2%	12.0
Tier B, High Comorbidity	854	9.3%	13.4
Tier C, Medium Comorbidity	745	8.1%	13.6
Total	9,197	100%	12.5

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,047	65.7%	12.9
Home	1,027	11.2%	11.4
Transfer to ST	1,019	11.1%	8.2
Transfer to SNF	847	9.2%	16.9
Other	257	2.8%	10.3
Total	9,197	100%	12.5

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Arkansas
Discharges for most recent four quarters, ending Q4FY2020
26 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	5,181	49.2%	12.0
Tier A, No Comorbidity	4,056	38.5%	11.8
Tier C, Medium Comorbidity	820	7.8%	13.1
Tier B, High Comorbidity	484	4.6%	13.5
Total	10,541	100%	12.1

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,269	59.5%	12.6
Home	1,785	16.9%	10.8
Transfer to SNF	1,210	11.5%	15.8
Transfer to ST	993	9.4%	7.8
Other	284	2.7%	8.2
Total	10,541	100%	12.1

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Arizona
Discharges for most recent four quarters, ending Q4FY2020
26 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	4,002	44.5%	11.8
Tier D, Low Comorbidity	3,616	40.2%	12.7
Tier C, Medium Comorbidity	893	9.9%	14.1
Tier B, High Comorbidity	476	5.3%	14.1
Total	8,987	100%	12.5

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,679	52.1%	13.0
Home	2,356	26.2%	11.7
Transfer to ST	913	10.2%	8.5
Transfer to SNF	866	9.6%	16.8
Other	173	1.9%	9.6
Total	8,987	100%	12.5

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

**Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
California**

**Discharges for most recent four quarters, ending Q4FY2020
76 Hospitals and Units
In Descending Order by Total Discharges**

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	8,695	43.0%	12.6
Tier D, Low Comorbidity	7,945	39.3%	13.1
Tier C, Medium Comorbidity	2,248	11.1%	14.2
Tier B, High Comorbidity	1,341	6.6%	13.5
Total	20,229	100%	13.0

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	12,311	60.9%	13.5
Home	3,563	17.6%	12.2
Transfer to SNF	2,080	10.3%	15.8
Transfer to ST	1,916	9.5%	8.9
Other	359	1.8%	9.9
Total	20,229	100%	13.0

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Colorado
Discharges for most recent four quarters, ending Q4FY2020
17 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	2,172	49.7%	11.8
Tier D, Low Comorbidity	1,591	36.4%	12.9
Tier C, Medium Comorbidity	421	9.6%	13.7
Tier B, High Comorbidity	184	4.2%	13.0
Total	4,368	100%	12.4

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	2,475	56.7%	13.0
Home	851	19.5%	10.3
Transfer to SNF	588	13.5%	16.0
Transfer to ST	373	8.5%	8.4
Other	81	1.9%	11.4
Total	4,368	100%	12.4

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Connecticut
Discharges for most recent four quarters, ending Q4FY2020
7 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	599	46.6%	12.6
Tier D, Low Comorbidity	496	38.6%	13.6
Tier C, Medium Comorbidity	135	10.5%	13.8
Tier B, High Comorbidity	56	4.4%	12.5
Total	1,286	100%	13.1

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	802	62.4%	12.9
Transfer to SNF	259	20.1%	17.2
Transfer to ST	132	10.3%	8.6
Home	81	6.3%	10.6
Other	12	0.9%	9.7
Total	1,286	100%	13.1

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Delaware
Discharges for most recent four quarters, ending Q4FY2020
4 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	1,321	46.5%	11.2
Tier D, Low Comorbidity	1,025	36.1%	11.4
Tier C, Medium Comorbidity	280	9.9%	12.2
Tier B, High Comorbidity	212	7.5%	12.1
Total	2,838	100%	11.4

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,882	66.3%	11.7
Home	410	14.4%	10.3
Transfer to SNF	290	10.2%	14.4
Transfer to ST	175	6.2%	7.4
Other	81	2.9%	9.3
Total	2,838	100%	11.4

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Florida
Discharges for most recent four quarters, ending Q4FY2020
53 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	11,950	40.1%	13.2
Tier A, No Comorbidity	11,817	39.6%	12.3
Tier C, Medium Comorbidity	3,756	12.6%	14.3
Tier B, High Comorbidity	2,311	7.7%	14.1
Total	29,834	100%	13.1

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	19,004	63.7%	13.4
Transfer to SNF	3,695	12.4%	16.8
Transfer to ST	3,275	11.0%	8.7
Home	3,085	10.3%	11.7
Other	775	2.6%	10.4
Total	29,834	100%	13.1

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Georgia
Discharges for most recent four quarters, ending Q4FY2020
28 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	3,686	43.3%	12.7
Tier A, No Comorbidity	3,100	36.4%	12.4
Tier B, High Comorbidity	959	11.3%	13.2
Tier C, Medium Comorbidity	767	9.0%	13.7
Total	8,512	100%	12.7

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	5,026	59.0%	13.1
Home	1,511	17.8%	12.1
Transfer to ST	902	10.6%	8.1
Transfer to SNF	895	10.5%	17.0
Other	178	2.1%	10.9
Total	8,512	100%	12.7

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Iowa
Discharges for most recent four quarters, ending Q4FY2020
17 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	1,400	48.0%	12.6
Tier A, No Comorbidity	1,064	36.5%	12.1
Tier C, Medium Comorbidity	309	10.6%	14.0
Tier B, High Comorbidity	142	4.9%	14.0
Total	2,915	100%	12.6

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,329	45.6%	12.8
Home	812	27.9%	10.7
Transfer to SNF	462	15.8%	17.8
Transfer to ST	263	9.0%	8.4
Other	49	1.7%	12.0
Total	2,915	100%	12.6

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Idaho
Discharges for most recent four quarters, ending Q4FY2020
6 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	548	42.9%	13.0
Tier A, No Comorbidity	531	41.6%	11.9
Tier C, Medium Comorbidity	131	10.3%	16.1
Tier B, High Comorbidity	67	5.2%	14.4
Total	1,277	100%	12.9

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	743	58.2%	13.1
Home	257	20.1%	10.5
Transfer to SNF	155	12.1%	19.5
Transfer to ST	93	7.3%	8.0
Other	29	2.3%	12.0
Total	1,277	100%	12.9

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Illinois
Discharges for most recent four quarters, ending Q4FY2020
40 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	6,253	47.3%	13.7
Tier A, No Comorbidity	4,300	32.5%	13.4
Tier C, Medium Comorbidity	1,798	13.6%	15.1
Tier B, High Comorbidity	863	6.5%	14.9
Total	13,214	100%	13.9

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,311	47.8%	14.0
Home	3,145	23.8%	13.5
Transfer to SNF	2,101	15.9%	17.5
Transfer to ST	1,454	11.0%	9.2
Other	203	1.5%	11.5
Total	13,214	100%	13.9

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Indiana
Discharges for most recent four quarters, ending Q4FY2020
37 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	5,208	49.1%	12.4
Tier A, No Comorbidity	3,545	33.4%	12.2
Tier C, Medium Comorbidity	1,111	10.5%	13.6
Tier B, High Comorbidity	736	6.9%	13.2
Total	10,600	100%	12.5

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,934	46.5%	12.9
Home	2,909	27.4%	11.5
Transfer to SNF	1,565	14.8%	16.6
Transfer to ST	1,023	9.7%	7.6
Other	169	1.6%	9.3
Total	10,600	100%	12.5

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Kansas
Discharges for most recent four quarters, ending Q4FY2020
20 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	2,732	46.1%	11.9
Tier A, No Comorbidity	2,262	38.2%	11.2
Tier C, Medium Comorbidity	550	9.3%	13.4
Tier B, High Comorbidity	385	6.5%	13.2
Total	5,929	100%	11.8

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	3,100	52.3%	12.3
Home	1,300	21.9%	9.9
Transfer to SNF	844	14.2%	16.2
Transfer to ST	561	9.5%	8.1
Other	124	2.1%	9.9
Total	5,929	100%	11.8

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Kentucky
Discharges for most recent four quarters, ending Q4FY2020
16 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	2,961	47.2%	12.6
Tier A, No Comorbidity	2,440	38.9%	12.1
Tier C, Medium Comorbidity	517	8.2%	14.0
Tier B, High Comorbidity	358	5.7%	13.8
Total	6,276	100%	12.6

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	3,565	56.8%	12.9
Home	1,112	17.7%	11.2
Transfer to SNF	852	13.6%	16.6
Transfer to ST	647	10.3%	8.4
Other	100	1.6%	7.9
Total	6,276	100%	12.6

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Louisiana
Discharges for most recent four quarters, ending Q4FY2020
51 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	3,934	44.4%	13.4
Tier A, No Comorbidity	3,445	38.9%	12.8
Tier C, Medium Comorbidity	832	9.4%	14.4
Tier B, High Comorbidity	642	7.3%	14.5
Total	8,853	100%	13.3

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,690	53.0%	13.6
Transfer to SNF	1,785	20.2%	16.0
Home	1,219	13.8%	12.5
Transfer to ST	893	10.1%	8.7
Other	266	3.0%	9.4
Total	8,853	100%	13.3

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Massachusetts
Discharges for most recent four quarters, ending Q4FY2020
12 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	3,523	41.6%	12.6
Tier D, Low Comorbidity	3,503	41.4%	13.9
Tier C, Medium Comorbidity	1,043	12.3%	15.7
Tier B, High Comorbidity	391	4.6%	14.7
Total	8,460	100%	13.6

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	5,607	66.3%	13.3
Transfer to SNF	1,279	15.1%	18.8
Transfer to ST	868	10.3%	9.8
Home	589	7.0%	11.6
Other	117	1.4%	11.0
Total	8,460	100%	13.6

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Maine
Discharges for most recent four quarters, ending Q4FY2020
5 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	589	42.2%	12.6
Tier D, Low Comorbidity	572	41.0%	13.4
Tier C, Medium Comorbidity	149	10.7%	15.3
Tier B, High Comorbidity	85	6.1%	13.6
Total	1,395	100%	13.3

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	954	68.4%	12.8
Transfer to SNF	203	14.6%	19.0
Transfer to ST	108	7.7%	8.9
Home	100	7.2%	10.7
Other	30	2.2%	12.4
Total	1,395	100%	13.3

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Michigan
Discharges for most recent four quarters, ending Q4FY2020
38 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	4,325	51.3%	12.6
Tier A, No Comorbidity	2,606	30.9%	11.8
Tier C, Medium Comorbidity	895	10.6%	12.9
Tier B, High Comorbidity	605	7.2%	13.4
Total	8,431	100%	12.4

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,614	54.7%	13.0
Home	1,637	19.4%	10.9
Transfer to SNF	1,007	11.9%	16.1
Transfer to ST	975	11.6%	8.7
Other	198	2.3%	10.6
Total	8,431	100%	12.4

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Minnesota
Discharges for most recent four quarters, ending Q4FY2020
11 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	736	42.4%	12.8
Tier D, Low Comorbidity	686	39.5%	13.4
Tier C, Medium Comorbidity	195	11.2%	15.2
Tier B, High Comorbidity	119	6.9%	13.6
Total	1,736	100%	13.4

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	640	36.9%	10.9
Home with Home Health	576	33.2%	13.6
Transfer to SNF	320	18.4%	19.9
Transfer to ST	164	9.4%	9.6
Other	36	2.1%	13.5
Total	1,736	100%	13.4

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Missouri
Discharges for most recent four quarters, ending Q4FY2020
29 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	4,515	48.8%	12.3
Tier A, No Comorbidity	3,238	35.0%	12.0
Tier C, Medium Comorbidity	818	8.8%	13.7
Tier B, High Comorbidity	677	7.3%	13.5
Total	9,248	100%	12.4

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,897	53.0%	12.6
Home	2,078	22.5%	11.4
Transfer to SNF	1,238	13.4%	16.9
Transfer to ST	929	10.0%	7.9
Other	106	1.1%	9.4
Total	9,248	100%	12.4

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Mississippi
Discharges for most recent four quarters, ending Q4FY2020
11 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	1,568	46.9%	12.8
Tier A, No Comorbidity	1,293	38.7%	12.7
Tier B, High Comorbidity	254	7.6%	13.6
Tier C, Medium Comorbidity	230	6.9%	14.3
Total	3,345	100%	12.9

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	2,003	59.9%	12.8
Home	575	17.2%	12.7
Transfer to SNF	420	12.6%	16.7
Transfer to ST	307	9.2%	8.9
Other	40	1.2%	8.5
Total	3,345	100%	12.9

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Montana
Discharges for most recent four quarters, ending Q4FY2020
4 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	360	45.4%	11.0
Tier A, No Comorbidity	351	44.3%	10.6
Tier C, Medium Comorbidity	74	9.3%	13.6
Total	793	100%	11.1

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	405	51.1%	9.8
Home with Home Health	227	28.6%	12.0
Transfer to SNF	91	11.5%	17.2
Transfer to ST	59	7.4%	7.3
Other	11	1.4%	12.5
Total	793	100%	11.1

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
North Carolina
Discharges for most recent four quarters, ending Q4FY2020
22 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	3,082	43.6%	13.7
Tier A, No Comorbidity	2,694	38.1%	13.4
Tier C, Medium Comorbidity	699	9.9%	15.0
Tier B, High Comorbidity	599	8.5%	14.5
Total	7,074	100%	13.8

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	3,487	49.3%	14.3
Home	1,998	28.2%	12.3
Transfer to SNF	854	12.1%	18.8
Transfer to ST	647	9.1%	9.4
Other	88	1.2%	11.8
Total	7,074	100%	13.8

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
North Dakota
Discharges for most recent four quarters, ending Q4FY2020
4 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	280	47.1%	10.9
Tier D, Low Comorbidity	269	45.3%	11.7
Tier C, Medium Comorbidity	32	5.4%	14.7
Tier B, High Comorbidity	13	2.2%	13.2
Total	594	100%	11.5

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home	298	50.2%	10.0
Home with Home Health	108	18.2%	13.4
Transfer to SNF	93	15.7%	16.0
Transfer to ST	57	9.6%	8.3
Other	38	6.4%	10.9
Total	594	100%	11.5

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Nebraska
Discharges for most recent four quarters, ending Q4FY2020
10 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	755	44.5%	14.7
Tier A, No Comorbidity	689	40.6%	13.5
Tier C, Medium Comorbidity	171	10.1%	17.8
Tier B, High Comorbidity	81	4.8%	17.3
Total	1,696	100%	14.7

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	656	38.7%	15.1
Home	587	34.6%	12.8
Transfer to SNF	280	16.5%	20.3
Transfer to ST	126	7.4%	8.9
Other	47	2.8%	13.9
Total	1,696	100%	14.7

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
New Hampshire
Discharges for most recent four quarters, ending Q4FY2020
5 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	1,590	45.8%	12.7
Tier A, No Comorbidity	1,355	39.0%	11.9
Tier C, Medium Comorbidity	388	11.2%	14.6
Tier B, High Comorbidity	138	4.0%	14.3
Total	3,471	100%	12.6

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	2,319	66.8%	12.2
Transfer to SNF	609	17.5%	16.9
Transfer to ST	293	8.4%	9.2
Home	220	6.3%	10.1
Other	30	0.9%	9.7
Total	3,471	100%	12.6

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
New Jersey
Discharges for most recent four quarters, ending Q4FY2020
16 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	4,419	44.1%	14.0
Tier A, No Comorbidity	4,072	40.7%	12.9
Tier C, Medium Comorbidity	1,022	10.2%	15.6
Tier B, High Comorbidity	504	5.0%	15.6
Total	10,017	100%	13.8

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	5,387	53.8%	14.2
Transfer to SNF	1,699	17.0%	17.7
Home	1,572	15.7%	12.2
Transfer to ST	1,235	12.3%	9.0
Other	124	1.2%	10.3
Total	10,017	100%	13.8

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
New Mexico
Discharges for most recent four quarters, ending Q4FY2020
8 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	1,127	51.7%	12.2
Tier D, Low Comorbidity	760	34.8%	13.2
Tier C, Medium Comorbidity	159	7.3%	14.9
Tier B, High Comorbidity	135	6.2%	12.9
Total	2,181	100%	12.8

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,138	52.2%	13.6
Home	526	24.1%	11.6
Transfer to SNF	258	11.8%	17.0
Transfer to ST	216	9.9%	7.6
Other	43	2.0%	9.3
Total	2,181	100%	12.8

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Nevada
Discharges for most recent four quarters, ending Q4FY2020
13 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	3,660	46.7%	13.2
Tier A, No Comorbidity	2,809	35.9%	11.8
Tier C, Medium Comorbidity	761	9.7%	14.9
Tier B, High Comorbidity	601	7.7%	14.2
Total	7,831	100%	12.9

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,581	58.5%	13.6
Home	1,308	16.7%	11.6
Transfer to ST	838	10.7%	9.3
Transfer to SNF	803	10.3%	16.2
Other	301	3.8%	10.1
Total	7,831	100%	12.9

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
New York
Discharges for most recent four quarters, ending Q4FY2020
42 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	4,642	47.5%	13.6
Tier D, Low Comorbidity	3,740	38.2%	14.4
Tier C, Medium Comorbidity	836	8.5%	16.4
Tier B, High Comorbidity	562	5.7%	17.1
Total	9,780	100%	14.3

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,933	50.4%	14.4
Transfer to SNF	1,923	19.7%	18.6
Home	1,629	16.7%	12.3
Transfer to ST	1,111	11.4%	9.7
Other	184	1.9%	12.9
Total	9,780	100%	14.3

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Ohio
Discharges for most recent four quarters, ending Q4FY2020
46 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	6,372	47.1%	12.6
Tier A, No Comorbidity	5,098	37.7%	11.9
Tier C, Medium Comorbidity	1,268	9.4%	13.7
Tier B, High Comorbidity	793	5.9%	13.9
Total	13,531	100%	12.5

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	7,308	54.0%	12.9
Home	2,736	20.2%	11.4
Transfer to SNF	1,915	14.2%	16.5
Transfer to ST	1,341	9.9%	8.0
Other	231	1.7%	9.1
Total	13,531	100%	12.5

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Oklahoma
Discharges for most recent four quarters, ending Q4FY2020
23 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	3,301	45.0%	12.0
Tier A, No Comorbidity	2,871	39.1%	11.3
Tier C, Medium Comorbidity	799	10.9%	12.9
Tier B, High Comorbidity	370	5.0%	12.7
Total	7,341	100%	11.9

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	4,310	58.7%	12.2
Home	1,364	18.6%	10.4
Transfer to SNF	881	12.0%	15.8
Transfer to ST	632	8.6%	7.6
Other	154	2.1%	9.7
Total	7,341	100%	11.9

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Oregon
Discharges for most recent four quarters, ending Q4FY2020
8 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	430	47.5%	12.4
Tier D, Low Comorbidity	337	37.2%	13.0
Tier C, Medium Comorbidity	92	10.2%	13.4
Tier B, High Comorbidity	47	5.2%	11.6
Total	906	100%	12.7

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	411	45.4%	13.5
Home	361	39.8%	11.3
Transfer to SNF	64	7.1%	16.9
Transfer to ST	63	7.0%	11.3
Total	906	100%	12.7

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Pennsylvania
Discharges for most recent four quarters, ending Q4FY2020
70 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	10,231	44.5%	13.4
Tier A, No Comorbidity	8,425	36.6%	12.5
Tier C, Medium Comorbidity	2,851	12.4%	14.9
Tier B, High Comorbidity	1,483	6.5%	14.9
Total	22,990	100%	13.3

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	13,591	59.1%	13.6
Home	3,741	16.3%	12.0
Transfer to SNF	2,986	13.0%	17.9
Transfer to ST	2,380	10.4%	8.8
Other	292	1.3%	10.1
Total	22,990	100%	13.3

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Puerto Rico
Discharges for most recent four quarters, ending Q4FY2020
7 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	268	55.7%	11.8
Tier D, Low Comorbidity	95	19.8%	13.3
Tier C, Medium Comorbidity	65	13.5%	13.0
Tier B, High Comorbidity	53	11.0%	12.0
Total	481	100%	12.3

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	260	54.1%	13.5
Home	174	36.2%	11.2
Transfer to ST	35	7.3%	9.0
Total	481	100%	12.3

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Rhode Island
Discharges for most recent four quarters, ending Q4FY2020
5 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	283	51.0%	12.8
Tier D, Low Comorbidity	212	38.2%	13.4
Tier C, Medium Comorbidity	41	7.4%	12.9
Tier B, High Comorbidity	19	3.4%	14.7
Total	555	100%	13.1

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	309	55.7%	13.3
Transfer to SNF	118	21.3%	15.3
Home	62	11.2%	11.9
Transfer to ST	56	10.1%	9.1
Total	555	100%	13.1

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
South Carolina
Discharges for most recent four quarters, ending Q4FY2020
22 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	4,709	45.0%	12.9
Tier A, No Comorbidity	4,031	38.5%	12.1
Tier C, Medium Comorbidity	962	9.2%	14.2
Tier B, High Comorbidity	762	7.3%	13.9
Total	10,464	100%	12.8

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	7,083	67.7%	13.0
Home	1,290	12.3%	11.2
Transfer to SNF	967	9.2%	17.5
Transfer to ST	928	8.9%	8.9
Other	196	1.9%	9.7
Total	10,464	100%	12.8

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
South Dakota
Discharges for most recent four quarters, ending Q4FY2020
4 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	257	45.3%	14.2
Tier A, No Comorbidity	242	42.7%	14.1
Tier C, Medium Comorbidity	44	7.8%	17.2
Tier B, High Comorbidity	24	4.2%	17.8
Total	567	100%	14.6

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	231	40.7%	15.7
Home	202	35.6%	11.4
Transfer to SNF	80	14.1%	21.4
Transfer to ST	44	7.8%	10.8
Total	567	100%	14.6

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Tennessee
Discharges for most recent four quarters, ending Q4FY2020
30 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	4,481	45.1%	12.8
Tier A, No Comorbidity	3,764	37.9%	12.3
Tier C, Medium Comorbidity	861	8.7%	14.1
Tier B, High Comorbidity	827	8.3%	13.3
Total	9,933	100%	12.7

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	5,546	55.8%	13.4
Home	2,022	20.4%	11.5
Transfer to SNF	1,103	11.1%	17.3
Transfer to ST	1,095	11.0%	7.8
Other	167	1.7%	9.1
Total	9,933	100%	12.7

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Texas
Discharges for most recent four quarters, ending Q4FY2020
133 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	27,433	46.3%	12.8
Tier A, No Comorbidity	20,931	35.4%	11.9
Tier C, Medium Comorbidity	5,866	9.9%	14.0
Tier B, High Comorbidity	4,977	8.4%	13.9
Total	59,207	100%	12.7

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	34,930	59.0%	13.1
Home	10,090	17.0%	11.6
Transfer to SNF	6,837	11.5%	16.4
Transfer to ST	5,887	9.9%	8.3
Other	1,463	2.5%	9.7
Total	59,207	100%	12.7

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Utah
Discharges for most recent four quarters, ending Q4FY2020
10 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	934	44.5%	13.3
Tier A, No Comorbidity	745	35.5%	12.1
Tier C, Medium Comorbidity	337	16.1%	14.2
Tier B, High Comorbidity	81	3.9%	15.1
Total	2,097	100%	13.1

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,157	55.2%	13.4
Transfer to SNF	349	16.6%	16.5
Home	332	15.8%	11.0
Transfer to ST	192	9.2%	8.8
Other	67	3.2%	11.6
Total	2,097	100%	13.1

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Virginia

Discharges for most recent four quarters, ending Q4FY2020
29 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	4,251	43.0%	13.2
Tier A, No Comorbidity	4,015	40.6%	12.5
Tier C, Medium Comorbidity	987	10.0%	14.4
Tier B, High Comorbidity	627	6.3%	14.6
Total	9,880	100%	13.1

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	6,589	66.7%	13.4
Home	1,177	11.9%	11.5
Transfer to SNF	966	9.8%	17.8
Transfer to ST	965	9.8%	9.3
Other	183	1.9%	11.0
Total	9,880	100%	13.1

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Washington
Discharges for most recent four quarters, ending Q4FY2020
14 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier A, No Comorbidity	1,326	46.9%	12.3
Tier D, Low Comorbidity	1,130	40.0%	13.7
Tier C, Medium Comorbidity	264	9.3%	14.7
Tier B, High Comorbidity	106	3.8%	14.3
Total	2,826	100%	13.2

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,111	39.3%	14.3
Home	1,036	36.7%	11.6
Transfer to SNF	391	13.8%	17.3
Transfer to ST	245	8.7%	8.6
Other	43	1.5%	11.8
Total	2,826	100%	13.2

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
Wisconsin
Discharges for most recent four quarters, ending Q4FY2020
19 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	1,214	41.5%	11.8
Tier A, No Comorbidity	1,155	39.5%	11.5
Tier C, Medium Comorbidity	337	11.5%	12.9
Tier B, High Comorbidity	216	7.4%	12.7
Total	2,922	100%	11.9

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	1,415	48.4%	12.5
Home	874	29.9%	9.7
Transfer to SNF	343	11.7%	17.2
Transfer to ST	235	8.0%	8.9
Other	55	1.9%	11.8
Total	2,922	100%	11.9

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021

Inpatient Rehabilitation Facility
Average Length of Stay by Case Mix Group Tier and by Discharge Destination
West Virginia
Discharges for most recent four quarters, ending Q4FY2020
8 Hospitals and Units
In Descending Order by Total Discharges

CMG Tier Level	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Tier D, Low Comorbidity	2,122	46.0%	12.5
Tier A, No Comorbidity	1,921	41.6%	12.0
Tier C, Medium Comorbidity	329	7.1%	13.3
Tier B, High Comorbidity	242	5.2%	13.1
Total	4,614	100%	12.4

Discharge Destination	Number of Discharges	Proportion of All Discharges	Statewide ALOS
Home with Home Health	2,826	61.2%	13.1
Home	779	16.9%	10.6
Transfer to ST	480	10.4%	8.7
Transfer to SNF	423	9.2%	16.0
Other	106	2.3%	8.7
Total	4,614	100%	12.4

Discharge Status Codes Include

HOME: Discharge to home (01), Discharge to home w/planned readmission (81)

TRANSFER TO ST: Discharge/transfer to ST hospital (02), Discharge/transfer to LT (63),

Discharge/transfer to ST w/planned readmission (82), Discharge/transfer to LT w/planned readmission (91)

TRANSFER TO SNF: Discharge/transfer to SNF (03), Discharge/transfer to swingbed (61),

Discharge/transfer to SNF w/planned readmission (83), Discharge/transfer to swingbed w/planned readmission (89)

HOME WITH HOME HEALTH: Discharge/transfer to home care of HHA (06),

Discharge/transfer to home care of HHA w/planned readmission (86)

NOTE: Categories are only displayed when there are 3 or more providers in the state and at least 11 discharges in the category.

Date prepared: 08MAR2021