

Home Health Agencies Q4CY19 Report

State-Level Top 20 Diagnoses

Alaska

16 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 285 | 7.3% | 3,856 | 13.5 |
| Chronic ulcer of skin | 282 | 7.2% | 5,213 | 18.5 |
| Late effects of cerebrovascular disease | 219 | 5.6% | 4,135 | 18.9 |
| Hypertension with complications and secondary hypertension | 162 | 4.1% | 2,492 | 15.4 |
| Genitourinary symptoms and ill-defined conditions | 151 | 3.9% | 1,377 | 9.1 |
| Chronic obstructive pulmonary disease and bronchiectasis | 142 | 3.6% | 2,274 | 16.0 |
| Other diseases of veins and lymphatics | 135 | 3.5% | 2,459 | 18.2 |
| Diabetes mellitus with complications | 134 | 3.4% | 2,120 | 15.8 |
| Other connective tissue disease | 118 | 3.0% | 1,937 | 16.4 |
| Other nervous system disorders | 103 | 2.6% | 1,758 | 17.1 |
| Fracture of neck of femur (hip) | 103 | 2.6% | 1,865 | 18.1 |
| Other fractures | 95 | 2.4% | 1,525 | 16.1 |
| Delirium dementia and amnestic and other cognitive disorders | 94 | 2.4% | 1,127 | 12.0 |
| Spondylosis; intervertebral disc disorders; other back problems | 91 | 2.3% | 1,506 | 16.5 |
| Complication of device; implant or graft | 76 | 1.9% | 1,241 | 16.3 |
| Parkinson`s disease | 72 | 1.8% | 1,411 | 19.6 |
| Pathological fracture | 71 | 1.8% | 1,380 | 19.4 |
| Fracture of lower limb | 69 | 1.8% | 1,165 | 16.9 |
| Skin and subcutaneous tissue infections | 68 | 1.7% | 1,238 | 18.2 |
| Osteoarthritis | 66 | 1.7% | 976 | 14.8 |
| Top Diagnoses | 2,536 | 64.8% | 41,055 | 16.2 |
| All Diagnoses | 3,912 | 100% | 63,953 | 16.3 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Alabama
152 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Hypertension with complications and secondary hypertension | 11,851 | 9.1% | 214,972 | 18.1 |
| Other aftercare | 11,694 | 9.0% | 192,910 | 16.5 |
| Chronic obstructive pulmonary disease and bronchiectasis | 8,424 | 6.5% | 149,425 | 17.7 |
| Diabetes mellitus with complications | 7,417 | 5.7% | 127,650 | 17.2 |
| Essential hypertension | 6,127 | 4.7% | 108,719 | 17.7 |
| Chronic ulcer of skin | 4,799 | 3.7% | 92,215 | 19.2 |
| Coronary atherosclerosis and other heart disease | 4,709 | 3.6% | 81,348 | 17.3 |
| Late effects of cerebrovascular disease | 4,643 | 3.6% | 113,244 | 24.4 |
| Delirium dementia and amnestic and other cognitive disorders | 3,575 | 2.8% | 63,176 | 17.7 |
| Urinary tract infections | 3,119 | 2.4% | 57,129 | 18.3 |
| Osteoarthritis | 3,001 | 2.3% | 54,875 | 18.3 |
| Cardiac dysrhythmias | 2,808 | 2.2% | 50,879 | 18.1 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,576 | 2.0% | 46,788 | 18.2 |
| Genitourinary symptoms and ill-defined conditions | 2,332 | 1.8% | 28,347 | 12.2 |
| Deficiency and other anemia | 2,280 | 1.8% | 27,474 | 12.1 |
| Fracture of neck of femur (hip) | 2,135 | 1.6% | 50,958 | 23.9 |
| Other nervous system disorders | 2,095 | 1.6% | 40,067 | 19.1 |
| Other connective tissue disease | 2,086 | 1.6% | 38,920 | 18.7 |
| Other diseases of veins and lymphatics | 2,032 | 1.6% | 37,153 | 18.3 |
| Complications of surgical procedures or medical care | 1,969 | 1.5% | 36,127 | 18.3 |
| Top Diagnoses | 89,672 | 68.9% | 1,612,376 | 18.0 |
| All Diagnoses | 130,128 | 100% | 2,345,263 | 18.0 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Arkansas
108 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 5,929 | 8.7% | 105,270 | 17.8 |
| Hypertension with complications and secondary hypertension | 4,902 | 7.2% | 92,883 | 18.9 |
| Chronic obstructive pulmonary disease and bronchiectasis | 4,282 | 6.3% | 79,838 | 18.6 |
| Diabetes mellitus with complications | 3,860 | 5.7% | 70,115 | 18.2 |
| Late effects of cerebrovascular disease | 2,720 | 4.0% | 65,841 | 24.2 |
| Chronic ulcer of skin | 2,643 | 3.9% | 53,082 | 20.1 |
| Coronary atherosclerosis and other heart disease | 2,498 | 3.7% | 46,077 | 18.4 |
| Essential hypertension | 2,266 | 3.3% | 42,491 | 18.8 |
| Other connective tissue disease | 1,801 | 2.6% | 34,376 | 19.1 |
| Genitourinary symptoms and ill-defined conditions | 1,772 | 2.6% | 19,912 | 11.2 |
| Other nervous system disorders | 1,554 | 2.3% | 29,871 | 19.2 |
| Urinary tract infections | 1,551 | 2.3% | 29,375 | 18.9 |
| Cardiac dysrhythmias | 1,546 | 2.3% | 28,984 | 18.7 |
| Fracture of neck of femur (hip) | 1,450 | 2.1% | 32,397 | 22.3 |
| Spondylosis; intervertebral disc disorders; other back problems | 1,408 | 2.1% | 24,184 | 17.2 |
| Osteoarthritis | 1,266 | 1.9% | 23,223 | 18.3 |
| Delirium dementia and amnestic and other cognitive disorders | 1,195 | 1.8% | 22,302 | 18.7 |
| Complications of surgical procedures or medical care | 1,174 | 1.7% | 23,483 | 20.0 |
| Other diseases of veins and lymphatics | 1,122 | 1.6% | 22,392 | 20.0 |
| Other fractures | 1,094 | 1.6% | 23,858 | 21.8 |
| Top Diagnoses | 46,033 | 67.4% | 869,954 | 18.9 |
| All Diagnoses | 68,301 | 100% | 1,281,951 | 18.8 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Arizona
170 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 10,228 | 13.3% | 145,982 | 14.3 |
| Hypertension with complications and secondary hypertension | 3,962 | 5.2% | 67,218 | 17.0 |
| Chronic ulcer of skin | 3,239 | 4.2% | 65,275 | 20.2 |
| Late effects of cerebrovascular disease | 3,020 | 3.9% | 63,974 | 21.2 |
| Chronic obstructive pulmonary disease and bronchiectasis | 3,015 | 3.9% | 51,546 | 17.1 |
| Diabetes mellitus with complications | 2,886 | 3.8% | 51,282 | 17.8 |
| Other nervous system disorders | 2,371 | 3.1% | 39,668 | 16.7 |
| Other connective tissue disease | 2,323 | 3.0% | 41,072 | 17.7 |
| Genitourinary symptoms and ill-defined conditions | 2,278 | 3.0% | 24,329 | 10.7 |
| Fracture of neck of femur (hip) | 2,208 | 2.9% | 44,314 | 20.1 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,054 | 2.7% | 33,562 | 16.3 |
| Other fractures | 1,985 | 2.6% | 36,618 | 18.4 |
| Complications of surgical procedures or medical care | 1,768 | 2.3% | 32,068 | 18.1 |
| Parkinson`s disease | 1,739 | 2.3% | 34,439 | 19.8 |
| Delirium dementia and amnestic and other cognitive disorders | 1,583 | 2.1% | 24,406 | 15.4 |
| Open wounds of extremities | 1,572 | 2.1% | 30,062 | 19.1 |
| Essential hypertension | 1,405 | 1.8% | 24,022 | 17.1 |
| Fracture of lower limb | 1,348 | 1.8% | 25,080 | 18.6 |
| Osteoarthritis | 1,323 | 1.7% | 21,459 | 16.2 |
| Complication of device; implant or graft | 1,284 | 1.7% | 21,139 | 16.5 |
| Top Diagnoses | 51,591 | 67.2% | 877,515 | 17.0 |
| All Diagnoses | 76,738 | 100% | 1,292,674 | 16.8 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
California
1,498 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Hypertension with complications and secondary hypertension | 67,125 | 10.5% | 1,051,136 | 15.7 |
| Other aftercare | 58,053 | 9.0% | 807,959 | 13.9 |
| Diabetes mellitus with complications | 44,855 | 7.0% | 1,040,889 | 23.2 |
| Osteoarthritis | 38,096 | 5.9% | 725,977 | 19.1 |
| Spondylosis; intervertebral disc disorders; other back problems | 30,949 | 4.8% | 559,485 | 18.1 |
| Chronic ulcer of skin | 25,263 | 3.9% | 522,605 | 20.7 |
| Chronic obstructive pulmonary disease and bronchiectasis | 23,420 | 3.7% | 366,762 | 15.7 |
| Essential hypertension | 21,703 | 3.4% | 329,031 | 15.2 |
| Other connective tissue disease | 18,958 | 3.0% | 331,799 | 17.5 |
| Other nervous system disorders | 18,568 | 2.9% | 312,738 | 16.8 |
| Late effects of cerebrovascular disease | 17,808 | 2.8% | 357,128 | 20.1 |
| Urinary tract infections | 11,282 | 1.8% | 178,302 | 15.8 |
| Open wounds of extremities | 10,734 | 1.7% | 205,474 | 19.1 |
| Coronary atherosclerosis and other heart disease | 10,190 | 1.6% | 156,891 | 15.4 |
| Diabetes mellitus without complication | 10,107 | 1.6% | 212,099 | 21.0 |
| Cardiac dysrhythmias | 9,810 | 1.5% | 156,725 | 16.0 |
| Parkinson`s disease | 9,659 | 1.5% | 180,437 | 18.7 |
| Genitourinary symptoms and ill-defined conditions | 9,421 | 1.5% | 115,606 | 12.3 |
| Congestive heart failure; nonhypertensive | 9,156 | 1.4% | 154,545 | 16.9 |
| Other fractures | 8,597 | 1.3% | 148,401 | 17.3 |
| Top Diagnoses | 453,754 | 70.7% | 7,913,989 | 17.4 |
| All Diagnoses | 642,004 | 100% | 10,993,459 | 17.1 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Colorado
168 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 7,779 | 15.2% | 101,089 | 13.0 |
| Late effects of cerebrovascular disease | 1,950 | 3.8% | 42,739 | 21.9 |
| Hypertension with complications and secondary hypertension | 1,926 | 3.8% | 33,564 | 17.4 |
| Diabetes mellitus with complications | 1,876 | 3.7% | 56,373 | 30.0 |
| Other nervous system disorders | 1,850 | 3.6% | 31,429 | 17.0 |
| Chronic ulcer of skin | 1,828 | 3.6% | 40,429 | 22.1 |
| Spondylosis; intervertebral disc disorders; other back problems | 1,759 | 3.4% | 28,360 | 16.1 |
| Chronic obstructive pulmonary disease and bronchiectasis | 1,578 | 3.1% | 27,552 | 17.5 |
| Other fractures | 1,567 | 3.1% | 28,484 | 18.2 |
| Delirium dementia and amnestic and other cognitive disorders | 1,441 | 2.8% | 24,789 | 17.2 |
| Other connective tissue disease | 1,368 | 2.7% | 23,974 | 17.5 |
| Osteoarthritis | 1,271 | 2.5% | 20,142 | 15.8 |
| Fracture of neck of femur (hip) | 1,234 | 2.4% | 22,601 | 18.3 |
| Parkinson`s disease | 1,129 | 2.2% | 22,511 | 19.9 |
| Genitourinary symptoms and ill-defined conditions | 1,071 | 2.1% | 15,073 | 14.1 |
| Open wounds of extremities | 999 | 2.0% | 21,167 | 21.2 |
| Fracture of lower limb | 890 | 1.7% | 15,854 | 17.8 |
| Complications of surgical procedures or medical care | 889 | 1.7% | 16,644 | 18.7 |
| Other diseases of veins and lymphatics | 877 | 1.7% | 18,394 | 21.0 |
| Complication of device; implant or graft | 841 | 1.6% | 14,299 | 17.0 |
| Top Diagnoses | 34,123 | 66.6% | 605,467 | 17.7 |
| All Diagnoses | 51,215 | 100% | 914,163 | 17.8 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report State-Level Top 20 Diagnoses

Connecticut

91 Agencies

Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 10,543 | 13.7% | 157,909 | 15.0 |
| Hypertension with complications and secondary hypertension | 5,102 | 6.7% | 96,354 | 18.9 |
| Chronic obstructive pulmonary disease and bronchiectasis | 3,393 | 4.4% | 64,989 | 19.2 |
| Chronic ulcer of skin | 3,378 | 4.4% | 81,723 | 24.2 |
| Diabetes mellitus with complications | 2,833 | 3.7% | 56,949 | 20.1 |
| Delirium dementia and amnestic and other cognitive disorders | 2,129 | 2.8% | 38,919 | 18.3 |
| Late effects of cerebrovascular disease | 1,948 | 2.5% | 49,150 | 25.2 |
| Open wounds of extremities | 1,755 | 2.3% | 36,641 | 20.9 |
| Other nervous system disorders | 1,700 | 2.2% | 33,349 | 19.6 |
| Other fractures | 1,623 | 2.1% | 35,185 | 21.7 |
| Urinary tract infections | 1,557 | 2.0% | 29,449 | 18.9 |
| Other diseases of veins and lymphatics | 1,517 | 2.0% | 33,388 | 22.0 |
| Essential hypertension | 1,517 | 2.0% | 27,279 | 18.0 |
| Spondylosis; intervertebral disc disorders; other back problems | 1,487 | 1.9% | 27,963 | 18.8 |
| Other connective tissue disease | 1,478 | 1.9% | 30,105 | 20.4 |
| Parkinson`s disease | 1,370 | 1.8% | 30,874 | 22.5 |
| Genitourinary symptoms and ill-defined conditions | 1,364 | 1.8% | 22,224 | 16.3 |
| Fracture of neck of femur (hip) | 1,316 | 1.7% | 31,951 | 24.3 |
| Cardiac dysrhythmias | 1,266 | 1.7% | 23,533 | 18.6 |
| Skin and subcutaneous tissue infections | 1,146 | 1.5% | 23,798 | 20.8 |
| Top Diagnoses | 48,422 | 63.1% | 931,732 | 19.2 |
| All Diagnoses | 76,732 | 100% | 1,464,153 | 19.1 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
District of Columbia
23 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 647 | 11.9% | 9,345 | 14.4 |
| Hypertension with complications and secondary hypertension | 533 | 9.8% | 8,413 | 15.8 |
| Chronic ulcer of skin | 398 | 7.3% | 7,980 | 20.1 |
| Diabetes mellitus with complications | 270 | 5.0% | 4,881 | 18.1 |
| Late effects of cerebrovascular disease | 222 | 4.1% | 4,662 | 21.0 |
| Other diseases of veins and lymphatics | 222 | 4.1% | 4,119 | 18.6 |
| Other connective tissue disease | 222 | 4.1% | 3,720 | 16.8 |
| Essential hypertension | 201 | 3.7% | 3,521 | 17.5 |
| Osteoarthritis | 190 | 3.5% | 3,034 | 16.0 |
| Spondylosis; intervertebral disc disorders; other back problems | 163 | 3.0% | 2,437 | 15.0 |
| Other nervous system disorders | 131 | 2.4% | 2,423 | 18.5 |
| Chronic obstructive pulmonary disease and bronchiectasis | 123 | 2.3% | 2,010 | 16.3 |
| Genitourinary symptoms and ill-defined conditions | 121 | 2.2% | 1,426 | 11.8 |
| Complication of device; implant or graft | 114 | 2.1% | 1,777 | 15.6 |
| Delirium dementia and amnestic and other cognitive disorders | 109 | 2.0% | 1,868 | 17.1 |
| Complications of surgical procedures or medical care | 101 | 1.9% | 1,752 | 17.3 |
| Parkinson`s disease | 88 | 1.6% | 1,586 | 18.0 |
| Coronary atherosclerosis and other heart disease | 75 | 1.4% | 1,335 | 17.8 |
| Diabetes mellitus without complication | 72 | 1.3% | 1,491 | 20.7 |
| Other fractures | 67 | 1.2% | 1,036 | 15.5 |
| Top Diagnoses | 4,069 | 74.6% | 68,816 | 16.9 |
| All Diagnoses | 5,453 | 100% | 91,965 | 16.9 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Delaware
20 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 3,791 | 17.2% | 47,548 | 12.5 |
| Hypertension with complications and secondary hypertension | 1,853 | 8.4% | 29,830 | 16.1 |
| Chronic obstructive pulmonary disease and bronchiectasis | 1,031 | 4.7% | 16,495 | 16.0 |
| Late effects of cerebrovascular disease | 967 | 4.4% | 21,621 | 22.4 |
| Diabetes mellitus with complications | 833 | 3.8% | 14,434 | 17.3 |
| Chronic ulcer of skin | 672 | 3.1% | 15,185 | 22.6 |
| Other fractures | 570 | 2.6% | 10,401 | 18.2 |
| Urinary tract infections | 489 | 2.2% | 8,238 | 16.8 |
| Other diseases of veins and lymphatics | 479 | 2.2% | 9,637 | 20.1 |
| Genitourinary symptoms and ill-defined conditions | 465 | 2.1% | 5,678 | 12.2 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 460 | 2.1% | 6,713 | 14.6 |
| Delirium dementia and amnestic and other cognitive disorders | 457 | 2.1% | 7,015 | 15.4 |
| Fracture of neck of femur (hip) | 429 | 2.0% | 8,638 | 20.1 |
| Complications of surgical procedures or medical care | 407 | 1.9% | 7,035 | 17.3 |
| Complication of device; implant or graft | 395 | 1.8% | 6,301 | 16.0 |
| Spondylosis; intervertebral disc disorders; other back problems | 379 | 1.7% | 6,543 | 17.3 |
| Cardiac dysrhythmias | 375 | 1.7% | 6,289 | 16.8 |
| Fracture of lower limb | 331 | 1.5% | 5,940 | 17.9 |
| Other nervous system disorders | 313 | 1.4% | 5,408 | 17.3 |
| Other connective tissue disease | 305 | 1.4% | 5,316 | 17.4 |
| Top Diagnoses | 15,001 | 68.1% | 244,265 | 16.3 |
| All Diagnoses | 22,009 | 100% | 358,094 | 16.3 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Florida
953 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 74,651 | 13.4% | 1,158,096 | 15.5 |
| Hypertension with complications and secondary hypertension | 28,591 | 5.1% | 551,461 | 19.3 |
| Diabetes mellitus with complications | 28,080 | 5.0% | 1,118,181 | 39.8 |
| Chronic ulcer of skin | 22,215 | 4.0% | 544,668 | 24.5 |
| Chronic obstructive pulmonary disease and bronchiectasis | 21,618 | 3.9% | 404,416 | 18.7 |
| Spondylosis; intervertebral disc disorders; other back problems | 21,390 | 3.8% | 384,735 | 18.0 |
| Open wounds of extremities | 20,869 | 3.7% | 432,990 | 20.7 |
| Other nervous system disorders | 18,658 | 3.4% | 366,839 | 19.7 |
| Osteoarthritis | 17,873 | 3.2% | 340,619 | 19.1 |
| Late effects of cerebrovascular disease | 17,416 | 3.1% | 391,625 | 22.5 |
| Other connective tissue disease | 17,144 | 3.1% | 328,926 | 19.2 |
| Delirium dementia and amnestic and other cognitive disorders | 15,215 | 2.7% | 279,095 | 18.3 |
| Essential hypertension | 12,867 | 2.3% | 235,611 | 18.3 |
| Parkinson's disease | 11,049 | 2.0% | 235,076 | 21.3 |
| Other diseases of veins and lymphatics | 10,952 | 2.0% | 237,049 | 21.6 |
| Urinary tract infections | 10,224 | 1.8% | 179,777 | 17.6 |
| Fracture of neck of femur (hip) | 9,193 | 1.7% | 199,945 | 21.7 |
| Genitourinary symptoms and ill-defined conditions | 8,963 | 1.6% | 122,406 | 13.7 |
| Coronary atherosclerosis and other heart disease | 8,929 | 1.6% | 166,197 | 18.6 |
| Other fractures | 8,682 | 1.6% | 171,131 | 19.7 |
| Top Diagnoses | 384,579 | 69.0% | 7,848,843 | 20.4 |
| All Diagnoses | 557,419 | 100% | 11,323,328 | 20.3 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Georgia
102 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 15,457 | 10.6% | 235,062 | 15.2 |
| Hypertension with complications and secondary hypertension | 11,792 | 8.1% | 203,267 | 17.2 |
| Diabetes mellitus with complications | 7,712 | 5.3% | 144,286 | 18.7 |
| Chronic obstructive pulmonary disease and bronchiectasis | 7,464 | 5.1% | 126,293 | 16.9 |
| Chronic ulcer of skin | 7,083 | 4.9% | 128,470 | 18.1 |
| Late effects of cerebrovascular disease | 6,344 | 4.4% | 139,031 | 21.9 |
| Coronary atherosclerosis and other heart disease | 4,692 | 3.2% | 80,032 | 17.1 |
| Essential hypertension | 4,635 | 3.2% | 78,760 | 17.0 |
| Delirium dementia and amnestic and other cognitive disorders | 4,401 | 3.0% | 74,222 | 16.9 |
| Urinary tract infections | 3,374 | 2.3% | 58,909 | 17.5 |
| Fracture of neck of femur (hip) | 3,288 | 2.3% | 69,511 | 21.1 |
| Other connective tissue disease | 3,137 | 2.2% | 54,698 | 17.4 |
| Genitourinary symptoms and ill-defined conditions | 3,037 | 2.1% | 30,872 | 10.2 |
| Other diseases of veins and lymphatics | 2,969 | 2.0% | 50,900 | 17.1 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,955 | 2.0% | 47,518 | 16.1 |
| Other nervous system disorders | 2,864 | 2.0% | 48,870 | 17.1 |
| Cardiac dysrhythmias | 2,771 | 1.9% | 47,366 | 17.1 |
| Complications of surgical procedures or medical care | 2,691 | 1.8% | 46,062 | 17.1 |
| Parkinson`s disease | 2,507 | 1.7% | 51,050 | 20.4 |
| Osteoarthritis | 2,499 | 1.7% | 41,737 | 16.7 |
| Top Diagnoses | 101,672 | 69.6% | 1,756,916 | 17.3 |
| All Diagnoses | 145,958 | 100% | 2,520,934 | 17.3 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Guam
4 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Late effects of cerebrovascular disease | 236 | 13.7% | 4,468 | 18.9 |
| Hypertension with complications and secondary hypertension | 172 | 10.0% | 2,468 | 14.3 |
| Chronic ulcer of skin | 127 | 7.4% | 2,721 | 21.4 |
| Other aftercare | 94 | 5.5% | 2,183 | 23.2 |
| Congestive heart failure; nonhypertensive | 83 | 4.8% | 1,313 | 15.8 |
| Delirium dementia and amnestic and other cognitive disorders | 80 | 4.7% | 1,224 | 15.3 |
| Essential hypertension | 74 | 4.3% | 1,351 | 18.3 |
| Diabetes mellitus with complications | 70 | 4.1% | 1,116 | 15.9 |
| Chronic obstructive pulmonary disease and bronchiectasis | 51 | 3.0% | 874 | 17.1 |
| Other nervous system disorders | 46 | 2.7% | 777 | 16.9 |
| Parkinson`s disease | 46 | 2.7% | 531 | 11.5 |
| Fracture of neck of femur (hip) | 45 | 2.6% | 1,120 | 24.9 |
| Genitourinary symptoms and ill-defined conditions | 39 | 2.3% | 640 | 16.4 |
| Skin and subcutaneous tissue infections | 36 | 2.1% | 619 | 17.2 |
| Cardiac dysrhythmias | 30 | 1.7% | 502 | 16.7 |
| Diabetes mellitus without complication | 29 | 1.7% | 682 | 23.5 |
| Other gastrointestinal disorders | 27 | 1.6% | 407 | 15.1 |
| Complications of surgical procedures or medical care | 25 | 1.5% | 644 | 25.8 |
| Other diseases of veins and lymphatics | 21 | 1.2% | 457 | 21.8 |
| Osteoarthritis | 21 | 1.2% | 384 | 18.3 |
| Top Diagnoses | 1,352 | 78.5% | 24,481 | 18.1 |
| All Diagnoses | 1,721 | 100% | 31,705 | 18.4 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Hawaii
14 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 513 | 9.9% | 6,904 | 13.5 |
| Late effects of cerebrovascular disease | 347 | 6.7% | 6,635 | 19.1 |
| Chronic ulcer of skin | 278 | 5.3% | 5,253 | 18.9 |
| Hypertension with complications and secondary hypertension | 248 | 4.8% | 3,666 | 14.8 |
| Other connective tissue disease | 210 | 4.0% | 3,312 | 15.8 |
| Other fractures | 182 | 3.5% | 2,847 | 15.6 |
| Diabetes mellitus with complications | 181 | 3.5% | 2,775 | 15.3 |
| Fracture of neck of femur (hip) | 158 | 3.0% | 2,552 | 16.2 |
| Other nervous system disorders | 146 | 2.8% | 1,900 | 13.0 |
| Delirium dementia and amnestic and other cognitive disorders | 143 | 2.8% | 1,724 | 12.1 |
| Genitourinary symptoms and ill-defined conditions | 137 | 2.6% | 1,199 | 8.8 |
| Pathological fracture | 135 | 2.6% | 2,183 | 16.2 |
| Chronic obstructive pulmonary disease and bronchiectasis | 130 | 2.5% | 1,896 | 14.6 |
| Spondylosis; intervertebral disc disorders; other back problems | 121 | 2.3% | 1,768 | 14.6 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 120 | 2.3% | 1,620 | 13.5 |
| Skin and subcutaneous tissue infections | 109 | 2.1% | 1,770 | 16.2 |
| Parkinson`s disease | 106 | 2.0% | 1,628 | 15.4 |
| Complications of surgical procedures or medical care | 91 | 1.8% | 1,616 | 17.8 |
| Fracture of lower limb | 90 | 1.7% | 1,449 | 16.1 |
| Urinary tract infections | 84 | 1.6% | 1,268 | 15.1 |
| Top Diagnoses | 3,529 | 67.8% | 53,965 | 15.3 |
| All Diagnoses | 5,204 | 100% | 78,150 | 15.0 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Iowa
159 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 4,210 | 12.8% | 61,757 | 14.7 |
| Hypertension with complications and secondary hypertension | 1,767 | 5.4% | 29,663 | 16.8 |
| Chronic obstructive pulmonary disease and bronchiectasis | 1,526 | 4.6% | 26,572 | 17.4 |
| Diabetes mellitus with complications | 1,198 | 3.6% | 21,662 | 18.1 |
| Genitourinary symptoms and ill-defined conditions | 1,084 | 3.3% | 19,152 | 17.7 |
| Late effects of cerebrovascular disease | 1,067 | 3.2% | 24,223 | 22.7 |
| Other connective tissue disease | 951 | 2.9% | 18,698 | 19.7 |
| Other fractures | 915 | 2.8% | 17,758 | 19.4 |
| Chronic ulcer of skin | 897 | 2.7% | 22,551 | 25.1 |
| Other nervous system disorders | 809 | 2.5% | 14,361 | 17.8 |
| Fracture of neck of femur (hip) | 799 | 2.4% | 16,413 | 20.5 |
| Spondylosis; intervertebral disc disorders; other back problems | 759 | 2.3% | 12,607 | 16.6 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 714 | 2.2% | 11,100 | 15.5 |
| Congestive heart failure; nonhypertensive | 665 | 2.0% | 12,133 | 18.2 |
| Fracture of lower limb | 625 | 1.9% | 12,406 | 19.8 |
| Cardiac dysrhythmias | 603 | 1.8% | 10,155 | 16.8 |
| Other diseases of veins and lymphatics | 579 | 1.8% | 12,383 | 21.4 |
| Complications of surgical procedures or medical care | 574 | 1.7% | 11,311 | 19.7 |
| Osteoarthritis | 574 | 1.7% | 10,222 | 17.8 |
| Urinary tract infections | 496 | 1.5% | 8,739 | 17.6 |
| Top Diagnoses | 20,812 | 63.1% | 373,866 | 18.0 |
| All Diagnoses | 32,995 | 100% | 587,492 | 17.8 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Idaho
56 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 3,625 | 13.9% | 56,888 | 15.7 |
| Other connective tissue disease | 1,362 | 5.2% | 25,963 | 19.1 |
| Hypertension with complications and secondary hypertension | 1,212 | 4.7% | 23,026 | 19.0 |
| Diabetes mellitus with complications | 1,201 | 4.6% | 45,882 | 38.2 |
| Late effects of cerebrovascular disease | 1,074 | 4.1% | 23,871 | 22.2 |
| Other nervous system disorders | 939 | 3.6% | 17,748 | 18.9 |
| Chronic ulcer of skin | 893 | 3.4% | 20,333 | 22.8 |
| Chronic obstructive pulmonary disease and bronchiectasis | 827 | 3.2% | 15,109 | 18.3 |
| Delirium dementia and amnestic and other cognitive disorders | 780 | 3.0% | 12,530 | 16.1 |
| Genitourinary symptoms and ill-defined conditions | 725 | 2.8% | 9,952 | 13.7 |
| Spondylosis; intervertebral disc disorders; other back problems | 685 | 2.6% | 11,302 | 16.5 |
| Fracture of neck of femur (hip) | 629 | 2.4% | 13,867 | 22.0 |
| Other diseases of veins and lymphatics | 605 | 2.3% | 12,284 | 20.3 |
| Other fractures | 569 | 2.2% | 11,383 | 20.0 |
| Osteoarthritis | 566 | 2.2% | 10,152 | 17.9 |
| Fracture of lower limb | 513 | 2.0% | 10,761 | 21.0 |
| Parkinson's disease | 471 | 1.8% | 10,072 | 21.4 |
| Complications of surgical procedures or medical care | 399 | 1.5% | 7,953 | 19.9 |
| Urinary tract infections | 371 | 1.4% | 7,503 | 20.2 |
| Open wounds of extremities | 339 | 1.3% | 6,873 | 20.3 |
| Top Diagnoses | 17,785 | 68.4% | 353,452 | 19.9 |
| All Diagnoses | 26,018 | 100% | 511,007 | 19.6 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Illinois
674 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 29,497 | 10.7% | 395,285 | 13.4 |
| Hypertension with complications and secondary hypertension | 25,353 | 9.2% | 398,201 | 15.7 |
| Osteoarthritis | 19,378 | 7.0% | 302,712 | 15.6 |
| Diabetes mellitus with complications | 14,742 | 5.3% | 229,177 | 15.5 |
| Essential hypertension | 13,988 | 5.1% | 198,988 | 14.2 |
| Chronic obstructive pulmonary disease and bronchiectasis | 13,104 | 4.7% | 203,722 | 15.5 |
| Chronic ulcer of skin | 10,552 | 3.8% | 202,121 | 19.2 |
| Spondylosis; intervertebral disc disorders; other back problems | 9,110 | 3.3% | 145,491 | 16.0 |
| Late effects of cerebrovascular disease | 8,657 | 3.1% | 177,076 | 20.5 |
| Other connective tissue disease | 6,597 | 2.4% | 112,139 | 17.0 |
| Other nervous system disorders | 6,112 | 2.2% | 98,122 | 16.1 |
| Cardiac dysrhythmias | 5,294 | 1.9% | 85,132 | 16.1 |
| Other diseases of veins and lymphatics | 4,902 | 1.8% | 91,949 | 18.8 |
| Coronary atherosclerosis and other heart disease | 4,872 | 1.8% | 77,300 | 15.9 |
| Diabetes mellitus without complication | 4,743 | 1.7% | 68,145 | 14.4 |
| Delirium dementia and amnestic and other cognitive disorders | 4,668 | 1.7% | 75,591 | 16.2 |
| Congestive heart failure; nonhypertensive | 4,434 | 1.6% | 73,290 | 16.5 |
| Genitourinary symptoms and ill-defined conditions | 4,199 | 1.5% | 46,076 | 11.0 |
| Parkinson`s disease | 4,176 | 1.5% | 81,361 | 19.5 |
| Fracture of neck of femur (hip) | 3,982 | 1.4% | 77,693 | 19.5 |
| Top Diagnoses | 198,360 | 71.6% | 3,139,571 | 15.8 |
| All Diagnoses | 277,065 | 100% | 4,421,851 | 16.0 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Indiana
215 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 11,821 | 12.0% | 169,565 | 14.3 |
| Hypertension with complications and secondary hypertension | 7,020 | 7.1% | 127,785 | 18.2 |
| Chronic obstructive pulmonary disease and bronchiectasis | 5,907 | 6.0% | 106,714 | 18.1 |
| Diabetes mellitus with complications | 4,671 | 4.7% | 87,025 | 18.6 |
| Chronic ulcer of skin | 4,417 | 4.5% | 97,098 | 22.0 |
| Late effects of cerebrovascular disease | 3,715 | 3.8% | 82,221 | 22.1 |
| Other connective tissue disease | 3,272 | 3.3% | 60,664 | 18.5 |
| Other nervous system disorders | 3,051 | 3.1% | 57,506 | 18.8 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,594 | 2.6% | 43,334 | 16.7 |
| Other diseases of veins and lymphatics | 2,361 | 2.4% | 47,698 | 20.2 |
| Osteoarthritis | 2,345 | 2.4% | 40,944 | 17.5 |
| Coronary atherosclerosis and other heart disease | 2,236 | 2.3% | 40,381 | 18.1 |
| Genitourinary symptoms and ill-defined conditions | 2,218 | 2.3% | 27,380 | 12.3 |
| Fracture of neck of femur (hip) | 1,914 | 1.9% | 39,015 | 20.4 |
| Delirium dementia and amnestic and other cognitive disorders | 1,889 | 1.9% | 33,416 | 17.7 |
| Other fractures | 1,784 | 1.8% | 34,547 | 19.4 |
| Parkinson's disease | 1,762 | 1.8% | 37,076 | 21.0 |
| Essential hypertension | 1,753 | 1.8% | 30,184 | 17.2 |
| Complications of surgical procedures or medical care | 1,747 | 1.8% | 31,532 | 18.0 |
| Urinary tract infections | 1,664 | 1.7% | 29,788 | 17.9 |
| Top Diagnoses | 68,141 | 69.0% | 1,223,873 | 18.0 |
| All Diagnoses | 98,753 | 100% | 1,760,914 | 17.8 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Kansas
123 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 5,217 | 10.1% | 85,566 | 16.4 |
| Hypertension with complications and secondary hypertension | 3,288 | 6.4% | 60,597 | 18.4 |
| Diabetes mellitus with complications | 2,650 | 5.2% | 59,578 | 22.5 |
| Chronic obstructive pulmonary disease and bronchiectasis | 2,497 | 4.9% | 44,768 | 17.9 |
| Chronic ulcer of skin | 2,188 | 4.3% | 48,590 | 22.2 |
| Other connective tissue disease | 1,731 | 3.4% | 31,105 | 18.0 |
| Late effects of cerebrovascular disease | 1,721 | 3.3% | 39,024 | 22.7 |
| Spondylosis; intervertebral disc disorders; other back problems | 1,503 | 2.9% | 25,618 | 17.0 |
| Other nervous system disorders | 1,411 | 2.7% | 25,741 | 18.2 |
| Other fractures | 1,252 | 2.4% | 25,056 | 20.0 |
| Delirium dementia and amnestic and other cognitive disorders | 1,178 | 2.3% | 19,139 | 16.2 |
| Fracture of neck of femur (hip) | 1,143 | 2.2% | 24,285 | 21.2 |
| Genitourinary symptoms and ill-defined conditions | 1,128 | 2.2% | 12,702 | 11.3 |
| Osteoarthritis | 1,122 | 2.2% | 19,125 | 17.0 |
| Other diseases of veins and lymphatics | 1,119 | 2.2% | 23,115 | 20.7 |
| Urinary tract infections | 962 | 1.9% | 18,369 | 19.1 |
| Cardiac dysrhythmias | 948 | 1.8% | 17,142 | 18.1 |
| Fracture of lower limb | 903 | 1.8% | 18,035 | 20.0 |
| Parkinson`s disease | 899 | 1.8% | 18,362 | 20.4 |
| Complications of surgical procedures or medical care | 855 | 1.7% | 17,518 | 20.5 |
| Top Diagnoses | 33,715 | 65.5% | 633,435 | 18.8 |
| All Diagnoses | 51,494 | 100% | 959,138 | 18.6 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Kentucky
102 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 10,666 | 10.5% | 155,840 | 14.6 |
| Chronic obstructive pulmonary disease and bronchiectasis | 7,368 | 7.2% | 125,533 | 17.0 |
| Hypertension with complications and secondary hypertension | 6,326 | 6.2% | 109,888 | 17.4 |
| Diabetes mellitus with complications | 5,053 | 5.0% | 83,528 | 16.5 |
| Chronic ulcer of skin | 4,246 | 4.2% | 78,136 | 18.4 |
| Late effects of cerebrovascular disease | 3,308 | 3.2% | 74,686 | 22.6 |
| Coronary atherosclerosis and other heart disease | 2,796 | 2.7% | 48,926 | 17.5 |
| Other connective tissue disease | 2,664 | 2.6% | 48,514 | 18.2 |
| Essential hypertension | 2,574 | 2.5% | 43,616 | 16.9 |
| Genitourinary symptoms and ill-defined conditions | 2,518 | 2.5% | 28,192 | 11.2 |
| Urinary tract infections | 2,285 | 2.2% | 39,873 | 17.4 |
| Delirium dementia and amnesic and other cognitive disorders | 2,155 | 2.1% | 36,758 | 17.1 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,150 | 2.1% | 36,463 | 17.0 |
| Osteoarthritis | 2,105 | 2.1% | 36,321 | 17.3 |
| Other nervous system disorders | 2,057 | 2.0% | 36,043 | 17.5 |
| Fracture of neck of femur (hip) | 1,966 | 1.9% | 40,414 | 20.6 |
| Deficiency and other anemia | 1,933 | 1.9% | 23,576 | 12.2 |
| Cardiac dysrhythmias | 1,881 | 1.8% | 31,633 | 16.8 |
| Other diseases of veins and lymphatics | 1,717 | 1.7% | 29,654 | 17.3 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 1,671 | 1.6% | 30,983 | 18.5 |
| Top Diagnoses | 67,439 | 66.1% | 1,138,577 | 16.9 |
| All Diagnoses | 102,007 | 100% | 1,722,097 | 16.9 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Louisiana
194 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Hypertension with complications and secondary hypertension | 16,392 | 11.1% | 253,425 | 15.5 |
| Diabetes mellitus with complications | 11,921 | 8.1% | 194,486 | 16.3 |
| Other aftercare | 10,227 | 6.9% | 176,848 | 17.3 |
| Essential hypertension | 9,969 | 6.8% | 147,800 | 14.8 |
| Chronic obstructive pulmonary disease and bronchiectasis | 7,831 | 5.3% | 121,865 | 15.6 |
| Coronary atherosclerosis and other heart disease | 6,413 | 4.3% | 93,713 | 14.6 |
| Chronic ulcer of skin | 4,990 | 3.4% | 104,547 | 21.0 |
| Late effects of cerebrovascular disease | 4,633 | 3.1% | 100,788 | 21.8 |
| Delirium dementia and amnestic and other cognitive disorders | 4,056 | 2.8% | 66,450 | 16.4 |
| Diabetes mellitus without complication | 3,982 | 2.7% | 58,449 | 14.7 |
| Osteoarthritis | 3,954 | 2.7% | 67,889 | 17.2 |
| Cardiac dysrhythmias | 3,668 | 2.5% | 58,566 | 16.0 |
| Spondylosis; intervertebral disc disorders; other back problems | 3,077 | 2.1% | 51,340 | 16.7 |
| Schizophrenia and other psychotic disorders | 3,070 | 2.1% | 26,901 | 8.8 |
| Other diseases of veins and lymphatics | 2,561 | 1.7% | 50,315 | 19.6 |
| Mood disorders | 2,359 | 1.6% | 29,593 | 12.5 |
| Other nervous system disorders | 2,107 | 1.4% | 39,486 | 18.7 |
| Other connective tissue disease | 2,085 | 1.4% | 41,227 | 19.8 |
| Urinary tract infections | 2,073 | 1.4% | 36,818 | 17.8 |
| Complications of surgical procedures or medical care | 1,921 | 1.3% | 38,075 | 19.8 |
| Top Diagnoses | 107,289 | 72.7% | 1,758,581 | 16.4 |
| All Diagnoses | 147,669 | 100% | 2,460,917 | 16.7 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Massachusetts
232 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 28,505 | 14.9% | 434,393 | 15.2 |
| Hypertension with complications and secondary hypertension | 14,171 | 7.4% | 257,561 | 18.2 |
| Chronic obstructive pulmonary disease and bronchiectasis | 8,750 | 4.6% | 150,990 | 17.3 |
| Diabetes mellitus with complications | 7,064 | 3.7% | 159,420 | 22.6 |
| Chronic ulcer of skin | 5,809 | 3.0% | 130,985 | 22.5 |
| Spondylosis; intervertebral disc disorders; other back problems | 5,351 | 2.8% | 90,582 | 16.9 |
| Late effects of cerebrovascular disease | 4,571 | 2.4% | 105,702 | 23.1 |
| Other nervous system disorders | 4,381 | 2.3% | 75,681 | 17.3 |
| Other fractures | 4,380 | 2.3% | 89,395 | 20.4 |
| Essential hypertension | 3,959 | 2.1% | 66,579 | 16.8 |
| Delirium dementia and amnestic and other cognitive disorders | 3,886 | 2.0% | 65,223 | 16.8 |
| Cardiac dysrhythmias | 3,737 | 2.0% | 64,631 | 17.3 |
| Other connective tissue disease | 3,647 | 1.9% | 64,585 | 17.7 |
| Open wounds of extremities | 3,577 | 1.9% | 69,771 | 19.5 |
| Osteoarthritis | 3,430 | 1.8% | 55,173 | 16.1 |
| Urinary tract infections | 3,377 | 1.8% | 55,327 | 16.4 |
| Other diseases of veins and lymphatics | 3,344 | 1.8% | 68,530 | 20.5 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 3,109 | 1.6% | 48,489 | 15.6 |
| Fracture of neck of femur (hip) | 3,078 | 1.6% | 75,450 | 24.5 |
| Complications of surgical procedures or medical care | 2,987 | 1.6% | 60,201 | 20.2 |
| Top Diagnoses | 121,113 | 63.3% | 2,188,668 | 18.1 |
| All Diagnoses | 191,449 | 100% | 3,417,577 | 17.9 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Maryland
53 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 16,916 | 16.1% | 230,952 | 13.7 |
| Hypertension with complications and secondary hypertension | 8,545 | 8.1% | 155,002 | 18.1 |
| Chronic obstructive pulmonary disease and bronchiectasis | 4,640 | 4.4% | 81,257 | 17.5 |
| Chronic ulcer of skin | 4,596 | 4.4% | 91,652 | 19.9 |
| Late effects of cerebrovascular disease | 4,538 | 4.3% | 102,188 | 22.5 |
| Diabetes mellitus with complications | 4,101 | 3.9% | 75,783 | 18.5 |
| Genitourinary symptoms and ill-defined conditions | 2,646 | 2.5% | 35,224 | 13.3 |
| Delirium dementia and amnestic and other cognitive disorders | 2,463 | 2.3% | 41,629 | 16.9 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,395 | 2.3% | 38,632 | 16.1 |
| Other connective tissue disease | 2,379 | 2.3% | 40,546 | 17.0 |
| Fracture of neck of femur (hip) | 2,159 | 2.1% | 45,093 | 20.9 |
| Urinary tract infections | 2,142 | 2.0% | 36,685 | 17.1 |
| Other nervous system disorders | 2,070 | 2.0% | 34,026 | 16.4 |
| Osteoarthritis | 2,064 | 2.0% | 34,059 | 16.5 |
| Essential hypertension | 2,019 | 1.9% | 37,179 | 18.4 |
| Other fractures | 2,007 | 1.9% | 37,105 | 18.5 |
| Complications of surgical procedures or medical care | 1,902 | 1.8% | 34,606 | 18.2 |
| Other diseases of veins and lymphatics | 1,891 | 1.8% | 36,867 | 19.5 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 1,756 | 1.7% | 30,287 | 17.2 |
| Coronary atherosclerosis and other heart disease | 1,732 | 1.7% | 32,757 | 18.9 |
| Top Diagnoses | 72,961 | 69.4% | 1,251,529 | 17.2 |
| All Diagnoses | 105,256 | 100% | 1,814,001 | 17.2 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Maine
23 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 4,267 | 15.9% | 57,744 | 13.5 |
| Hypertension with complications and secondary hypertension | 1,677 | 6.3% | 29,451 | 17.6 |
| Chronic obstructive pulmonary disease and bronchiectasis | 1,568 | 5.8% | 25,578 | 16.3 |
| Diabetes mellitus with complications | 961 | 3.6% | 16,143 | 16.8 |
| Late effects of cerebrovascular disease | 906 | 3.4% | 19,697 | 21.7 |
| Chronic ulcer of skin | 829 | 3.1% | 17,094 | 20.6 |
| Other nervous system disorders | 755 | 2.8% | 12,022 | 15.9 |
| Other fractures | 686 | 2.6% | 12,906 | 18.8 |
| Spondylosis; intervertebral disc disorders; other back problems | 680 | 2.5% | 10,215 | 15.0 |
| Other diseases of veins and lymphatics | 651 | 2.4% | 12,544 | 19.3 |
| Complications of surgical procedures or medical care | 602 | 2.2% | 10,485 | 17.4 |
| Coronary atherosclerosis and other heart disease | 598 | 2.2% | 9,937 | 16.6 |
| Fracture of neck of femur (hip) | 567 | 2.1% | 11,365 | 20.0 |
| Other connective tissue disease | 523 | 2.0% | 8,086 | 15.5 |
| Complication of device; implant or graft | 517 | 1.9% | 8,449 | 16.3 |
| Cardiac dysrhythmias | 510 | 1.9% | 8,882 | 17.4 |
| Genitourinary symptoms and ill-defined conditions | 443 | 1.7% | 6,143 | 13.9 |
| Osteoarthritis | 431 | 1.6% | 6,714 | 15.6 |
| Fracture of lower limb | 419 | 1.6% | 7,912 | 18.9 |
| Delirium dementia and amnestic and other cognitive disorders | 402 | 1.5% | 6,159 | 15.3 |
| Top Diagnoses | 17,992 | 67.1% | 297,526 | 16.5 |
| All Diagnoses | 26,828 | 100% | 443,359 | 16.5 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Michigan
514 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 23,931 | 12.8% | 294,841 | 12.3 |
| Hypertension with complications and secondary hypertension | 12,759 | 6.8% | 210,999 | 16.5 |
| Osteoarthritis | 9,789 | 5.2% | 144,310 | 14.7 |
| Chronic obstructive pulmonary disease and bronchiectasis | 9,586 | 5.1% | 149,356 | 15.6 |
| Spondylosis; intervertebral disc disorders; other back problems | 8,662 | 4.6% | 121,633 | 14.0 |
| Diabetes mellitus with complications | 7,913 | 4.2% | 129,501 | 16.4 |
| Chronic ulcer of skin | 7,156 | 3.8% | 129,033 | 18.0 |
| Late effects of cerebrovascular disease | 6,642 | 3.5% | 133,195 | 20.1 |
| Genitourinary symptoms and ill-defined conditions | 5,551 | 3.0% | 56,978 | 10.3 |
| Essential hypertension | 5,163 | 2.8% | 81,785 | 15.8 |
| Other connective tissue disease | 4,814 | 2.6% | 75,024 | 15.6 |
| Other nervous system disorders | 4,794 | 2.6% | 74,360 | 15.5 |
| Other diseases of veins and lymphatics | 3,680 | 2.0% | 66,123 | 18.0 |
| Delirium dementia and amnestic and other cognitive disorders | 3,560 | 1.9% | 53,596 | 15.1 |
| Other fractures | 3,150 | 1.7% | 54,122 | 17.2 |
| Fracture of neck of femur (hip) | 2,937 | 1.6% | 55,559 | 18.9 |
| Urinary tract infections | 2,874 | 1.5% | 46,544 | 16.2 |
| Coronary atherosclerosis and other heart disease | 2,771 | 1.5% | 44,881 | 16.2 |
| Complications of surgical procedures or medical care | 2,768 | 1.5% | 45,061 | 16.3 |
| Parkinson`s disease | 2,638 | 1.4% | 48,940 | 18.6 |
| Top Diagnoses | 131,138 | 69.9% | 2,015,841 | 15.4 |
| All Diagnoses | 187,653 | 100% | 2,896,516 | 15.4 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Minnesota
164 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 5,437 | 11.0% | 82,872 | 15.2 |
| Hypertension with complications and secondary hypertension | 2,588 | 5.2% | 46,522 | 18.0 |
| Other nervous system disorders | 1,892 | 3.8% | 28,684 | 15.2 |
| Chronic ulcer of skin | 1,850 | 3.7% | 43,015 | 23.3 |
| Late effects of cerebrovascular disease | 1,786 | 3.6% | 36,815 | 20.6 |
| Delirium dementia and amnesic and other cognitive disorders | 1,554 | 3.1% | 22,702 | 14.6 |
| Diabetes mellitus with complications | 1,529 | 3.1% | 29,278 | 19.1 |
| Genitourinary symptoms and ill-defined conditions | 1,480 | 3.0% | 18,501 | 12.5 |
| Chronic obstructive pulmonary disease and bronchiectasis | 1,472 | 3.0% | 24,562 | 16.7 |
| Other fractures | 1,442 | 2.9% | 27,173 | 18.8 |
| Other connective tissue disease | 1,349 | 2.7% | 21,343 | 15.8 |
| Spondylosis; intervertebral disc disorders; other back problems | 1,324 | 2.7% | 20,019 | 15.1 |
| Fracture of neck of femur (hip) | 1,157 | 2.3% | 22,207 | 19.2 |
| Other diseases of veins and lymphatics | 1,118 | 2.3% | 24,951 | 22.3 |
| Parkinson`s disease | 911 | 1.8% | 16,768 | 18.4 |
| Fracture of lower limb | 903 | 1.8% | 16,704 | 18.5 |
| Osteoarthritis | 892 | 1.8% | 12,980 | 14.6 |
| Complications of surgical procedures or medical care | 884 | 1.8% | 17,278 | 19.5 |
| Cardiac dysrhythmias | 864 | 1.8% | 14,850 | 17.2 |
| Pathological fracture | 825 | 1.7% | 15,783 | 19.1 |
| Top Diagnoses | 31,257 | 63.2% | 543,007 | 17.4 |
| All Diagnoses | 49,443 | 100% | 851,224 | 17.2 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Missouri
169 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 15,101 | 18.2% | 185,684 | 12.3 |
| Hypertension with complications and secondary hypertension | 4,968 | 6.0% | 82,107 | 16.5 |
| Chronic obstructive pulmonary disease and bronchiectasis | 4,037 | 4.9% | 66,693 | 16.5 |
| Diabetes mellitus with complications | 3,575 | 4.3% | 59,139 | 16.5 |
| Chronic ulcer of skin | 3,221 | 3.9% | 60,733 | 18.9 |
| Late effects of cerebrovascular disease | 2,783 | 3.3% | 56,106 | 20.2 |
| Other connective tissue disease | 2,106 | 2.5% | 33,550 | 15.9 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,047 | 2.5% | 31,444 | 15.4 |
| Genitourinary symptoms and ill-defined conditions | 1,992 | 2.4% | 20,453 | 10.3 |
| Fracture of neck of femur (hip) | 1,881 | 2.3% | 34,333 | 18.3 |
| Other fractures | 1,818 | 2.2% | 31,068 | 17.1 |
| Other nervous system disorders | 1,732 | 2.1% | 28,028 | 16.2 |
| Complications of surgical procedures or medical care | 1,690 | 2.0% | 28,238 | 16.7 |
| Urinary tract infections | 1,612 | 1.9% | 26,037 | 16.2 |
| Osteoarthritis | 1,508 | 1.8% | 23,561 | 15.6 |
| Other diseases of veins and lymphatics | 1,496 | 1.8% | 27,679 | 18.5 |
| Complication of device; implant or graft | 1,433 | 1.7% | 20,672 | 14.4 |
| Skin and subcutaneous tissue infections | 1,355 | 1.6% | 23,415 | 17.3 |
| Fracture of lower limb | 1,325 | 1.6% | 22,820 | 17.2 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 1,320 | 1.6% | 20,557 | 15.6 |
| Top Diagnoses | 57,000 | 68.5% | 882,317 | 15.5 |
| All Diagnoses | 83,205 | 100% | 1,298,376 | 15.6 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Mississippi
46 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Hypertension with complications and secondary hypertension | 13,784 | 10.8% | 223,559 | 16.2 |
| Essential hypertension | 10,037 | 7.9% | 162,045 | 16.1 |
| Diabetes mellitus with complications | 9,981 | 7.8% | 153,501 | 15.4 |
| Other aftercare | 9,665 | 7.6% | 155,653 | 16.1 |
| Chronic obstructive pulmonary disease and bronchiectasis | 7,860 | 6.2% | 130,382 | 16.6 |
| Chronic ulcer of skin | 4,823 | 3.8% | 81,319 | 16.9 |
| Coronary atherosclerosis and other heart disease | 4,381 | 3.4% | 75,157 | 17.2 |
| Late effects of cerebrovascular disease | 3,824 | 3.0% | 90,545 | 23.7 |
| Urinary tract infections | 3,163 | 2.5% | 57,498 | 18.2 |
| Osteoarthritis | 3,044 | 2.4% | 54,588 | 17.9 |
| Cardiac dysrhythmias | 2,973 | 2.3% | 48,151 | 16.2 |
| Diabetes mellitus without complication | 2,777 | 2.2% | 42,047 | 15.1 |
| Delirium dementia and amnestic and other cognitive disorders | 2,768 | 2.2% | 51,617 | 18.6 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,217 | 1.7% | 38,593 | 17.4 |
| Other connective tissue disease | 1,929 | 1.5% | 36,400 | 18.9 |
| Other diseases of veins and lymphatics | 1,922 | 1.5% | 32,736 | 17.0 |
| Deficiency and other anemia | 1,917 | 1.5% | 23,961 | 12.5 |
| Other nervous system disorders | 1,774 | 1.4% | 32,210 | 18.2 |
| Complications of surgical procedures or medical care | 1,717 | 1.4% | 28,502 | 16.6 |
| Skin and subcutaneous tissue infections | 1,564 | 1.2% | 26,420 | 16.9 |
| Top Diagnoses | 92,120 | 72.3% | 1,544,884 | 16.8 |
| All Diagnoses | 127,453 | 100% | 2,166,904 | 17.0 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Montana
27 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 955 | 11.1% | 13,132 | 13.8 |
| Genitourinary symptoms and ill-defined conditions | 444 | 5.2% | 3,895 | 8.8 |
| Chronic ulcer of skin | 398 | 4.6% | 7,208 | 18.1 |
| Hypertension with complications and secondary hypertension | 333 | 3.9% | 5,110 | 15.3 |
| Chronic obstructive pulmonary disease and bronchiectasis | 308 | 3.6% | 4,246 | 13.8 |
| Late effects of cerebrovascular disease | 303 | 3.5% | 6,432 | 21.2 |
| Fracture of neck of femur (hip) | 302 | 3.5% | 4,958 | 16.4 |
| Spondylosis; intervertebral disc disorders; other back problems | 274 | 3.2% | 3,799 | 13.9 |
| Other fractures | 259 | 3.0% | 4,440 | 17.1 |
| Diabetes mellitus with complications | 257 | 3.0% | 4,293 | 16.7 |
| Other connective tissue disease | 248 | 2.9% | 3,720 | 15.0 |
| Other nervous system disorders | 241 | 2.8% | 3,375 | 14.0 |
| Pathological fracture | 202 | 2.4% | 3,224 | 16.0 |
| Fracture of lower limb | 183 | 2.1% | 2,955 | 16.1 |
| Osteoarthritis | 172 | 2.0% | 2,455 | 14.3 |
| Other diseases of veins and lymphatics | 170 | 2.0% | 3,047 | 17.9 |
| Complications of surgical procedures or medical care | 163 | 1.9% | 2,882 | 17.7 |
| Parkinson`s disease | 160 | 1.9% | 2,894 | 18.1 |
| Complication of device; implant or graft | 139 | 1.6% | 2,131 | 15.3 |
| Urinary tract infections | 119 | 1.4% | 1,916 | 16.1 |
| Top Diagnoses | 5,630 | 65.6% | 86,112 | 15.3 |
| All Diagnoses | 8,587 | 100% | 130,358 | 15.2 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
North Carolina
169 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 21,176 | 12.5% | 274,408 | 13.0 |
| Hypertension with complications and secondary hypertension | 13,828 | 8.1% | 238,003 | 17.2 |
| Chronic obstructive pulmonary disease and bronchiectasis | 8,602 | 5.1% | 146,600 | 17.0 |
| Chronic ulcer of skin | 8,558 | 5.0% | 158,333 | 18.5 |
| Diabetes mellitus with complications | 8,269 | 4.9% | 141,917 | 17.2 |
| Late effects of cerebrovascular disease | 7,021 | 4.1% | 148,420 | 21.1 |
| Delirium dementia and amnesic and other cognitive disorders | 4,880 | 2.9% | 76,473 | 15.7 |
| Other connective tissue disease | 4,227 | 2.5% | 68,875 | 16.3 |
| Spondylosis; intervertebral disc disorders; other back problems | 4,101 | 2.4% | 63,054 | 15.4 |
| Other nervous system disorders | 3,871 | 2.3% | 61,376 | 15.9 |
| Other diseases of veins and lymphatics | 3,776 | 2.2% | 67,413 | 17.9 |
| Genitourinary symptoms and ill-defined conditions | 3,647 | 2.1% | 37,621 | 10.3 |
| Fracture of neck of femur (hip) | 3,393 | 2.0% | 66,163 | 19.5 |
| Complications of surgical procedures or medical care | 3,386 | 2.0% | 59,137 | 17.5 |
| Osteoarthritis | 3,299 | 1.9% | 52,657 | 16.0 |
| Essential hypertension | 3,189 | 1.9% | 54,022 | 16.9 |
| Other fractures | 3,092 | 1.8% | 55,615 | 18.0 |
| Urinary tract infections | 3,067 | 1.8% | 50,021 | 16.3 |
| Open wounds of extremities | 3,031 | 1.8% | 55,350 | 18.3 |
| Complication of device; implant or graft | 2,738 | 1.6% | 40,373 | 14.7 |
| Top Diagnoses | 117,151 | 68.9% | 1,915,831 | 16.4 |
| All Diagnoses | 170,042 | 100% | 2,762,021 | 16.2 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
North Dakota
19 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 655 | 12.7% | 10,065 | 15.4 |
| Hypertension with complications and secondary hypertension | 392 | 7.6% | 6,481 | 16.5 |
| Chronic obstructive pulmonary disease and bronchiectasis | 286 | 5.6% | 4,216 | 14.7 |
| Late effects of cerebrovascular disease | 197 | 3.8% | 4,416 | 22.4 |
| Diabetes mellitus with complications | 186 | 3.6% | 3,056 | 16.4 |
| Genitourinary symptoms and ill-defined conditions | 180 | 3.5% | 2,701 | 15.0 |
| Spondylosis; intervertebral disc disorders; other back problems | 162 | 3.1% | 2,697 | 16.6 |
| Fracture of neck of femur (hip) | 156 | 3.0% | 3,052 | 19.6 |
| Other fractures | 145 | 2.8% | 2,427 | 16.7 |
| Chronic ulcer of skin | 143 | 2.8% | 3,101 | 21.7 |
| Other connective tissue disease | 110 | 2.1% | 1,584 | 14.4 |
| Pathological fracture | 108 | 2.1% | 2,124 | 19.7 |
| Complications of surgical procedures or medical care | 98 | 1.9% | 1,896 | 19.3 |
| Parkinson`s disease | 92 | 1.8% | 1,920 | 20.9 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 88 | 1.7% | 1,233 | 14.0 |
| Complication of device; implant or graft | 88 | 1.7% | 1,521 | 17.3 |
| Other nervous system disorders | 88 | 1.7% | 1,433 | 16.3 |
| Cardiac dysrhythmias | 85 | 1.7% | 1,426 | 16.8 |
| Fracture of lower limb | 83 | 1.6% | 1,621 | 19.5 |
| Osteoarthritis | 79 | 1.5% | 1,199 | 15.2 |
| Top Diagnoses | 3,421 | 66.4% | 58,169 | 17.0 |
| All Diagnoses | 5,152 | 100% | 86,693 | 16.8 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Nebraska
79 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 3,127 | 12.3% | 52,006 | 16.6 |
| Hypertension with complications and secondary hypertension | 1,468 | 5.8% | 28,386 | 19.3 |
| Chronic obstructive pulmonary disease and bronchiectasis | 1,210 | 4.8% | 22,757 | 18.8 |
| Diabetes mellitus with complications | 984 | 3.9% | 19,503 | 19.8 |
| Delirium dementia and amnestic and other cognitive disorders | 832 | 3.3% | 14,960 | 18.0 |
| Spondylosis; intervertebral disc disorders; other back problems | 795 | 3.1% | 13,956 | 17.6 |
| Late effects of cerebrovascular disease | 782 | 3.1% | 16,615 | 21.2 |
| Chronic ulcer of skin | 770 | 3.0% | 17,564 | 22.8 |
| Other connective tissue disease | 674 | 2.7% | 12,211 | 18.1 |
| Other fractures | 671 | 2.6% | 13,219 | 19.7 |
| Osteoarthritis | 623 | 2.5% | 10,522 | 16.9 |
| Fracture of neck of femur (hip) | 594 | 2.3% | 12,407 | 20.9 |
| Other nervous system disorders | 591 | 2.3% | 11,137 | 18.8 |
| Genitourinary symptoms and ill-defined conditions | 579 | 2.3% | 8,548 | 14.8 |
| Urinary tract infections | 508 | 2.0% | 8,887 | 17.5 |
| Parkinson`s disease | 480 | 1.9% | 10,056 | 21.0 |
| Fracture of lower limb | 478 | 1.9% | 9,677 | 20.2 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 420 | 1.7% | 7,172 | 17.1 |
| Complications of surgical procedures or medical care | 406 | 1.6% | 8,267 | 20.4 |
| Other diseases of veins and lymphatics | 397 | 1.6% | 8,467 | 21.3 |
| Top Diagnoses | 16,389 | 64.5% | 306,317 | 18.7 |
| All Diagnoses | 25,396 | 100% | 469,207 | 18.5 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
New Hampshire
30 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 5,695 | 18.6% | 74,891 | 13.2 |
| Hypertension with complications and secondary hypertension | 1,630 | 5.3% | 28,208 | 17.3 |
| Chronic obstructive pulmonary disease and bronchiectasis | 1,570 | 5.1% | 25,724 | 16.4 |
| Diabetes mellitus with complications | 1,158 | 3.8% | 22,112 | 19.1 |
| Chronic ulcer of skin | 844 | 2.8% | 21,211 | 25.1 |
| Late effects of cerebrovascular disease | 838 | 2.7% | 17,477 | 20.9 |
| Other fractures | 791 | 2.6% | 14,532 | 18.4 |
| Coronary atherosclerosis and other heart disease | 755 | 2.5% | 12,664 | 16.8 |
| Spondylosis; intervertebral disc disorders; other back problems | 718 | 2.3% | 10,733 | 14.9 |
| Delirium dementia and amnestic and other cognitive disorders | 664 | 2.2% | 9,761 | 14.7 |
| Complications of surgical procedures or medical care | 653 | 2.1% | 13,594 | 20.8 |
| Other diseases of veins and lymphatics | 650 | 2.1% | 13,490 | 20.8 |
| Cardiac dysrhythmias | 585 | 1.9% | 9,886 | 16.9 |
| Fracture of neck of femur (hip) | 571 | 1.9% | 11,240 | 19.7 |
| Other nervous system disorders | 567 | 1.9% | 9,398 | 16.6 |
| Urinary tract infections | 563 | 1.8% | 9,428 | 16.7 |
| Complication of device; implant or graft | 534 | 1.7% | 8,417 | 15.8 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 505 | 1.7% | 7,975 | 15.8 |
| Genitourinary symptoms and ill-defined conditions | 477 | 1.6% | 7,978 | 16.7 |
| Other connective tissue disease | 472 | 1.5% | 7,865 | 16.7 |
| Top Diagnoses | 20,240 | 65.9% | 336,584 | 16.6 |
| All Diagnoses | 30,695 | 100% | 514,444 | 16.8 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
New Jersey
43 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 21,612 | 17.1% | 271,794 | 12.6 |
| Hypertension with complications and secondary hypertension | 9,795 | 7.7% | 155,377 | 15.9 |
| Chronic ulcer of skin | 7,128 | 5.6% | 142,732 | 20.0 |
| Genitourinary symptoms and ill-defined conditions | 5,556 | 4.4% | 73,668 | 13.3 |
| Chronic obstructive pulmonary disease and bronchiectasis | 5,070 | 4.0% | 79,024 | 15.6 |
| Diabetes mellitus with complications | 4,129 | 3.3% | 68,441 | 16.6 |
| Late effects of cerebrovascular disease | 4,065 | 3.2% | 81,127 | 20.0 |
| Other fractures | 3,028 | 2.4% | 49,926 | 16.5 |
| Fracture of neck of femur (hip) | 2,931 | 2.3% | 52,541 | 17.9 |
| Other nervous system disorders | 2,727 | 2.2% | 42,302 | 15.5 |
| Other diseases of veins and lymphatics | 2,562 | 2.0% | 47,010 | 18.3 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,383 | 1.9% | 34,647 | 14.5 |
| Complications of surgical procedures or medical care | 2,305 | 1.8% | 38,019 | 16.5 |
| Other connective tissue disease | 2,183 | 1.7% | 34,308 | 15.7 |
| Osteoarthritis | 2,105 | 1.7% | 31,944 | 15.2 |
| Cardiac dysrhythmias | 2,098 | 1.7% | 33,255 | 15.9 |
| Essential hypertension | 2,042 | 1.6% | 29,976 | 14.7 |
| Urinary tract infections | 2,026 | 1.6% | 31,047 | 15.3 |
| Delirium dementia and amnesic and other cognitive disorders | 1,950 | 1.5% | 30,681 | 15.7 |
| Complication of device; implant or graft | 1,905 | 1.5% | 27,848 | 14.6 |
| Top Diagnoses | 87,600 | 69.2% | 1,355,667 | 15.5 |
| All Diagnoses | 126,552 | 100% | 1,961,802 | 15.5 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
New Mexico
77 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 2,835 | 9.0% | 42,466 | 15.0 |
| Hypertension with complications and secondary hypertension | 2,005 | 6.4% | 35,309 | 17.6 |
| Diabetes mellitus with complications | 1,846 | 5.9% | 33,887 | 18.4 |
| Chronic obstructive pulmonary disease and bronchiectasis | 1,573 | 5.0% | 27,004 | 17.2 |
| Chronic ulcer of skin | 1,230 | 3.9% | 27,248 | 22.2 |
| Late effects of cerebrovascular disease | 1,195 | 3.8% | 26,693 | 22.3 |
| Essential hypertension | 1,065 | 3.4% | 17,718 | 16.6 |
| Delirium dementia and amnestic and other cognitive disorders | 967 | 3.1% | 15,328 | 15.9 |
| Other connective tissue disease | 910 | 2.9% | 15,845 | 17.4 |
| Osteoarthritis | 847 | 2.7% | 14,031 | 16.6 |
| Spondylosis; intervertebral disc disorders; other back problems | 818 | 2.6% | 14,605 | 17.9 |
| Fracture of neck of femur (hip) | 738 | 2.3% | 15,521 | 21.0 |
| Other nervous system disorders | 714 | 2.3% | 12,742 | 17.8 |
| Genitourinary symptoms and ill-defined conditions | 702 | 2.2% | 8,880 | 12.6 |
| Cardiac dysrhythmias | 636 | 2.0% | 10,540 | 16.6 |
| Parkinson`s disease | 591 | 1.9% | 13,364 | 22.6 |
| Diabetes mellitus without complication | 548 | 1.7% | 10,231 | 18.7 |
| Other fractures | 547 | 1.7% | 11,139 | 20.4 |
| Other diseases of veins and lymphatics | 545 | 1.7% | 11,051 | 20.3 |
| Complications of surgical procedures or medical care | 528 | 1.7% | 11,014 | 20.9 |
| Top Diagnoses | 20,840 | 66.0% | 374,616 | 18.0 |
| All Diagnoses | 31,551 | 100% | 565,380 | 17.9 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Nevada
157 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 5,805 | 8.7% | 92,159 | 15.9 |
| Hypertension with complications and secondary hypertension | 4,802 | 7.2% | 91,178 | 19.0 |
| Essential hypertension | 4,412 | 6.6% | 75,454 | 17.1 |
| Diabetes mellitus with complications | 4,350 | 6.5% | 107,549 | 24.7 |
| Chronic obstructive pulmonary disease and bronchiectasis | 3,997 | 6.0% | 75,228 | 18.8 |
| Spondylosis; intervertebral disc disorders; other back problems | 3,171 | 4.7% | 55,057 | 17.4 |
| Other nervous system disorders | 2,503 | 3.7% | 47,562 | 19.0 |
| Late effects of cerebrovascular disease | 2,309 | 3.5% | 56,052 | 24.3 |
| Chronic ulcer of skin | 2,306 | 3.5% | 55,092 | 23.9 |
| Osteoarthritis | 2,073 | 3.1% | 37,365 | 18.0 |
| Diabetes mellitus without complication | 1,795 | 2.7% | 40,760 | 22.7 |
| Other connective tissue disease | 1,753 | 2.6% | 36,377 | 20.8 |
| Delirium dementia and amnestic and other cognitive disorders | 1,120 | 1.7% | 22,247 | 19.9 |
| Coronary atherosclerosis and other heart disease | 1,097 | 1.6% | 20,108 | 18.3 |
| Congestive heart failure; nonhypertensive | 1,077 | 1.6% | 21,445 | 19.9 |
| Cardiac dysrhythmias | 1,046 | 1.6% | 18,782 | 18.0 |
| Parkinson's disease | 1,012 | 1.5% | 22,755 | 22.5 |
| Urinary tract infections | 995 | 1.5% | 20,154 | 20.3 |
| Open wounds of extremities | 887 | 1.3% | 17,951 | 20.2 |
| Fracture of neck of femur (hip) | 841 | 1.3% | 18,935 | 22.5 |
| Top Diagnoses | 47,351 | 70.8% | 932,210 | 19.7 |
| All Diagnoses | 66,870 | 100% | 1,301,538 | 19.5 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
New York
130 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 39,286 | 16.0% | 529,476 | 13.5 |
| Hypertension with complications and secondary hypertension | 16,314 | 6.6% | 250,843 | 15.4 |
| Chronic ulcer of skin | 14,723 | 6.0% | 330,851 | 22.5 |
| Diabetes mellitus with complications | 9,699 | 4.0% | 257,565 | 26.6 |
| Chronic obstructive pulmonary disease and bronchiectasis | 9,514 | 3.9% | 143,284 | 15.1 |
| Late effects of cerebrovascular disease | 7,768 | 3.2% | 144,214 | 18.6 |
| Other diseases of veins and lymphatics | 6,794 | 2.8% | 139,765 | 20.6 |
| Essential hypertension | 5,275 | 2.2% | 77,060 | 14.6 |
| Fracture of neck of femur (hip) | 5,248 | 2.1% | 92,572 | 17.6 |
| Other fractures | 5,034 | 2.1% | 83,186 | 16.5 |
| Genitourinary symptoms and ill-defined conditions | 4,817 | 2.0% | 63,567 | 13.2 |
| Osteoarthritis | 4,579 | 1.9% | 66,898 | 14.6 |
| Complications of surgical procedures or medical care | 4,519 | 1.8% | 88,400 | 19.6 |
| Urinary tract infections | 4,414 | 1.8% | 65,299 | 14.8 |
| Spondylosis; intervertebral disc disorders; other back problems | 4,403 | 1.8% | 65,825 | 15.0 |
| Other nervous system disorders | 4,217 | 1.7% | 65,838 | 15.6 |
| Coronary atherosclerosis and other heart disease | 4,129 | 1.7% | 63,741 | 15.4 |
| Open wounds of extremities | 3,942 | 1.6% | 77,044 | 19.5 |
| Other connective tissue disease | 3,921 | 1.6% | 64,370 | 16.4 |
| Skin and subcutaneous tissue infections | 3,778 | 1.5% | 67,663 | 17.9 |
| Top Diagnoses | 162,374 | 66.1% | 2,737,461 | 16.9 |
| All Diagnoses | 245,838 | 100% | 4,150,351 | 16.9 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Ohio
614 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 25,222 | 13.1% | 373,539 | 14.8 |
| Hypertension with complications and secondary hypertension | 14,731 | 7.7% | 269,705 | 18.3 |
| Chronic obstructive pulmonary disease and bronchiectasis | 10,933 | 5.7% | 192,967 | 17.6 |
| Diabetes mellitus with complications | 9,535 | 5.0% | 195,015 | 20.5 |
| Chronic ulcer of skin | 6,610 | 3.4% | 152,555 | 23.1 |
| Other connective tissue disease | 6,465 | 3.4% | 135,891 | 21.0 |
| Late effects of cerebrovascular disease | 6,337 | 3.3% | 151,835 | 24.0 |
| Other nervous system disorders | 4,651 | 2.4% | 89,703 | 19.3 |
| Spondylosis; intervertebral disc disorders; other back problems | 4,620 | 2.4% | 79,483 | 17.2 |
| Delirium dementia and amnestic and other cognitive disorders | 4,214 | 2.2% | 78,017 | 18.5 |
| Osteoarthritis | 4,209 | 2.2% | 73,209 | 17.4 |
| Essential hypertension | 4,207 | 2.2% | 75,987 | 18.1 |
| Genitourinary symptoms and ill-defined conditions | 3,708 | 1.9% | 47,989 | 12.9 |
| Coronary atherosclerosis and other heart disease | 3,689 | 1.9% | 64,348 | 17.4 |
| Cardiac dysrhythmias | 3,661 | 1.9% | 64,166 | 17.5 |
| Other fractures | 3,571 | 1.9% | 73,579 | 20.6 |
| Fracture of neck of femur (hip) | 3,466 | 1.8% | 77,019 | 22.2 |
| Complications of surgical procedures or medical care | 3,422 | 1.8% | 69,561 | 20.3 |
| Other diseases of veins and lymphatics | 3,396 | 1.8% | 74,438 | 21.9 |
| Parkinson`s disease | 3,164 | 1.6% | 69,221 | 21.9 |
| Top Diagnoses | 129,811 | 67.4% | 2,408,227 | 18.6 |
| All Diagnoses | 192,547 | 100% | 3,572,074 | 18.6 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Oklahoma
252 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Hypertension with complications and secondary hypertension | 17,863 | 10.0% | 290,931 | 16.3 |
| Diabetes mellitus with complications | 15,264 | 8.5% | 336,904 | 22.1 |
| Chronic obstructive pulmonary disease and bronchiectasis | 14,277 | 8.0% | 223,980 | 15.7 |
| Other aftercare | 13,606 | 7.6% | 221,465 | 16.3 |
| Essential hypertension | 10,795 | 6.0% | 169,359 | 15.7 |
| Osteoarthritis | 6,732 | 3.8% | 115,813 | 17.2 |
| Coronary atherosclerosis and other heart disease | 5,120 | 2.9% | 79,239 | 15.5 |
| Chronic ulcer of skin | 5,037 | 2.8% | 118,459 | 23.5 |
| Late effects of cerebrovascular disease | 4,973 | 2.8% | 112,364 | 22.6 |
| Cardiac dysrhythmias | 4,696 | 2.6% | 73,931 | 15.7 |
| Spondylosis; intervertebral disc disorders; other back problems | 4,625 | 2.6% | 76,258 | 16.5 |
| Delirium dementia and amnestic and other cognitive disorders | 4,041 | 2.3% | 69,436 | 17.2 |
| Other connective tissue disease | 3,552 | 2.0% | 68,644 | 19.3 |
| Diabetes mellitus without complication | 3,334 | 1.9% | 73,752 | 22.1 |
| Other nervous system disorders | 3,008 | 1.7% | 54,734 | 18.2 |
| Urinary tract infections | 2,711 | 1.5% | 47,318 | 17.5 |
| Congestive heart failure; nonhypertensive | 2,462 | 1.4% | 42,968 | 17.5 |
| Other diseases of veins and lymphatics | 2,423 | 1.4% | 50,440 | 20.8 |
| Parkinson`s disease | 2,350 | 1.3% | 49,006 | 20.9 |
| Mood disorders | 2,169 | 1.2% | 28,313 | 13.1 |
| Top Diagnoses | 129,038 | 72.2% | 2,303,314 | 17.8 |
| All Diagnoses | 178,699 | 100% | 3,174,500 | 17.8 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Oregon
62 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 3,591 | 9.5% | 49,415 | 13.8 |
| Hypertension with complications and secondary hypertension | 2,107 | 5.6% | 30,676 | 14.6 |
| Chronic ulcer of skin | 2,093 | 5.6% | 37,087 | 17.7 |
| Genitourinary symptoms and ill-defined conditions | 1,999 | 5.3% | 17,891 | 8.9 |
| Late effects of cerebrovascular disease | 1,701 | 4.5% | 30,814 | 18.1 |
| Chronic obstructive pulmonary disease and bronchiectasis | 1,610 | 4.3% | 24,312 | 15.1 |
| Diabetes mellitus with complications | 1,532 | 4.1% | 25,040 | 16.3 |
| Delirium dementia and amnestic and other cognitive disorders | 1,457 | 3.9% | 16,819 | 11.5 |
| Other diseases of veins and lymphatics | 990 | 2.6% | 18,065 | 18.2 |
| Other nervous system disorders | 902 | 2.4% | 12,425 | 13.8 |
| Other fractures | 893 | 2.4% | 13,880 | 15.5 |
| Fracture of neck of femur (hip) | 883 | 2.3% | 14,247 | 16.1 |
| Spondylosis; intervertebral disc disorders; other back problems | 863 | 2.3% | 11,891 | 13.8 |
| Parkinson`s disease | 792 | 2.1% | 13,145 | 16.6 |
| Other connective tissue disease | 741 | 2.0% | 10,343 | 14.0 |
| Complications of surgical procedures or medical care | 708 | 1.9% | 12,790 | 18.1 |
| Pathological fracture | 700 | 1.9% | 11,359 | 16.2 |
| Fracture of lower limb | 656 | 1.7% | 10,888 | 16.6 |
| Osteoarthritis | 595 | 1.6% | 8,047 | 13.5 |
| Skin and subcutaneous tissue infections | 549 | 1.5% | 9,647 | 17.6 |
| Top Diagnoses | 25,362 | 67.3% | 378,781 | 14.9 |
| All Diagnoses | 37,666 | 100% | 557,515 | 14.8 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Pennsylvania
347 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 31,011 | 14.4% | 434,367 | 14.0 |
| Hypertension with complications and secondary hypertension | 14,905 | 6.9% | 266,203 | 17.9 |
| Chronic obstructive pulmonary disease and bronchiectasis | 9,180 | 4.3% | 157,464 | 17.2 |
| Chronic ulcer of skin | 8,865 | 4.1% | 187,084 | 21.1 |
| Diabetes mellitus with complications | 8,062 | 3.7% | 148,893 | 18.5 |
| Late effects of cerebrovascular disease | 6,653 | 3.1% | 150,978 | 22.7 |
| Other nervous system disorders | 6,259 | 2.9% | 113,113 | 18.1 |
| Genitourinary symptoms and ill-defined conditions | 5,762 | 2.7% | 63,585 | 11.0 |
| Other diseases of veins and lymphatics | 5,299 | 2.5% | 107,216 | 20.2 |
| Complications of surgical procedures or medical care | 4,444 | 2.1% | 87,552 | 19.7 |
| Other fractures | 4,397 | 2.0% | 85,115 | 19.4 |
| Spondylosis; intervertebral disc disorders; other back problems | 4,131 | 1.9% | 67,604 | 16.4 |
| Urinary tract infections | 3,889 | 1.8% | 65,947 | 17.0 |
| Coronary atherosclerosis and other heart disease | 3,831 | 1.8% | 64,857 | 16.9 |
| Other connective tissue disease | 3,784 | 1.8% | 71,401 | 18.9 |
| Osteoarthritis | 3,733 | 1.7% | 65,706 | 17.6 |
| Cardiac dysrhythmias | 3,682 | 1.7% | 62,601 | 17.0 |
| Skin and subcutaneous tissue infections | 3,578 | 1.7% | 65,031 | 18.2 |
| Essential hypertension | 3,544 | 1.6% | 61,974 | 17.5 |
| Fracture of neck of femur (hip) | 3,529 | 1.6% | 77,074 | 21.8 |
| Top Diagnoses | 138,538 | 64.2% | 2,403,765 | 17.4 |
| All Diagnoses | 215,683 | 100% | 3,725,219 | 17.3 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Puerto Rico
39 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Chronic ulcer of skin | 1,727 | 22.8% | 32,463 | 18.8 |
| Genitourinary symptoms and ill-defined conditions | 673 | 8.9% | 5,000 | 7.4 |
| Other connective tissue disease | 564 | 7.5% | 8,657 | 15.3 |
| Other aftercare | 399 | 5.3% | 6,270 | 15.7 |
| Diabetes mellitus with complications | 370 | 4.9% | 6,193 | 16.7 |
| Late effects of cerebrovascular disease | 330 | 4.4% | 6,837 | 20.7 |
| Complications of surgical procedures or medical care | 305 | 4.0% | 5,908 | 19.4 |
| Other diseases of veins and lymphatics | 261 | 3.5% | 4,644 | 17.8 |
| Spondylosis; intervertebral disc disorders; other back problems | 222 | 2.9% | 3,087 | 13.9 |
| Other nervous system disorders | 210 | 2.8% | 2,983 | 14.2 |
| Fracture of neck of femur (hip) | 202 | 2.7% | 3,983 | 19.7 |
| Skin and subcutaneous tissue infections | 180 | 2.4% | 3,040 | 16.9 |
| Osteoarthritis | 180 | 2.4% | 2,563 | 14.2 |
| Open wounds of extremities | 158 | 2.1% | 2,362 | 14.9 |
| Other non-traumatic joint disorders | 138 | 1.8% | 2,068 | 15.0 |
| Urinary tract infections | 87 | 1.2% | 1,050 | 12.1 |
| Peripheral and visceral atherosclerosis | 84 | 1.1% | 1,497 | 17.8 |
| Delirium dementia and amnestic and other cognitive disorders | 81 | 1.1% | 964 | 11.9 |
| Essential hypertension | 71 | 0.9% | 957 | 13.5 |
| Parkinson's disease | 66 | 0.9% | 1,034 | 15.7 |
| Top Diagnoses | 6,308 | 83.4% | 101,560 | 16.1 |
| All Diagnoses | 7,566 | 100% | 120,241 | 15.9 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Rhode Island
25 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 3,255 | 16.7% | 49,367 | 15.2 |
| Hypertension with complications and secondary hypertension | 1,056 | 5.4% | 20,881 | 19.8 |
| Chronic obstructive pulmonary disease and bronchiectasis | 852 | 4.4% | 15,772 | 18.5 |
| Diabetes mellitus with complications | 714 | 3.7% | 14,115 | 19.8 |
| Chronic ulcer of skin | 603 | 3.1% | 15,063 | 25.0 |
| Spondylosis; intervertebral disc disorders; other back problems | 568 | 2.9% | 9,730 | 17.1 |
| Late effects of cerebrovascular disease | 516 | 2.7% | 13,083 | 25.4 |
| Other diseases of veins and lymphatics | 491 | 2.5% | 10,430 | 21.2 |
| Open wounds of extremities | 450 | 2.3% | 8,626 | 19.2 |
| Other nervous system disorders | 419 | 2.2% | 7,852 | 18.7 |
| Other fractures | 407 | 2.1% | 8,237 | 20.2 |
| Other connective tissue disease | 404 | 2.1% | 8,118 | 20.1 |
| Parkinson's disease | 377 | 1.9% | 8,836 | 23.4 |
| Urinary tract infections | 355 | 1.8% | 6,407 | 18.0 |
| Complications of surgical procedures or medical care | 355 | 1.8% | 7,208 | 20.3 |
| Delirium dementia and amnestic and other cognitive disorders | 350 | 1.8% | 5,970 | 17.1 |
| Osteoarthritis | 342 | 1.8% | 5,788 | 16.9 |
| Fracture of neck of femur (hip) | 341 | 1.8% | 8,061 | 23.6 |
| Congestive heart failure; nonhypertensive | 316 | 1.6% | 6,492 | 20.5 |
| Cardiac dysrhythmias | 297 | 1.5% | 5,141 | 17.3 |
| Top Diagnoses | 12,468 | 64.1% | 235,177 | 18.9 |
| All Diagnoses | 19,460 | 100% | 363,971 | 18.7 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
South Carolina
78 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 16,744 | 15.8% | 226,689 | 13.5 |
| Hypertension with complications and secondary hypertension | 8,664 | 8.2% | 154,409 | 17.8 |
| Chronic obstructive pulmonary disease and bronchiectasis | 5,394 | 5.1% | 94,846 | 17.6 |
| Diabetes mellitus with complications | 5,384 | 5.1% | 93,041 | 17.3 |
| Chronic ulcer of skin | 4,690 | 4.4% | 89,280 | 19.0 |
| Late effects of cerebrovascular disease | 4,342 | 4.1% | 97,061 | 22.4 |
| Essential hypertension | 3,183 | 3.0% | 57,691 | 18.1 |
| Delirium dementia and amnestic and other cognitive disorders | 2,612 | 2.5% | 44,498 | 17.0 |
| Other diseases of veins and lymphatics | 2,380 | 2.3% | 42,931 | 18.0 |
| Coronary atherosclerosis and other heart disease | 2,333 | 2.2% | 40,916 | 17.5 |
| Fracture of neck of femur (hip) | 2,139 | 2.0% | 43,264 | 20.2 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,077 | 2.0% | 32,522 | 15.7 |
| Other connective tissue disease | 1,953 | 1.9% | 34,022 | 17.4 |
| Genitourinary symptoms and ill-defined conditions | 1,943 | 1.8% | 17,558 | 9.0 |
| Complications of surgical procedures or medical care | 1,920 | 1.8% | 34,844 | 18.1 |
| Osteoarthritis | 1,882 | 1.8% | 30,108 | 16.0 |
| Other nervous system disorders | 1,865 | 1.8% | 32,154 | 17.2 |
| Open wounds of extremities | 1,841 | 1.7% | 34,249 | 18.6 |
| Urinary tract infections | 1,814 | 1.7% | 31,873 | 17.6 |
| Other fractures | 1,749 | 1.7% | 33,192 | 19.0 |
| Top Diagnoses | 74,909 | 70.9% | 1,265,148 | 16.9 |
| All Diagnoses | 105,725 | 100% | 1,797,392 | 17.0 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
South Dakota
32 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 1,204 | 17.3% | 18,952 | 15.7 |
| Hypertension with complications and secondary hypertension | 436 | 6.3% | 7,717 | 17.7 |
| Chronic obstructive pulmonary disease and bronchiectasis | 356 | 5.1% | 5,602 | 15.7 |
| Diabetes mellitus with complications | 278 | 4.0% | 5,270 | 19.0 |
| Late effects of cerebrovascular disease | 227 | 3.3% | 4,535 | 20.0 |
| Fracture of neck of femur (hip) | 211 | 3.0% | 3,884 | 18.4 |
| Other fractures | 188 | 2.7% | 3,253 | 17.3 |
| Chronic ulcer of skin | 183 | 2.6% | 4,014 | 21.9 |
| Other connective tissue disease | 169 | 2.4% | 2,600 | 15.4 |
| Genitourinary symptoms and ill-defined conditions | 163 | 2.3% | 1,693 | 10.4 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 162 | 2.3% | 2,351 | 14.5 |
| Spondylosis; intervertebral disc disorders; other back problems | 157 | 2.3% | 2,459 | 15.7 |
| Other nervous system disorders | 141 | 2.0% | 2,362 | 16.8 |
| Fracture of lower limb | 130 | 1.9% | 2,400 | 18.5 |
| Urinary tract infections | 124 | 1.8% | 1,830 | 14.8 |
| Cardiac dysrhythmias | 106 | 1.5% | 1,740 | 16.4 |
| Complication of device; implant or graft | 104 | 1.5% | 2,034 | 19.6 |
| Delirium dementia and amnestic and other cognitive disorders | 98 | 1.4% | 1,553 | 15.8 |
| Fracture of upper limb | 97 | 1.4% | 1,849 | 19.1 |
| Complications of surgical procedures or medical care | 96 | 1.4% | 1,685 | 17.6 |
| Top Diagnoses | 4,630 | 66.4% | 77,783 | 16.8 |
| All Diagnoses | 6,970 | 100% | 117,094 | 16.8 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Tennessee
126 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Hypertension with complications and secondary hypertension | 9,818 | 6.8% | 180,006 | 18.3 |
| Other aftercare | 9,385 | 6.5% | 156,671 | 16.7 |
| Chronic obstructive pulmonary disease and bronchiectasis | 8,843 | 6.2% | 160,499 | 18.1 |
| Diabetes mellitus with complications | 7,611 | 5.3% | 135,245 | 17.8 |
| Chronic ulcer of skin | 6,589 | 4.6% | 128,939 | 19.6 |
| Late effects of cerebrovascular disease | 5,479 | 3.8% | 122,978 | 22.4 |
| Delirium dementia and amnestic and other cognitive disorders | 5,117 | 3.6% | 88,204 | 17.2 |
| Coronary atherosclerosis and other heart disease | 4,852 | 3.4% | 90,440 | 18.6 |
| Other connective tissue disease | 4,319 | 3.0% | 82,411 | 19.1 |
| Essential hypertension | 4,129 | 2.9% | 72,458 | 17.5 |
| Osteoarthritis | 4,032 | 2.8% | 70,192 | 17.4 |
| Urinary tract infections | 3,750 | 2.6% | 66,905 | 17.8 |
| Spondylosis; intervertebral disc disorders; other back problems | 3,512 | 2.4% | 61,552 | 17.5 |
| Other nervous system disorders | 3,340 | 2.3% | 60,127 | 18.0 |
| Cardiac dysrhythmias | 3,144 | 2.2% | 54,736 | 17.4 |
| Fracture of neck of femur (hip) | 2,829 | 2.0% | 60,810 | 21.5 |
| Parkinson's disease | 2,771 | 1.9% | 56,548 | 20.4 |
| Genitourinary symptoms and ill-defined conditions | 2,755 | 1.9% | 31,857 | 11.6 |
| Other diseases of veins and lymphatics | 2,658 | 1.9% | 50,690 | 19.1 |
| Deficiency and other anemia | 2,278 | 1.6% | 28,320 | 12.4 |
| Top Diagnoses | 97,211 | 67.7% | 1,759,588 | 18.1 |
| All Diagnoses | 143,651 | 100% | 2,591,542 | 18.0 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Texas
2,253 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Hypertension with complications and secondary hypertension | 73,654 | 10.7% | 1,212,586 | 16.5 |
| Diabetes mellitus with complications | 63,965 | 9.3% | 1,369,147 | 21.4 |
| Essential hypertension | 55,505 | 8.1% | 858,623 | 15.5 |
| Other aftercare | 47,062 | 6.9% | 774,658 | 16.5 |
| Chronic obstructive pulmonary disease and bronchiectasis | 35,109 | 5.1% | 581,789 | 16.6 |
| Osteoarthritis | 29,394 | 4.3% | 503,084 | 17.1 |
| Late effects of cerebrovascular disease | 20,857 | 3.0% | 477,622 | 22.9 |
| Chronic ulcer of skin | 18,966 | 2.8% | 449,934 | 23.7 |
| Spondylosis; intervertebral disc disorders; other back problems | 18,920 | 2.8% | 327,608 | 17.3 |
| Delirium dementia and amnestic and other cognitive disorders | 17,306 | 2.5% | 296,805 | 17.2 |
| Diabetes mellitus without complication | 16,562 | 2.4% | 324,874 | 19.6 |
| Other nervous system disorders | 15,672 | 2.3% | 295,196 | 18.8 |
| Coronary atherosclerosis and other heart disease | 15,494 | 2.3% | 250,469 | 16.2 |
| Cardiac dysrhythmias | 14,761 | 2.2% | 245,615 | 16.6 |
| Other connective tissue disease | 14,545 | 2.1% | 290,591 | 20.0 |
| Parkinson`s disease | 12,514 | 1.8% | 266,419 | 21.3 |
| Congestive heart failure; nonhypertensive | 10,483 | 1.5% | 184,301 | 17.6 |
| Urinary tract infections | 9,556 | 1.4% | 172,951 | 18.1 |
| Other diseases of veins and lymphatics | 8,634 | 1.3% | 182,583 | 21.1 |
| Fracture of neck of femur (hip) | 7,681 | 1.1% | 182,794 | 23.8 |
| Top Diagnoses | 506,640 | 73.8% | 9,247,649 | 18.3 |
| All Diagnoses | 686,893 | 100% | 12,520,075 | 18.2 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Utah
98 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|--|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 6,622 | 16.3% | 100,782 | 15.2 |
| Diabetes mellitus with complications | 2,598 | 6.4% | 134,594 | 51.8 |
| Other connective tissue disease | 1,891 | 4.7% | 41,982 | 22.2 |
| Other nervous system disorders | 1,640 | 4.0% | 37,244 | 22.7 |
| Chronic ulcer of skin | 1,421 | 3.5% | 41,173 | 29.0 |
| Hypertension with complications and secondary hypertension | 1,311 | 3.2% | 29,113 | 22.2 |
| Spondylosis; intervertebral disc disorders; other back problems | 1,239 | 3.1% | 24,984 | 20.2 |
| Late effects of cerebrovascular disease | 1,140 | 2.8% | 28,393 | 24.9 |
| Osteoarthritis | 1,121 | 2.8% | 23,491 | 21.0 |
| Genitourinary symptoms and ill-defined conditions | 1,026 | 2.5% | 21,980 | 21.4 |
| Parkinson`s disease | 892 | 2.2% | 21,304 | 23.9 |
| Other diseases of veins and lymphatics | 888 | 2.2% | 20,851 | 23.5 |
| Urinary tract infections | 884 | 2.2% | 18,334 | 20.7 |
| Other fractures | 838 | 2.1% | 18,912 | 22.6 |
| Delirium dementia and amnestic and other cognitive disorders | 802 | 2.0% | 16,494 | 20.6 |
| Chronic obstructive pulmonary disease and bronchiectasis | 786 | 1.9% | 15,783 | 20.1 |
| Fracture of neck of femur (hip) | 714 | 1.8% | 17,595 | 24.6 |
| Congestive heart failure; nonhypertensive | 572 | 1.4% | 12,143 | 21.2 |
| Complications of surgical procedures or medical care | 567 | 1.4% | 12,501 | 22.0 |
| Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 558 | 1.4% | 10,711 | 19.2 |
| Top Diagnoses | 27,510 | 67.6% | 648,364 | 23.6 |
| All Diagnoses | 40,653 | 100% | 943,622 | 23.2 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Virginia
251 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 23,769 | 14.2% | 345,226 | 14.5 |
| Hypertension with complications and secondary hypertension | 11,375 | 6.8% | 205,980 | 18.1 |
| Chronic ulcer of skin | 8,318 | 5.0% | 170,233 | 20.5 |
| Diabetes mellitus with complications | 7,246 | 4.3% | 132,028 | 18.2 |
| Chronic obstructive pulmonary disease and bronchiectasis | 7,114 | 4.3% | 122,790 | 17.3 |
| Late effects of cerebrovascular disease | 7,007 | 4.2% | 155,928 | 22.3 |
| Other connective tissue disease | 5,665 | 3.4% | 96,406 | 17.0 |
| Other nervous system disorders | 4,402 | 2.6% | 76,959 | 17.5 |
| Delirium dementia and amnestic and other cognitive disorders | 4,221 | 2.5% | 72,731 | 17.2 |
| Other diseases of veins and lymphatics | 3,960 | 2.4% | 74,556 | 18.8 |
| Genitourinary symptoms and ill-defined conditions | 3,487 | 2.1% | 42,045 | 12.1 |
| Spondylosis; intervertebral disc disorders; other back problems | 3,426 | 2.1% | 55,851 | 16.3 |
| Fracture of neck of femur (hip) | 3,372 | 2.0% | 70,789 | 21.0 |
| Urinary tract infections | 3,342 | 2.0% | 58,394 | 17.5 |
| Other fractures | 3,217 | 1.9% | 61,681 | 19.2 |
| Osteoarthritis | 3,134 | 1.9% | 49,497 | 15.8 |
| Parkinson's disease | 2,820 | 1.7% | 57,697 | 20.5 |
| Open wounds of extremities | 2,807 | 1.7% | 54,749 | 19.5 |
| Complications of surgical procedures or medical care | 2,732 | 1.6% | 50,670 | 18.5 |
| Cardiac dysrhythmias | 2,451 | 1.5% | 43,766 | 17.9 |
| Top Diagnoses | 113,865 | 68.0% | 1,997,976 | 17.5 |
| All Diagnoses | 167,397 | 100% | 2,906,080 | 17.4 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Vermont
11 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 3,146 | 15.6% | 37,862 | 12.0 |
| Hypertension with complications and secondary hypertension | 1,290 | 6.4% | 20,368 | 15.8 |
| Chronic obstructive pulmonary disease and bronchiectasis | 1,108 | 5.5% | 16,846 | 15.2 |
| Diabetes mellitus with complications | 986 | 4.9% | 18,495 | 18.8 |
| Chronic ulcer of skin | 742 | 3.7% | 18,529 | 25.0 |
| Late effects of cerebrovascular disease | 581 | 2.9% | 11,078 | 19.1 |
| Other diseases of veins and lymphatics | 537 | 2.7% | 10,314 | 19.2 |
| Genitourinary symptoms and ill-defined conditions | 510 | 2.5% | 7,088 | 13.9 |
| Spondylosis; intervertebral disc disorders; other back problems | 484 | 2.4% | 6,310 | 13.0 |
| Delirium dementia and amnestic and other cognitive disorders | 476 | 2.4% | 6,857 | 14.4 |
| Other fractures | 443 | 2.2% | 7,083 | 16.0 |
| Fracture of neck of femur (hip) | 442 | 2.2% | 7,111 | 16.1 |
| Other nervous system disorders | 415 | 2.1% | 6,267 | 15.1 |
| Osteoarthritis | 396 | 2.0% | 5,517 | 13.9 |
| Complications of surgical procedures or medical care | 364 | 1.8% | 7,116 | 19.5 |
| Cardiac dysrhythmias | 334 | 1.7% | 4,812 | 14.4 |
| Other connective tissue disease | 319 | 1.6% | 4,331 | 13.6 |
| Fracture of lower limb | 311 | 1.5% | 5,444 | 17.5 |
| Parkinson`s disease | 302 | 1.5% | 5,532 | 18.3 |
| Coronary atherosclerosis and other heart disease | 290 | 1.4% | 4,614 | 15.9 |
| Top Diagnoses | 13,476 | 66.9% | 211,574 | 15.7 |
| All Diagnoses | 20,137 | 100% | 315,245 | 15.7 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Washington
65 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 7,151 | 9.7% | 103,532 | 14.5 |
| Chronic ulcer of skin | 4,224 | 5.7% | 81,026 | 19.2 |
| Hypertension with complications and secondary hypertension | 4,100 | 5.6% | 71,501 | 17.4 |
| Late effects of cerebrovascular disease | 3,731 | 5.1% | 76,807 | 20.6 |
| Genitourinary symptoms and ill-defined conditions | 3,060 | 4.2% | 27,798 | 9.1 |
| Diabetes mellitus with complications | 2,989 | 4.1% | 53,721 | 18.0 |
| Chronic obstructive pulmonary disease and bronchiectasis | 2,643 | 3.6% | 43,851 | 16.6 |
| Other nervous system disorders | 2,351 | 3.2% | 37,062 | 15.8 |
| Other connective tissue disease | 2,137 | 2.9% | 34,589 | 16.2 |
| Spondylosis; intervertebral disc disorders; other back problems | 2,102 | 2.9% | 31,983 | 15.2 |
| Delirium dementia and amnestic and other cognitive disorders | 2,038 | 2.8% | 29,313 | 14.4 |
| Fracture of neck of femur (hip) | 2,008 | 2.7% | 37,036 | 18.4 |
| Parkinson's disease | 1,883 | 2.6% | 34,244 | 18.2 |
| Other fractures | 1,854 | 2.5% | 33,050 | 17.8 |
| Other diseases of veins and lymphatics | 1,715 | 2.3% | 32,915 | 19.2 |
| Osteoarthritis | 1,464 | 2.0% | 21,733 | 14.8 |
| Pathological fracture | 1,239 | 1.7% | 22,140 | 17.9 |
| Fracture of lower limb | 1,226 | 1.7% | 22,676 | 18.5 |
| Complications of surgical procedures or medical care | 1,182 | 1.6% | 22,061 | 18.7 |
| Coronary atherosclerosis and other heart disease | 1,025 | 1.4% | 17,732 | 17.3 |
| Top Diagnoses | 50,122 | 68.1% | 834,770 | 16.7 |
| All Diagnoses | 73,585 | 100% | 1,213,335 | 16.5 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Wisconsin
116 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 7,040 | 13.1% | 97,009 | 13.8 |
| Hypertension with complications and secondary hypertension | 3,110 | 5.8% | 52,219 | 16.8 |
| Chronic ulcer of skin | 2,908 | 5.4% | 61,372 | 21.1 |
| Genitourinary symptoms and ill-defined conditions | 2,378 | 4.4% | 27,794 | 11.7 |
| Chronic obstructive pulmonary disease and bronchiectasis | 2,040 | 3.8% | 31,721 | 15.5 |
| Diabetes mellitus with complications | 2,027 | 3.8% | 38,443 | 19.0 |
| Other diseases of veins and lymphatics | 1,873 | 3.5% | 37,715 | 20.1 |
| Late effects of cerebrovascular disease | 1,778 | 3.3% | 35,098 | 19.7 |
| Other connective tissue disease | 1,447 | 2.7% | 22,478 | 15.5 |
| Spondylosis; intervertebral disc disorders; other back problems | 1,304 | 2.4% | 18,974 | 14.6 |
| Other fractures | 1,187 | 2.2% | 20,065 | 16.9 |
| Fracture of neck of femur (hip) | 1,167 | 2.2% | 20,392 | 17.5 |
| Complications of surgical procedures or medical care | 1,039 | 1.9% | 19,557 | 18.8 |
| Other nervous system disorders | 1,012 | 1.9% | 15,412 | 15.2 |
| Coronary atherosclerosis and other heart disease | 978 | 1.8% | 16,520 | 16.9 |
| Osteoarthritis | 955 | 1.8% | 13,984 | 14.6 |
| Urinary tract infections | 936 | 1.7% | 14,712 | 15.7 |
| Delirium dementia and amnestic and other cognitive disorders | 925 | 1.7% | 13,504 | 14.6 |
| Parkinson`s disease | 916 | 1.7% | 17,284 | 18.9 |
| Complication of device; implant or graft | 891 | 1.7% | 13,960 | 15.7 |
| Top Diagnoses | 35,911 | 66.6% | 588,213 | 16.4 |
| All Diagnoses | 53,949 | 100% | 883,758 | 16.4 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
West Virginia
63 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 4,501 | 10.3% | 80,866 | 18.0 |
| Chronic obstructive pulmonary disease and bronchiectasis | 3,253 | 7.4% | 66,191 | 20.3 |
| Diabetes mellitus with complications | 2,346 | 5.4% | 43,159 | 18.4 |
| Hypertension with complications and secondary hypertension | 2,309 | 5.3% | 48,137 | 20.8 |
| Coronary atherosclerosis and other heart disease | 1,926 | 4.4% | 38,660 | 20.1 |
| Chronic ulcer of skin | 1,780 | 4.1% | 35,845 | 20.1 |
| Late effects of cerebrovascular disease | 1,687 | 3.9% | 40,982 | 24.3 |
| Genitourinary symptoms and ill-defined conditions | 1,269 | 2.9% | 15,526 | 12.2 |
| Urinary tract infections | 1,037 | 2.4% | 19,948 | 19.2 |
| Osteoarthritis | 971 | 2.2% | 18,025 | 18.6 |
| Fracture of neck of femur (hip) | 934 | 2.1% | 22,097 | 23.7 |
| Other connective tissue disease | 913 | 2.1% | 16,849 | 18.5 |
| Other nervous system disorders | 896 | 2.1% | 17,191 | 19.2 |
| Cardiac dysrhythmias | 854 | 2.0% | 17,489 | 20.5 |
| Spondylosis; intervertebral disc disorders; other back problems | 821 | 1.9% | 14,312 | 17.4 |
| Complications of surgical procedures or medical care | 808 | 1.9% | 15,255 | 18.9 |
| Other diseases of veins and lymphatics | 802 | 1.8% | 15,997 | 19.9 |
| Skin and subcutaneous tissue infections | 778 | 1.8% | 13,876 | 17.8 |
| Other fractures | 760 | 1.7% | 16,566 | 21.8 |
| Essential hypertension | 756 | 1.7% | 15,288 | 20.2 |
| Top Diagnoses | 29,401 | 67.3% | 572,259 | 19.5 |
| All Diagnoses | 43,707 | 100% | 842,917 | 19.3 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020

Home Health Agencies Q4CY19 Report
State-Level Top 20 Diagnoses
Wyoming
30 Agencies
Episodes for the most recent four quarters ending Q4 CY 2019
In Descending Order by Total Episodes

| Diagnoses Description | Total Episodes for CCS Category | Prop. Of Episodes for CCS to Total Episodes | Number of Visits for CCS Category | Average Number of Visits for CCS Category |
|---|---------------------------------|---|-----------------------------------|---|
| Other aftercare | 648 | 10.9% | 10,323 | 15.9 |
| Chronic ulcer of skin | 296 | 5.0% | 7,371 | 24.9 |
| Other connective tissue disease | 288 | 4.8% | 4,808 | 16.7 |
| Chronic obstructive pulmonary disease and bronchiectasis | 281 | 4.7% | 4,694 | 16.7 |
| Hypertension with complications and secondary hypertension | 228 | 3.8% | 3,698 | 16.2 |
| Late effects of cerebrovascular disease | 225 | 3.8% | 5,358 | 23.8 |
| Genitourinary symptoms and ill-defined conditions | 198 | 3.3% | 3,202 | 16.2 |
| Other nervous system disorders | 197 | 3.3% | 3,535 | 17.9 |
| Diabetes mellitus with complications | 182 | 3.1% | 6,377 | 35.0 |
| Fracture of neck of femur (hip) | 173 | 2.9% | 3,215 | 18.6 |
| Malaise and fatigue | 158 | 2.7% | 2,988 | 18.9 |
| Other fractures | 155 | 2.6% | 2,704 | 17.4 |
| Spondylosis; intervertebral disc disorders; other back problems | 134 | 2.3% | 2,048 | 15.3 |
| Complications of surgical procedures or medical care | 123 | 2.1% | 2,559 | 20.8 |
| Fracture of lower limb | 121 | 2.0% | 2,277 | 18.8 |
| Other diseases of veins and lymphatics | 118 | 2.0% | 2,535 | 21.5 |
| Congestive heart failure; nonhypertensive | 106 | 1.8% | 2,181 | 20.6 |
| Delirium dementia and amnestic and other cognitive disorders | 102 | 1.7% | 1,816 | 17.8 |
| Parkinson`s disease | 94 | 1.6% | 1,769 | 18.8 |
| Urinary tract infections | 93 | 1.6% | 1,811 | 19.5 |
| Top Diagnoses | 3,920 | 65.7% | 75,269 | 19.2 |
| All Diagnoses | 5,965 | 100% | 110,667 | 18.6 |

Note: This report is limited to the top diagnosis categories (up to 20) for which there are a total of at least 11 episodes ending in the most recent calendar year. The principal diagnosis codes for episodes ending in the most recent calendar year have been collapsed into general categories using Clinical Classification Software(CCS).

More information on CCS can be found at <http://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>.

Date produced: 30JUN2020