

Critical Access Hospital Q4FY19 Report State-Level Top 20 DRGs

Alaska 14 Hospitals

Discharges for most recent 4 Quarters, ending Q4FY2019 In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	79	4.6%	4.2
194 : Simple pneumonia & pleurisy w CC	71	4.2%	3.3
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	57	3.3%	2.8
292 : Heart failure & shock w CC	56	3.3%	3.8
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	52	3.0%	4.2
190 : Chronic obstructive pulmonary disease w MCC	47	2.8%	2.7
191 : Chronic obstructive pulmonary disease w CC	46	2.7%	3.7
690 : Kidney & urinary tract infections w/o MCC	46	2.7%	3
193 : Simple pneumonia & pleurisy w MCC	40	2.3%	5.1
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	36	2.1%	5
189 : Pulmonary edema & respiratory failure	35	2.0%	4.7
192 : Chronic obstructive pulmonary disease w/o CC/MCC	35	2.0%	2.3
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	33	1.9%	4.2
897 : Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC	33	1.9%	2.6
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	32	1.9%	3.2
603 : Cellulitis w/o MCC	32	1.9%	3.3
378 : GI hemorrhage w CC	30	1.8%	2.8
195 : Simple pneumonia & pleurisy w/o CC/MCC	29	1.7%	2.3
948 : Signs & symptoms w/o MCC	29	1.7%	3.5
885 : Psychoses	27	1.6%	4.2
Top DRGs Statewide	845	49.4%	3.6
All DRGs Statewide	1,712	100.0%	3.6

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Alabama
5 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
895 : Alcohol/drug abuse or dependence w rehabilitation therapy	113	18.1%	3.9
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	33	5.3%	2.8
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	31	5.0%	4.1
690 : Kidney & urinary tract infections w/o MCC	30	4.8%	3.1
194 : Simple pneumonia & pleurisy w CC	29	4.6%	3.8
603 : Cellulitis w/o MCC	23	3.7%	3
190 : Chronic obstructive pulmonary disease w MCC	21	3.4%	3.1
193 : Simple pneumonia & pleurisy w MCC	19	3.0%	4.5
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	18	2.9%	3.6
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	16	2.6%	2.2
195 : Simple pneumonia & pleurisy w/o CC/MCC	15	2.4%	3
192 : Chronic obstructive pulmonary disease w/o CC/MCC	14	2.2%	3.6
948 : Signs & symptoms w/o MCC	14	2.2%	3.1
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	13	2.1%	3
191 : Chronic obstructive pulmonary disease w CC	11	1.8%	3.5
812 : Red blood cell disorders w/o MCC	11	1.8%	1.2
Top DRGs Statewide	411	65.8%	3.5
All DRGs Statewide	625	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

**Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs**

Arkansas

29 Hospitals

Discharges for most recent 4 Quarters, ending Q4FY2019

In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
690 : Kidney & urinary tract infections w/o MCC	420	6.9%	3.8
194 : Simple pneumonia & pleurisy w CC	395	6.5%	4.1
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	288	4.8%	4.1
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	254	4.2%	3
195 : Simple pneumonia & pleurisy w/o CC/MCC	237	3.9%	3.6
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	231	3.8%	3.7
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	177	2.9%	3
192 : Chronic obstructive pulmonary disease w/o CC/MCC	172	2.8%	3.2
190 : Chronic obstructive pulmonary disease w MCC	171	2.8%	3.7
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	171	2.8%	3.6
603 : Cellulitis w/o MCC	159	2.6%	3.7
948 : Signs & symptoms w/o MCC	154	2.6%	3.3
193 : Simple pneumonia & pleurisy w MCC	145	2.4%	4.1
189 : Pulmonary edema & respiratory failure	133	2.2%	3.8
292 : Heart failure & shock w CC	128	2.1%	3.5
191 : Chronic obstructive pulmonary disease w CC	120	2.0%	3.5
293 : Heart failure & shock w/o CC/MCC	110	1.8%	3
689 : Kidney & urinary tract infections w MCC	80	1.3%	4.5
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	79	1.3%	2.6
312 : Syncope & collapse	68	1.1%	2.6
Top DRGs Statewide	3,692	61.0%	3.6
All DRGs Statewide	6,050	100.0%	3.6

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Arizona
15 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	123	4.6%	4
690 : Kidney & urinary tract infections w/o MCC	108	4.0%	2.9
194 : Simple pneumonia & pleurisy w CC	103	3.8%	2.9
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	103	3.8%	3.2
193 : Simple pneumonia & pleurisy w MCC	101	3.8%	3.4
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	90	3.4%	3.2
189 : Pulmonary edema & respiratory failure	85	3.2%	3.5
195 : Simple pneumonia & pleurisy w/o CC/MCC	84	3.1%	2.6
603 : Cellulitis w/o MCC	82	3.1%	3.3
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	80	3.0%	3.2
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	79	2.9%	2.7
190 : Chronic obstructive pulmonary disease w MCC	75	2.8%	3.4
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	70	2.6%	2.7
292 : Heart failure & shock w CC	46	1.7%	3.2
378 : GI hemorrhage w CC	44	1.6%	3
683 : Renal failure w CC	37	1.4%	2.5
689 : Kidney & urinary tract infections w MCC	36	1.3%	3
192 : Chronic obstructive pulmonary disease w/o CC/MCC	33	1.2%	2.6
390 : GI obstruction w/o CC/MCC	30	1.1%	2.5
638 : Diabetes w CC	27	1.0%	4
Top DRGs Statewide	1,436	53.5%	3.1
All DRGs Statewide	2,686	100.0%	3.2

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.
Data Source: Medicare PPS Claims.
Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
California
34 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	659	6.7%	2.7
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	634	6.4%	4.8
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	356	3.6%	4
194 : Simple pneumonia & pleurisy w CC	316	3.2%	3.6
690 : Kidney & urinary tract infections w/o MCC	314	3.2%	3.5
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	294	3.0%	3.7
190 : Chronic obstructive pulmonary disease w MCC	289	2.9%	3.8
193 : Simple pneumonia & pleurisy w MCC	276	2.8%	4.7
189 : Pulmonary edema & respiratory failure	271	2.7%	4
603 : Cellulitis w/o MCC	261	2.6%	3.7
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	212	2.1%	2.8
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	190	1.9%	2.8
292 : Heart failure & shock w CC	152	1.5%	3.7
195 : Simple pneumonia & pleurisy w/o CC/MCC	137	1.4%	3.1
192 : Chronic obstructive pulmonary disease w/o CC/MCC	132	1.3%	2.7
191 : Chronic obstructive pulmonary disease w CC	126	1.3%	3.4
689 : Kidney & urinary tract infections w MCC	121	1.2%	4.2
378 : GI hemorrhage w CC	115	1.2%	3
065 : Intracranial hemorrhage or cerebral infarction w CC or tPA in 24 hrs	106	1.1%	3.2
683 : Renal failure w CC	104	1.1%	3.3
Top DRGs Statewide	5,065	51.1%	3.6
All DRGs Statewide	9,911	100.0%	3.7

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.
Data Source: Medicare PPS Claims.
Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Colorado
32 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	342	5.8%	2.6
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	278	4.7%	3.8
194 : Simple pneumonia & pleurisy w CC	241	4.1%	3.3
690 : Kidney & urinary tract infections w/o MCC	229	3.9%	3.1
190 : Chronic obstructive pulmonary disease w MCC	221	3.8%	3.4
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	169	2.9%	3.7
292 : Heart failure & shock w CC	164	2.8%	3.5
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	164	2.8%	3.3
193 : Simple pneumonia & pleurisy w MCC	149	2.5%	3.5
189 : Pulmonary edema & respiratory failure	145	2.5%	3.1
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	144	2.5%	2.7
603 : Cellulitis w/o MCC	133	2.3%	3.4
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	133	2.3%	3
195 : Simple pneumonia & pleurisy w/o CC/MCC	100	1.7%	3.1
192 : Chronic obstructive pulmonary disease w/o CC/MCC	78	1.3%	2.9
191 : Chronic obstructive pulmonary disease w CC	77	1.3%	3.3
683 : Renal failure w CC	75	1.3%	3.2
948 : Signs & symptoms w/o MCC	74	1.3%	2.8
552 : Medical back problems w/o MCC	71	1.2%	3.1
293 : Heart failure & shock w/o CC/MCC	65	1.1%	2.6
Top DRGs Statewide	3,052	52.0%	3.2
All DRGs Statewide	5,872	100.0%	3.2

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Florida
12 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
190 : Chronic obstructive pulmonary disease w MCC	179	8.1%	4.1
690 : Kidney & urinary tract infections w/o MCC	167	7.6%	3.9
194 : Simple pneumonia & pleurisy w CC	129	5.9%	4.2
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	109	5.0%	4.2
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	85	3.9%	4.4
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	82	3.7%	3.1
603 : Cellulitis w/o MCC	69	3.1%	4.1
292 : Heart failure & shock w CC	65	3.0%	3.8
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	61	2.8%	3.1
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	55	2.5%	3.6
192 : Chronic obstructive pulmonary disease w/o CC/MCC	53	2.4%	3.6
191 : Chronic obstructive pulmonary disease w CC	52	2.4%	3.3
689 : Kidney & urinary tract infections w MCC	44	2.0%	4.5
195 : Simple pneumonia & pleurisy w/o CC/MCC	41	1.9%	3.6
293 : Heart failure & shock w/o CC/MCC	39	1.8%	3.1
193 : Simple pneumonia & pleurisy w MCC	38	1.7%	4.9
683 : Renal failure w CC	30	1.4%	3.8
897 : Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC	29	1.3%	3.1
948 : Signs & symptoms w/o MCC	29	1.3%	3.2
812 : Red blood cell disorders w/o MCC	28	1.3%	3.5
Top DRGs Statewide	1,384	62.9%	3.9
All DRGs Statewide	2,199	100.0%	3.8

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

**Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Georgia
30 Hospitals**

**Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges**

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	306	8.0%	1.8
690 : Kidney & urinary tract infections w/o MCC	257	6.7%	3.6
194 : Simple pneumonia & pleurisy w CC	241	6.3%	3.7
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	144	3.7%	3.3
603 : Cellulitis w/o MCC	131	3.4%	3.8
195 : Simple pneumonia & pleurisy w/o CC/MCC	122	3.2%	3.4
190 : Chronic obstructive pulmonary disease w MCC	111	2.9%	3.7
193 : Simple pneumonia & pleurisy w MCC	103	2.7%	4.2
192 : Chronic obstructive pulmonary disease w/o CC/MCC	100	2.6%	3.2
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	99	2.6%	3.9
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	97	2.5%	2.9
189 : Pulmonary edema & respiratory failure	95	2.5%	3.3
689 : Kidney & urinary tract infections w MCC	93	2.4%	4.4
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	86	2.2%	3.4
292 : Heart failure & shock w CC	85	2.2%	3.5
191 : Chronic obstructive pulmonary disease w CC	84	2.2%	3.3
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	78	2.0%	3.6
683 : Renal failure w CC	60	1.6%	3.2
812 : Red blood cell disorders w/o MCC	59	1.5%	3.2
948 : Signs & symptoms w/o MCC	57	1.5%	4.1
Top DRGs Statewide	2,408	62.6%	3.4
All DRGs Statewide	3,847	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

**Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs**

Hawaii

6 Hospitals

**Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges**

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	13	8.7%	6.4
Top DRGs Statewide	13	8.7%	6.4
All DRGs Statewide	149	100.0%	4.1

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report State-Level Top 20 DRGs

Iowa
82 Hospitals

Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	1,128	7.1%	3.5
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	949	6.0%	2.4
690 : Kidney & urinary tract infections w/o MCC	709	4.5%	3.1
195 : Simple pneumonia & pleurisy w/o CC/MCC	591	3.7%	3.2
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	560	3.5%	3.2
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	521	3.3%	3.4
603 : Cellulitis w/o MCC	514	3.2%	3.4
292 : Heart failure & shock w CC	461	2.9%	3.3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	436	2.7%	2.8
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	432	2.7%	3.5
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	411	2.6%	3
193 : Simple pneumonia & pleurisy w MCC	379	2.4%	3.8
190 : Chronic obstructive pulmonary disease w MCC	327	2.1%	3.5
192 : Chronic obstructive pulmonary disease w/o CC/MCC	303	1.9%	3
189 : Pulmonary edema & respiratory failure	279	1.8%	3.2
293 : Heart failure & shock w/o CC/MCC	275	1.7%	3
191 : Chronic obstructive pulmonary disease w CC	255	1.6%	3.2
683 : Renal failure w CC	233	1.5%	3.1
948 : Signs & symptoms w/o MCC	227	1.4%	3
552 : Medical back problems w/o MCC	204	1.3%	3
Top DRGs Statewide	9,194	57.7%	3.2
All DRGs Statewide	15,922	100.0%	3.2

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report State-Level Top 20 DRGs

Idaho

27 Hospitals

Discharges for most recent 4 Quarters, ending Q4FY2019

In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	684	10.6%	2.5
194 : Simple pneumonia & pleurisy w CC	274	4.3%	3.1
690 : Kidney & urinary tract infections w/o MCC	191	3.0%	2.9
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	186	2.9%	2.7
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	184	2.9%	4.2
189 : Pulmonary edema & respiratory failure	180	2.8%	3.4
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	175	2.7%	3.3
193 : Simple pneumonia & pleurisy w MCC	165	2.6%	3.4
292 : Heart failure & shock w CC	136	2.1%	3.1
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	130	2.0%	2.7
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	129	2.0%	3.7
948 : Signs & symptoms w/o MCC	124	1.9%	2.8
195 : Simple pneumonia & pleurisy w/o CC/MCC	120	1.9%	2.7
483 : Major joint/limb reattachment procedure of upper extremities	118	1.8%	1.5
190 : Chronic obstructive pulmonary disease w MCC	113	1.8%	3.1
683 : Renal failure w CC	101	1.6%	3
192 : Chronic obstructive pulmonary disease w/o CC/MCC	94	1.5%	2.7
603 : Cellulitis w/o MCC	88	1.4%	3.5
065 : Intracranial hemorrhage or cerebral infarction w CC or tPA in 24 hrs	77	1.2%	3.1
191 : Chronic obstructive pulmonary disease w CC	72	1.1%	3.1
Top DRGs Statewide	3,341	51.8%	3
All DRGs Statewide	6,454	100.0%	3.1

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

**Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs**

**Illinois
51 Hospitals**

**Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges**

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	791	6.5%	3.6
690 : Kidney & urinary tract infections w/o MCC	659	5.4%	3.1
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	515	4.3%	2.6
190 : Chronic obstructive pulmonary disease w MCC	455	3.8%	3.4
603 : Cellulitis w/o MCC	446	3.7%	3.5
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	445	3.7%	3.9
195 : Simple pneumonia & pleurisy w/o CC/MCC	430	3.6%	3.3
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	426	3.5%	3.9
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	359	3.0%	2.8
193 : Simple pneumonia & pleurisy w MCC	357	3.0%	4
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	351	2.9%	2.7
192 : Chronic obstructive pulmonary disease w/o CC/MCC	312	2.6%	2.7
292 : Heart failure & shock w CC	307	2.5%	3.2
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	301	2.5%	3.3
191 : Chronic obstructive pulmonary disease w CC	259	2.1%	3
293 : Heart failure & shock w/o CC/MCC	220	1.8%	2.7
189 : Pulmonary edema & respiratory failure	210	1.7%	3.2
689 : Kidney & urinary tract infections w MCC	188	1.6%	4
683 : Renal failure w CC	172	1.4%	3.1
948 : Signs & symptoms w/o MCC	156	1.3%	3.1
Top DRGs Statewide	7,359	60.8%	3.3
All DRGs Statewide	12,106	100.0%	3.3

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report State-Level Top 20 DRGs

Indiana 35 Hospitals

Discharges for most recent 4 Quarters, ending Q4FY2019 In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	602	5.8%	4
194 : Simple pneumonia & pleurisy w CC	600	5.8%	3.4
690 : Kidney & urinary tract infections w/o MCC	504	4.9%	3.1
190 : Chronic obstructive pulmonary disease w MCC	463	4.5%	3.4
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	448	4.4%	3.5
193 : Simple pneumonia & pleurisy w MCC	349	3.4%	4
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	344	3.3%	3.4
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	305	3.0%	2.8
189 : Pulmonary edema & respiratory failure	281	2.7%	3.3
191 : Chronic obstructive pulmonary disease w CC	266	2.6%	2.9
603 : Cellulitis w/o MCC	262	2.5%	3.3
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	257	2.5%	2.9
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	238	2.3%	2.9
292 : Heart failure & shock w CC	232	2.3%	3.2
195 : Simple pneumonia & pleurisy w/o CC/MCC	192	1.9%	3.1
192 : Chronic obstructive pulmonary disease w/o CC/MCC	184	1.8%	2.5
683 : Renal failure w CC	183	1.8%	3
689 : Kidney & urinary tract infections w MCC	135	1.3%	4
309 : Cardiac arrhythmia & conduction disorders w CC	126	1.2%	2.6
310 : Cardiac arrhythmia & conduction disorders w/o CC/MCC	126	1.2%	1.9
Top DRGs Statewide	6,097	59.2%	3.3
All DRGs Statewide	10,301	100.0%	3.3

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report State-Level Top 20 DRGs

Kansas 84 Hospitals

Discharges for most recent 4 Quarters, ending Q4FY2019 In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	1,015	7.1%	3.6
690 : Kidney & urinary tract infections w/o MCC	738	5.2%	3.2
195 : Simple pneumonia & pleurisy w/o CC/MCC	559	3.9%	3.3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	555	3.9%	3
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	539	3.8%	3.4
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	524	3.7%	3.9
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	517	3.6%	2.8
603 : Cellulitis w/o MCC	403	2.8%	3.5
292 : Heart failure & shock w CC	371	2.6%	3.5
192 : Chronic obstructive pulmonary disease w/o CC/MCC	365	2.6%	2.9
948 : Signs & symptoms w/o MCC	345	2.4%	3.1
193 : Simple pneumonia & pleurisy w MCC	322	2.3%	3.5
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	286	2.0%	3.8
190 : Chronic obstructive pulmonary disease w MCC	274	1.9%	3.5
191 : Chronic obstructive pulmonary disease w CC	268	1.9%	3.3
293 : Heart failure & shock w/o CC/MCC	254	1.8%	3
552 : Medical back problems w/o MCC	216	1.5%	3.4
683 : Renal failure w CC	207	1.4%	3.3
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	188	1.3%	3
689 : Kidney & urinary tract infections w MCC	182	1.3%	3.7
Top DRGs Statewide	8,128	56.7%	3.3
All DRGs Statewide	14,340	100.0%	3.3

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

**Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Kentucky
27 Hospitals**

**Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges**

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	487	8.8%	3.8
690 : Kidney & urinary tract infections w/o MCC	370	6.7%	3.6
192 : Chronic obstructive pulmonary disease w/o CC/MCC	280	5.0%	3.2
190 : Chronic obstructive pulmonary disease w MCC	244	4.4%	3.6
195 : Simple pneumonia & pleurisy w/o CC/MCC	214	3.9%	3.6
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	214	3.9%	3.3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	186	3.4%	3.2
193 : Simple pneumonia & pleurisy w MCC	174	3.1%	4.1
603 : Cellulitis w/o MCC	171	3.1%	3.8
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	170	3.1%	3.6
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	159	2.9%	4.4
191 : Chronic obstructive pulmonary disease w CC	157	2.8%	3.3
292 : Heart failure & shock w CC	140	2.5%	3.8
189 : Pulmonary edema & respiratory failure	125	2.3%	3.8
948 : Signs & symptoms w/o MCC	124	2.2%	3.6
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	91	1.6%	3.9
293 : Heart failure & shock w/o CC/MCC	87	1.6%	3.4
683 : Renal failure w CC	78	1.4%	3.6
689 : Kidney & urinary tract infections w MCC	67	1.2%	3.8
812 : Red blood cell disorders w/o MCC	65	1.2%	2.9
Top DRGs Statewide	3,603	64.8%	3.6
All DRGs Statewide	5,559	100.0%	3.6

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

**Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs**

**Louisiana
27 Hospitals**

**Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges**

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
690 : Kidney & urinary tract infections w/o MCC	385	10.0%	3.4
194 : Simple pneumonia & pleurisy w CC	242	6.3%	3.6
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	186	4.8%	3.2
603 : Cellulitis w/o MCC	164	4.3%	3.8
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	163	4.2%	4.1
195 : Simple pneumonia & pleurisy w/o CC/MCC	158	4.1%	3.4
192 : Chronic obstructive pulmonary disease w/o CC/MCC	156	4.1%	2.9
292 : Heart failure & shock w CC	136	3.5%	3.4
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	127	3.3%	3.3
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	109	2.8%	3.7
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	104	2.7%	2.9
190 : Chronic obstructive pulmonary disease w MCC	97	2.5%	3.7
812 : Red blood cell disorders w/o MCC	97	2.5%	3
293 : Heart failure & shock w/o CC/MCC	86	2.2%	2.8
191 : Chronic obstructive pulmonary disease w CC	85	2.2%	3.2
193 : Simple pneumonia & pleurisy w MCC	81	2.1%	4
689 : Kidney & urinary tract infections w MCC	74	1.9%	4.4
948 : Signs & symptoms w/o MCC	68	1.8%	3
683 : Renal failure w CC	62	1.6%	3.5
638 : Diabetes w CC	50	1.3%	3.1
Top DRGs Statewide	2,630	68.5%	3.4
All DRGs Statewide	3,840	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Massachusetts
3 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	90	8.1%	3
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	62	5.6%	4
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	54	4.9%	5.1
193 : Simple pneumonia & pleurisy w MCC	47	4.2%	4.2
194 : Simple pneumonia & pleurisy w CC	44	4.0%	3
690 : Kidney & urinary tract infections w/o MCC	41	3.7%	2.9
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	40	3.6%	3.2
190 : Chronic obstructive pulmonary disease w MCC	37	3.3%	3.9
189 : Pulmonary edema & respiratory failure	34	3.1%	3.2
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	33	3.0%	2.7
603 : Cellulitis w/o MCC	32	2.9%	3.6
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	28	2.5%	2.8
552 : Medical back problems w/o MCC	20	1.8%	2.8
292 : Heart failure & shock w CC	19	1.7%	3
177 : Respiratory infections & inflammations w MCC	18	1.6%	4.6
195 : Simple pneumonia & pleurisy w/o CC/MCC	18	1.6%	2.2
683 : Renal failure w CC	17	1.5%	3.4
191 : Chronic obstructive pulmonary disease w CC	13	1.2%	2.8
312 : Syncope & collapse	13	1.2%	1.8
178 : Respiratory infections & inflammations w CC	12	1.1%	3.8
Top DRGs Statewide	672	60.3%	3.4
All DRGs Statewide	1,114	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report State-Level Top 20 DRGs

Maine

16 Hospitals

Discharges for most recent 4 Quarters, ending Q4FY2019

In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	318	5.3%	4
194 : Simple pneumonia & pleurisy w CC	290	4.8%	3.6
190 : Chronic obstructive pulmonary disease w MCC	241	4.0%	3.5
690 : Kidney & urinary tract infections w/o MCC	211	3.5%	3.4
189 : Pulmonary edema & respiratory failure	196	3.2%	3.7
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	189	3.1%	3.9
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	165	2.7%	3.6
603 : Cellulitis w/o MCC	163	2.7%	3.5
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	162	2.7%	3.1
292 : Heart failure & shock w CC	146	2.4%	3.2
193 : Simple pneumonia & pleurisy w MCC	142	2.3%	4.1
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	131	2.2%	2.8
191 : Chronic obstructive pulmonary disease w CC	109	1.8%	3.4
065 : Intracranial hemorrhage or cerebral infarction w CC or tPA in 24 hrs	104	1.7%	3.3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	100	1.7%	2.7
195 : Simple pneumonia & pleurisy w/o CC/MCC	90	1.5%	3.2
281 : Acute myocardial infarction, discharged alive w CC	83	1.4%	2.4
683 : Renal failure w CC	78	1.3%	3.2
192 : Chronic obstructive pulmonary disease w/o CC/MCC	75	1.2%	2.5
378 : GI hemorrhage w CC	74	1.2%	2.9
Top DRGs Statewide	3,067	50.6%	3.4
All DRGs Statewide	6,060	100.0%	3.5

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

**Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Michigan
36 Hospitals**

**Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges**

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	490	6.9%	2.2
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	450	6.4%	3.4
190 : Chronic obstructive pulmonary disease w MCC	350	4.9%	3.2
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	337	4.8%	3.1
194 : Simple pneumonia & pleurisy w CC	290	4.1%	3.1
193 : Simple pneumonia & pleurisy w MCC	249	3.5%	3.4
189 : Pulmonary edema & respiratory failure	246	3.5%	2.8
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	237	3.4%	2.9
690 : Kidney & urinary tract infections w/o MCC	219	3.1%	2.7
603 : Cellulitis w/o MCC	205	2.9%	3.2
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	187	2.6%	2.5
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	177	2.5%	2.6
683 : Renal failure w CC	133	1.9%	2.7
191 : Chronic obstructive pulmonary disease w CC	128	1.8%	2.8
195 : Simple pneumonia & pleurisy w/o CC/MCC	116	1.6%	2.7
192 : Chronic obstructive pulmonary disease w/o CC/MCC	103	1.5%	2.4
292 : Heart failure & shock w CC	103	1.5%	2.6
378 : GI hemorrhage w CC	92	1.3%	2.3
483 : Major joint/limb reattachment procedure of upper extremities	68	1.0%	1.3
293 : Heart failure & shock w/o CC/MCC	66	0.9%	2.7
Top DRGs Statewide	4,246	59.9%	2.8
All DRGs Statewide	7,084	100.0%	2.9

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Minnesota
77 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	1,459	10.4%	2.7
194 : Simple pneumonia & pleurisy w CC	725	5.2%	3.4
690 : Kidney & urinary tract infections w/o MCC	500	3.6%	3
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	446	3.2%	3.6
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	380	2.7%	2.9
603 : Cellulitis w/o MCC	363	2.6%	3.3
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	349	2.5%	3.4
193 : Simple pneumonia & pleurisy w MCC	336	2.4%	3.8
292 : Heart failure & shock w CC	332	2.4%	3.3
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	332	2.4%	3.5
190 : Chronic obstructive pulmonary disease w MCC	330	2.4%	3.4
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	297	2.1%	2.9
195 : Simple pneumonia & pleurisy w/o CC/MCC	287	2.1%	2.9
192 : Chronic obstructive pulmonary disease w/o CC/MCC	212	1.5%	2.6
189 : Pulmonary edema & respiratory failure	210	1.5%	3.1
948 : Signs & symptoms w/o MCC	209	1.5%	3.3
191 : Chronic obstructive pulmonary disease w CC	204	1.5%	3
293 : Heart failure & shock w/o CC/MCC	202	1.5%	2.8
378 : GI hemorrhage w CC	192	1.4%	2.7
683 : Renal failure w CC	162	1.2%	3.1
Top DRGs Statewide	7,527	53.9%	3.1
All DRGs Statewide	13,972	100.0%	3.2

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

**Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs**

**Missouri
36 Hospitals**

**Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges**

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	524	6.5%	3.5
690 : Kidney & urinary tract infections w/o MCC	431	5.4%	3.3
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	358	4.5%	3.8
190 : Chronic obstructive pulmonary disease w MCC	350	4.4%	3.5
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	300	3.7%	4
193 : Simple pneumonia & pleurisy w MCC	279	3.5%	4.2
195 : Simple pneumonia & pleurisy w/o CC/MCC	270	3.4%	3.3
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	262	3.3%	2.8
603 : Cellulitis w/o MCC	261	3.3%	3.3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	230	2.9%	3
189 : Pulmonary edema & respiratory failure	226	2.8%	3.6
192 : Chronic obstructive pulmonary disease w/o CC/MCC	202	2.5%	3
191 : Chronic obstructive pulmonary disease w CC	190	2.4%	3.1
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	190	2.4%	3.2
292 : Heart failure & shock w CC	177	2.2%	3.6
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	169	2.1%	3.1
948 : Signs & symptoms w/o MCC	117	1.5%	3.5
683 : Renal failure w CC	112	1.4%	2.8
689 : Kidney & urinary tract infections w MCC	109	1.4%	4.1
293 : Heart failure & shock w/o CC/MCC	101	1.3%	2.9
Top DRGs Statewide	4,858	60.6%	3.4
All DRGs Statewide	8,014	100.0%	3.3

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Mississippi
32 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
690 : Kidney & urinary tract infections w/o MCC	545	10.8%	3.7
194 : Simple pneumonia & pleurisy w CC	420	8.3%	3.9
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	349	6.9%	3.1
195 : Simple pneumonia & pleurisy w/o CC/MCC	217	4.3%	3.8
192 : Chronic obstructive pulmonary disease w/o CC/MCC	187	3.7%	3.3
603 : Cellulitis w/o MCC	184	3.6%	3.7
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	177	3.5%	3.1
292 : Heart failure & shock w CC	168	3.3%	3.7
191 : Chronic obstructive pulmonary disease w CC	133	2.6%	3.5
293 : Heart failure & shock w/o CC/MCC	118	2.3%	3.3
190 : Chronic obstructive pulmonary disease w MCC	116	2.3%	3.8
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	111	2.2%	3.7
689 : Kidney & urinary tract infections w MCC	107	2.1%	4.6
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	103	2.0%	3.8
683 : Renal failure w CC	98	1.9%	3.4
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	96	1.9%	3.5
948 : Signs & symptoms w/o MCC	93	1.8%	3.2
193 : Simple pneumonia & pleurisy w MCC	81	1.6%	3.9
812 : Red blood cell disorders w/o MCC	79	1.6%	2.9
638 : Diabetes w CC	61	1.2%	3.2
Top DRGs Statewide	3,443	68.0%	3.6
All DRGs Statewide	5,064	100.0%	3.5

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Montana
47 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	311	4.5%	3.2
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	310	4.5%	2.5
690 : Kidney & urinary tract infections w/o MCC	282	4.1%	2.9
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	279	4.0%	3.8
189 : Pulmonary edema & respiratory failure	204	2.9%	3.7
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	204	2.9%	3.4
195 : Simple pneumonia & pleurisy w/o CC/MCC	196	2.8%	3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	189	2.7%	3.2
292 : Heart failure & shock w CC	157	2.3%	3.4
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	149	2.1%	3.7
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	149	2.1%	2.8
193 : Simple pneumonia & pleurisy w MCC	142	2.0%	3.8
190 : Chronic obstructive pulmonary disease w MCC	135	1.9%	3.5
192 : Chronic obstructive pulmonary disease w/o CC/MCC	124	1.8%	2.6
603 : Cellulitis w/o MCC	120	1.7%	3.8
683 : Renal failure w CC	112	1.6%	3.1
191 : Chronic obstructive pulmonary disease w CC	109	1.6%	2.9
948 : Signs & symptoms w/o MCC	104	1.5%	3.2
552 : Medical back problems w/o MCC	92	1.3%	3.1
065 : Intracranial hemorrhage or cerebral infarction w CC or tPA in 24 hrs	91	1.3%	3.6
Top DRGs Statewide	3,459	49.8%	3.2
All DRGs Statewide	6,952	100.0%	3.2

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
North Carolina
20 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	574	7.6%	2.3
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	380	5.0%	4.4
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	317	4.2%	3.6
194 : Simple pneumonia & pleurisy w CC	309	4.1%	3.4
193 : Simple pneumonia & pleurisy w MCC	293	3.9%	4.1
690 : Kidney & urinary tract infections w/o MCC	291	3.9%	3.3
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	210	2.8%	3.6
190 : Chronic obstructive pulmonary disease w MCC	206	2.7%	3.7
189 : Pulmonary edema & respiratory failure	201	2.7%	3.5
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	183	2.4%	2.7
683 : Renal failure w CC	178	2.4%	3.3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	157	2.1%	3.2
603 : Cellulitis w/o MCC	150	2.0%	3.3
292 : Heart failure & shock w CC	147	1.9%	2.9
309 : Cardiac arrhythmia & conduction disorders w CC	106	1.4%	2.6
689 : Kidney & urinary tract infections w MCC	103	1.4%	3.5
191 : Chronic obstructive pulmonary disease w CC	96	1.3%	3.1
378 : GI hemorrhage w CC	89	1.2%	3.4
177 : Respiratory infections & inflammations w MCC	87	1.2%	4.7
310 : Cardiac arrhythmia & conduction disorders w/o CC/MCC	84	1.1%	1.9
Top DRGs Statewide	4,161	55.0%	3.3
All DRGs Statewide	7,568	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
North Dakota
36 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	324	6.5%	3.5
690 : Kidney & urinary tract infections w/o MCC	268	5.4%	3.2
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	212	4.3%	3.8
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	202	4.1%	2.6
195 : Simple pneumonia & pleurisy w/o CC/MCC	199	4.0%	3.2
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	169	3.4%	3.8
603 : Cellulitis w/o MCC	157	3.2%	3.6
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	151	3.1%	2.8
190 : Chronic obstructive pulmonary disease w MCC	149	3.0%	3.4
292 : Heart failure & shock w CC	147	3.0%	3.3
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	141	2.9%	2.1
193 : Simple pneumonia & pleurisy w MCC	125	2.5%	4.2
948 : Signs & symptoms w/o MCC	120	2.4%	3
293 : Heart failure & shock w/o CC/MCC	116	2.3%	3.1
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	106	2.1%	3.4
683 : Renal failure w CC	74	1.5%	3.2
192 : Chronic obstructive pulmonary disease w/o CC/MCC	69	1.4%	3
189 : Pulmonary edema & respiratory failure	63	1.3%	2.8
178 : Respiratory infections & inflammations w CC	62	1.3%	4.3
191 : Chronic obstructive pulmonary disease w CC	54	1.1%	3.2
Top DRGs Statewide	2,908	58.7%	3.3
All DRGs Statewide	4,952	100.0%	3.2

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Nebraska
64 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	714	7.2%	2.8
194 : Simple pneumonia & pleurisy w CC	705	7.1%	3.6
690 : Kidney & urinary tract infections w/o MCC	540	5.4%	3.2
195 : Simple pneumonia & pleurisy w/o CC/MCC	387	3.9%	3.4
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	322	3.2%	2.8
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	314	3.2%	2.8
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	303	3.0%	3.4
603 : Cellulitis w/o MCC	273	2.7%	3.5
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	260	2.6%	3.7
948 : Signs & symptoms w/o MCC	243	2.4%	2.8
190 : Chronic obstructive pulmonary disease w MCC	221	2.2%	3.6
292 : Heart failure & shock w CC	221	2.2%	3.4
192 : Chronic obstructive pulmonary disease w/o CC/MCC	219	2.2%	3.2
191 : Chronic obstructive pulmonary disease w CC	189	1.9%	3.2
193 : Simple pneumonia & pleurisy w MCC	185	1.9%	4
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	179	1.8%	3.4
293 : Heart failure & shock w/o CC/MCC	159	1.6%	3.1
552 : Medical back problems w/o MCC	126	1.3%	3.2
812 : Red blood cell disorders w/o MCC	117	1.2%	2.7
683 : Renal failure w CC	115	1.2%	3.3
Top DRGs Statewide	5,792	58.0%	3.2
All DRGs Statewide	9,980	100.0%	3.2

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
New Hampshire
13 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	587	10.5%	2.1
194 : Simple pneumonia & pleurisy w CC	203	3.7%	3.6
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	191	3.4%	3.9
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	182	3.3%	4.1
690 : Kidney & urinary tract infections w/o MCC	179	3.2%	3.2
190 : Chronic obstructive pulmonary disease w MCC	152	2.7%	3.9
193 : Simple pneumonia & pleurisy w MCC	145	2.6%	4.6
603 : Cellulitis w/o MCC	133	2.4%	4
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	122	2.2%	3
292 : Heart failure & shock w CC	106	1.9%	3.9
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	103	1.9%	4
189 : Pulmonary edema & respiratory failure	100	1.8%	3.9
195 : Simple pneumonia & pleurisy w/o CC/MCC	83	1.5%	3.8
191 : Chronic obstructive pulmonary disease w CC	79	1.4%	3.7
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	79	1.4%	3.1
683 : Renal failure w CC	78	1.4%	3.4
948 : Signs & symptoms w/o MCC	76	1.4%	3.1
065 : Intracranial hemorrhage or cerebral infarction w CC or tPA in 24 hrs	71	1.3%	3.1
192 : Chronic obstructive pulmonary disease w/o CC/MCC	70	1.3%	3
293 : Heart failure & shock w/o CC/MCC	63	1.1%	3.1
Top DRGs Statewide	2,802	50.3%	3.3
All DRGs Statewide	5,567	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.
Data Source: Medicare PPS Claims.
Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
New Mexico
10 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	124	5.8%	4.4
194 : Simple pneumonia & pleurisy w CC	109	5.1%	3.7
193 : Simple pneumonia & pleurisy w MCC	100	4.6%	3.9
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	76	3.5%	3.7
690 : Kidney & urinary tract infections w/o MCC	74	3.4%	3.1
190 : Chronic obstructive pulmonary disease w MCC	64	3.0%	3.5
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	64	3.0%	2
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	62	2.9%	3.8
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	61	2.8%	2.8
603 : Cellulitis w/o MCC	59	2.7%	8.2
195 : Simple pneumonia & pleurisy w/o CC/MCC	41	1.9%	3.2
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	41	1.9%	3.1
689 : Kidney & urinary tract infections w MCC	41	1.9%	3.9
189 : Pulmonary edema & respiratory failure	39	1.8%	3.8
292 : Heart failure & shock w CC	39	1.8%	3.7
192 : Chronic obstructive pulmonary disease w/o CC/MCC	36	1.7%	2.6
191 : Chronic obstructive pulmonary disease w CC	28	1.3%	3.3
309 : Cardiac arrhythmia & conduction disorders w CC	28	1.3%	3.1
378 : GI hemorrhage w CC	27	1.3%	2.6
065 : Intracranial hemorrhage or cerebral infarction w CC or tPA in 24 hrs	26	1.2%	2.6
Top DRGs Statewide	1,139	52.9%	3.7
All DRGs Statewide	2,154	100.0%	3.7

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Nevada
13 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
189 : Pulmonary edema & respiratory failure	167	5.2%	3.5
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	142	4.5%	4.4
193 : Simple pneumonia & pleurisy w MCC	138	4.3%	4.2
194 : Simple pneumonia & pleurisy w CC	134	4.2%	3.5
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	130	4.1%	2.6
190 : Chronic obstructive pulmonary disease w MCC	123	3.9%	3.8
690 : Kidney & urinary tract infections w/o MCC	121	3.8%	3.3
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	99	3.1%	3.5
603 : Cellulitis w/o MCC	89	2.8%	3.5
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	82	2.6%	4
192 : Chronic obstructive pulmonary disease w/o CC/MCC	76	2.4%	2.7
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	71	2.2%	3.2
292 : Heart failure & shock w CC	67	2.1%	2.9
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	66	2.1%	3.5
191 : Chronic obstructive pulmonary disease w CC	57	1.8%	3.2
195 : Simple pneumonia & pleurisy w/o CC/MCC	54	1.7%	2.9
683 : Renal failure w CC	49	1.5%	3.9
689 : Kidney & urinary tract infections w MCC	48	1.5%	4.1
293 : Heart failure & shock w/o CC/MCC	42	1.3%	2.7
378 : GI hemorrhage w CC	40	1.3%	3.1
Top DRGs Statewide	1,795	56.3%	3.5
All DRGs Statewide	3,187	100.0%	3.6

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
New York
18 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	229	7.7%	3.7
690 : Kidney & urinary tract infections w/o MCC	166	5.6%	3.2
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	150	5.0%	1.9
195 : Simple pneumonia & pleurisy w/o CC/MCC	114	3.8%	3.4
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	98	3.3%	2.7
603 : Cellulitis w/o MCC	98	3.3%	3.5
190 : Chronic obstructive pulmonary disease w MCC	97	3.3%	3.5
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	97	3.3%	2.9
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	97	3.3%	3.1
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	93	3.1%	3.9
292 : Heart failure & shock w CC	85	2.9%	3.7
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	84	2.8%	3.8
192 : Chronic obstructive pulmonary disease w/o CC/MCC	73	2.5%	3
191 : Chronic obstructive pulmonary disease w CC	62	2.1%	3.2
193 : Simple pneumonia & pleurisy w MCC	61	2.1%	4.1
189 : Pulmonary edema & respiratory failure	53	1.8%	3.4
948 : Signs & symptoms w/o MCC	46	1.5%	3
897 : Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC	44	1.5%	3.8
293 : Heart failure & shock w/o CC/MCC	41	1.4%	3
689 : Kidney & urinary tract infections w MCC	37	1.2%	4
Top DRGs Statewide	1,825	61.2%	3.3
All DRGs Statewide	2,980	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Ohio
33 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	624	7.5%	2.6
194 : Simple pneumonia & pleurisy w CC	413	5.0%	3.2
190 : Chronic obstructive pulmonary disease w MCC	348	4.2%	3.5
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	334	4.0%	3.6
193 : Simple pneumonia & pleurisy w MCC	306	3.7%	3.8
690 : Kidney & urinary tract infections w/o MCC	299	3.6%	2.7
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	284	3.4%	3.7
603 : Cellulitis w/o MCC	260	3.1%	3.2
189 : Pulmonary edema & respiratory failure	250	3.0%	3.5
191 : Chronic obstructive pulmonary disease w CC	230	2.8%	2.8
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	210	2.5%	2.6
192 : Chronic obstructive pulmonary disease w/o CC/MCC	208	2.5%	2.8
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	193	2.3%	2.4
292 : Heart failure & shock w CC	174	2.1%	2.8
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	174	2.1%	3.1
195 : Simple pneumonia & pleurisy w/o CC/MCC	138	1.7%	3
683 : Renal failure w CC	137	1.7%	2.9
309 : Cardiac arrhythmia & conduction disorders w CC	114	1.4%	2.5
293 : Heart failure & shock w/o CC/MCC	113	1.4%	2.6
689 : Kidney & urinary tract infections w MCC	106	1.3%	3.6
Top DRGs Statewide	4,915	59.2%	3.1
All DRGs Statewide	8,307	100.0%	3.1

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Oklahoma
40 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	454	8.9%	3.3
690 : Kidney & urinary tract infections w/o MCC	453	8.9%	3.4
195 : Simple pneumonia & pleurisy w/o CC/MCC	323	6.3%	3.3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	276	5.4%	2.7
192 : Chronic obstructive pulmonary disease w/o CC/MCC	230	4.5%	3.1
603 : Cellulitis w/o MCC	185	3.6%	3.5
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	158	3.1%	3
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	150	2.9%	3.5
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	148	2.9%	3.4
292 : Heart failure & shock w CC	144	2.8%	3.1
293 : Heart failure & shock w/o CC/MCC	143	2.8%	3
190 : Chronic obstructive pulmonary disease w MCC	137	2.7%	3.2
191 : Chronic obstructive pulmonary disease w CC	127	2.5%	3.1
193 : Simple pneumonia & pleurisy w MCC	121	2.4%	3.4
948 : Signs & symptoms w/o MCC	104	2.0%	3
689 : Kidney & urinary tract infections w MCC	102	2.0%	3.8
683 : Renal failure w CC	96	1.9%	2.9
189 : Pulmonary edema & respiratory failure	94	1.8%	3.2
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	82	1.6%	3.1
812 : Red blood cell disorders w/o MCC	59	1.2%	2.6
Top DRGs Statewide	3,586	70.2%	3.2
All DRGs Statewide	5,109	100.0%	3.1

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report State-Level Top 20 DRGs

Oregon 25 Hospitals

Discharges for most recent 4 Quarters, ending Q4FY2019 In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	500	6.2%	2.6
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	446	5.5%	4.3
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	318	3.9%	3.7
194 : Simple pneumonia & pleurisy w CC	266	3.3%	3.2
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	242	3.0%	3.6
690 : Kidney & urinary tract infections w/o MCC	230	2.9%	3
190 : Chronic obstructive pulmonary disease w MCC	220	2.7%	3.3
193 : Simple pneumonia & pleurisy w MCC	200	2.5%	4.1
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	199	2.5%	3.2
189 : Pulmonary edema & respiratory failure	194	2.4%	3.6
603 : Cellulitis w/o MCC	194	2.4%	3.3
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	167	2.1%	2.7
292 : Heart failure & shock w CC	166	2.1%	3.6
065 : Intracranial hemorrhage or cerebral infarction w CC or tPA in 24 hrs	147	1.8%	3.4
378 : GI hemorrhage w CC	126	1.6%	2.6
683 : Renal failure w CC	113	1.4%	3.1
195 : Simple pneumonia & pleurisy w/o CC/MCC	103	1.3%	2.7
191 : Chronic obstructive pulmonary disease w CC	100	1.2%	3.2
638 : Diabetes w CC	99	1.2%	2.6
309 : Cardiac arrhythmia & conduction disorders w CC	98	1.2%	2.6
Top DRGs Statewide	4,128	51.1%	3.3
All DRGs Statewide	8,074	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Pennsylvania
15 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	279	6.2%	2.2
194 : Simple pneumonia & pleurisy w CC	249	5.6%	3.6
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	184	4.1%	4.1
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	181	4.0%	4.4
193 : Simple pneumonia & pleurisy w MCC	168	3.8%	4.3
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	148	3.3%	2.8
190 : Chronic obstructive pulmonary disease w MCC	147	3.3%	3.9
690 : Kidney & urinary tract infections w/o MCC	147	3.3%	3.3
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	147	3.3%	3.6
603 : Cellulitis w/o MCC	125	2.8%	3.5
189 : Pulmonary edema & respiratory failure	116	2.6%	4
191 : Chronic obstructive pulmonary disease w CC	98	2.2%	3.2
195 : Simple pneumonia & pleurisy w/o CC/MCC	97	2.2%	3.3
292 : Heart failure & shock w CC	93	2.1%	3.1
192 : Chronic obstructive pulmonary disease w/o CC/MCC	91	2.0%	3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	91	2.0%	3.1
683 : Renal failure w CC	70	1.6%	3.8
309 : Cardiac arrhythmia & conduction disorders w CC	58	1.3%	2.7
293 : Heart failure & shock w/o CC/MCC	57	1.3%	2.9
310 : Cardiac arrhythmia & conduction disorders w/o CC/MCC	51	1.1%	2.2
Top DRGs Statewide	2,597	57.9%	3.4
All DRGs Statewide	4,483	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
South Carolina
4 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	57	12.7%	4.8
690 : Kidney & urinary tract infections w/o MCC	32	7.1%	4
603 : Cellulitis w/o MCC	14	3.1%	4.1
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	13	2.9%	4.3
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	13	2.9%	4.3
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	12	2.7%	4
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	12	2.7%	5.1
193 : Simple pneumonia & pleurisy w MCC	11	2.5%	4
683 : Renal failure w CC	11	2.5%	3.8
Top DRGs Statewide	175	39.1%	4.4
All DRGs Statewide	448	100.0%	4.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
South Dakota
38 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	455	8.3%	3.5
690 : Kidney & urinary tract infections w/o MCC	283	5.2%	3.1
195 : Simple pneumonia & pleurisy w/o CC/MCC	241	4.4%	3.3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	206	3.8%	2.8
603 : Cellulitis w/o MCC	188	3.4%	3.4
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	183	3.3%	2.7
190 : Chronic obstructive pulmonary disease w MCC	179	3.3%	4
292 : Heart failure & shock w CC	163	3.0%	3.4
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	140	2.6%	3.5
192 : Chronic obstructive pulmonary disease w/o CC/MCC	135	2.5%	3.1
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	134	2.4%	3.5
191 : Chronic obstructive pulmonary disease w CC	128	2.3%	3.2
948 : Signs & symptoms w/o MCC	120	2.2%	2.8
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	119	2.2%	3.5
293 : Heart failure & shock w/o CC/MCC	115	2.1%	2.8
193 : Simple pneumonia & pleurisy w MCC	114	2.1%	3.7
552 : Medical back problems w/o MCC	88	1.6%	3.2
683 : Renal failure w CC	75	1.4%	2.8
378 : GI hemorrhage w CC	73	1.3%	2.7
310 : Cardiac arrhythmia & conduction disorders w/o CC/MCC	71	1.3%	1.9
Top DRGs Statewide	3,210	58.6%	3.2
All DRGs Statewide	5,481	100.0%	3.2

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

**Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Tennessee
16 Hospitals**

**Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges**

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	192	8.7%	3.5
690 : Kidney & urinary tract infections w/o MCC	180	8.2%	3.2
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	120	5.4%	3.2
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	108	4.9%	3.9
192 : Chronic obstructive pulmonary disease w/o CC/MCC	79	3.6%	2.7
190 : Chronic obstructive pulmonary disease w MCC	72	3.3%	3.3
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	70	3.2%	2.7
195 : Simple pneumonia & pleurisy w/o CC/MCC	67	3.0%	3.4
191 : Chronic obstructive pulmonary disease w CC	65	3.0%	3.3
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	61	2.8%	3.7
603 : Cellulitis w/o MCC	60	2.7%	3.6
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	57	2.6%	3.1
193 : Simple pneumonia & pleurisy w MCC	56	2.5%	2.9
292 : Heart failure & shock w CC	53	2.4%	3.3
948 : Signs & symptoms w/o MCC	50	2.3%	3.8
189 : Pulmonary edema & respiratory failure	46	2.1%	3
293 : Heart failure & shock w/o CC/MCC	44	2.0%	2.8
689 : Kidney & urinary tract infections w MCC	41	1.9%	3.6
683 : Renal failure w CC	38	1.7%	3.3
812 : Red blood cell disorders w/o MCC	29	1.3%	2.2
Top DRGs Statewide	1,488	67.5%	3.3
All DRGs Statewide	2,204	100.0%	3.2

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report State-Level Top 20 DRGs

**Texas
89 Hospitals**

**Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges**

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
690 : Kidney & urinary tract infections w/o MCC	868	8.3%	3.4
194 : Simple pneumonia & pleurisy w CC	797	7.6%	3.8
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	458	4.4%	2.9
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	432	4.1%	4
195 : Simple pneumonia & pleurisy w/o CC/MCC	401	3.8%	3.5
603 : Cellulitis w/o MCC	356	3.4%	3.8
193 : Simple pneumonia & pleurisy w MCC	344	3.3%	4.4
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	341	3.3%	3.7
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	331	3.2%	3.6
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	316	3.0%	3
192 : Chronic obstructive pulmonary disease w/o CC/MCC	312	3.0%	3.1
190 : Chronic obstructive pulmonary disease w MCC	293	2.8%	3.7
292 : Heart failure & shock w CC	255	2.4%	3.5
191 : Chronic obstructive pulmonary disease w CC	211	2.0%	3.7
293 : Heart failure & shock w/o CC/MCC	186	1.8%	3.1
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	159	1.5%	2.9
689 : Kidney & urinary tract infections w MCC	153	1.5%	4.2
683 : Renal failure w CC	141	1.4%	3.1
189 : Pulmonary edema & respiratory failure	136	1.3%	3.8
948 : Signs & symptoms w/o MCC	134	1.3%	3.1
Top DRGs Statewide	6,624	63.2%	3.5
All DRGs Statewide	10,483	100.0%	3.5

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

**Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Utah**

**13 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges**

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	161	9.0%	3
194 : Simple pneumonia & pleurisy w CC	123	6.9%	3.5
690 : Kidney & urinary tract infections w/o MCC	83	4.6%	3
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	72	4.0%	3.4
195 : Simple pneumonia & pleurisy w/o CC/MCC	65	3.6%	3.3
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	61	3.4%	4
292 : Heart failure & shock w CC	51	2.8%	3.5
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	51	2.8%	2.7
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	48	2.7%	3.2
603 : Cellulitis w/o MCC	46	2.6%	3.9
193 : Simple pneumonia & pleurisy w MCC	37	2.1%	3.8
948 : Signs & symptoms w/o MCC	37	2.1%	3.2
176 : Pulmonary embolism w/o MCC	25	1.4%	2.7
191 : Chronic obstructive pulmonary disease w CC	25	1.4%	3
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	25	1.4%	3.5
552 : Medical back problems w/o MCC	24	1.3%	3.7
689 : Kidney & urinary tract infections w MCC	24	1.3%	4
189 : Pulmonary edema & respiratory failure	23	1.3%	3.4
192 : Chronic obstructive pulmonary disease w/o CC/MCC	23	1.3%	3.1
390 : GI obstruction w/o CC/MCC	23	1.3%	2
Top DRGs Statewide	1,027	57.2%	3.3
All DRGs Statewide	1,796	100.0%	3.3

**Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.
Data Source: Medicare PPS Claims.
Date prepared: 19MAY2020**

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Virginia
7 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	206	7.4%	3.7
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	148	5.3%	4.2
194 : Simple pneumonia & pleurisy w CC	116	4.2%	3.1
690 : Kidney & urinary tract infections w/o MCC	116	4.2%	3.5
193 : Simple pneumonia & pleurisy w MCC	106	3.8%	3.7
189 : Pulmonary edema & respiratory failure	102	3.7%	3.7
190 : Chronic obstructive pulmonary disease w MCC	80	2.9%	3.1
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	79	2.8%	3
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	79	2.8%	2.7
191 : Chronic obstructive pulmonary disease w CC	76	2.7%	3
683 : Renal failure w CC	70	2.5%	2.8
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	67	2.4%	3.8
603 : Cellulitis w/o MCC	66	2.4%	3.3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	62	2.2%	2.8
292 : Heart failure & shock w CC	56	2.0%	3.3
178 : Respiratory infections & inflammations w CC	44	1.6%	3.8
177 : Respiratory infections & inflammations w MCC	42	1.5%	4.6
378 : GI hemorrhage w CC	35	1.3%	2.4
065 : Intracranial hemorrhage or cerebral infarction w CC or tPA in 24 hrs	34	1.2%	3.1
309 : Cardiac arrhythmia & conduction disorders w CC	31	1.1%	2.6
Top DRGs Statewide	1,615	58.2%	3.4
All DRGs Statewide	2,777	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Vermont
8 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	422	11.2%	1.9
194 : Simple pneumonia & pleurisy w CC	157	4.2%	3.3
190 : Chronic obstructive pulmonary disease w MCC	98	2.6%	4.4
690 : Kidney & urinary tract infections w/o MCC	88	2.3%	3.3
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	88	2.3%	5.6
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	86	2.3%	3.1
292 : Heart failure & shock w CC	85	2.3%	3.7
189 : Pulmonary edema & respiratory failure	82	2.2%	4.2
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	79	2.1%	3.1
193 : Simple pneumonia & pleurisy w MCC	76	2.0%	5.2
483 : Major joint/limb reattachment procedure of upper extremities	76	2.0%	1.1
603 : Cellulitis w/o MCC	63	1.7%	3.7
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	61	1.6%	4.7
293 : Heart failure & shock w/o CC/MCC	57	1.5%	3.1
689 : Kidney & urinary tract infections w MCC	54	1.4%	4.4
195 : Simple pneumonia & pleurisy w/o CC/MCC	52	1.4%	3.2
192 : Chronic obstructive pulmonary disease w/o CC/MCC	49	1.3%	2.7
378 : GI hemorrhage w CC	48	1.3%	3.4
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	45	1.2%	4.2
310 : Cardiac arrhythmia & conduction disorders w/o CC/MCC	44	1.2%	2
Top DRGs Statewide	1,810	48.1%	3.2
All DRGs Statewide	3,763	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Washington
39 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	942	8.7%	2.1
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	613	5.7%	4.1
194 : Simple pneumonia & pleurisy w CC	369	3.4%	3.2
690 : Kidney & urinary tract infections w/o MCC	341	3.2%	3
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	317	2.9%	3.5
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	311	2.9%	3.6
189 : Pulmonary edema & respiratory failure	308	2.9%	3.6
190 : Chronic obstructive pulmonary disease w MCC	297	2.8%	3.5
193 : Simple pneumonia & pleurisy w MCC	260	2.4%	3.5
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	240	2.2%	2.8
603 : Cellulitis w/o MCC	230	2.1%	3.4
292 : Heart failure & shock w CC	222	2.1%	3.4
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	190	1.8%	2.7
065 : Intracranial hemorrhage or cerebral infarction w CC or tPA in 24 hrs	177	1.6%	3.1
483 : Major joint/limb reattachment procedure of upper extremities	150	1.4%	1.5
195 : Simple pneumonia & pleurisy w/o CC/MCC	136	1.3%	3
897 : Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC	126	1.2%	3.5
191 : Chronic obstructive pulmonary disease w CC	121	1.1%	3
309 : Cardiac arrhythmia & conduction disorders w CC	119	1.1%	2.9
683 : Renal failure w CC	116	1.1%	2.9
Top DRGs Statewide	5,585	51.7%	3.1
All DRGs Statewide	10,796	100.0%	3.2

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Wisconsin
58 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	1,488	9.6%	2.1
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	811	5.2%	3.7
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	759	4.9%	3.6
194 : Simple pneumonia & pleurisy w CC	610	3.9%	3.2
690 : Kidney & urinary tract infections w/o MCC	541	3.5%	2.9
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	538	3.5%	3.3
189 : Pulmonary edema & respiratory failure	430	2.8%	3.2
603 : Cellulitis w/o MCC	421	2.7%	3.4
190 : Chronic obstructive pulmonary disease w MCC	405	2.6%	3.2
193 : Simple pneumonia & pleurisy w MCC	395	2.5%	4.1
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	337	2.2%	2.6
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	310	2.0%	2.8
292 : Heart failure & shock w CC	290	1.9%	3.1
683 : Renal failure w CC	263	1.7%	3.2
191 : Chronic obstructive pulmonary disease w CC	256	1.7%	2.9
195 : Simple pneumonia & pleurisy w/o CC/MCC	227	1.5%	2.8
065 : Intracranial hemorrhage or cerebral infarction w CC or tPA in 24 hrs	207	1.3%	3.1
192 : Chronic obstructive pulmonary disease w/o CC/MCC	179	1.2%	2.9
293 : Heart failure & shock w/o CC/MCC	179	1.2%	2.5
948 : Signs & symptoms w/o MCC	179	1.2%	2.8
Top DRGs Statewide	8,825	56.8%	3
All DRGs Statewide	15,535	100.0%	3.1

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
West Virginia
21 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
194 : Simple pneumonia & pleurisy w CC	322	6.6%	3.9
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	246	5.1%	3.8
190 : Chronic obstructive pulmonary disease w MCC	242	5.0%	3.4
690 : Kidney & urinary tract infections w/o MCC	228	4.7%	3.3
193 : Simple pneumonia & pleurisy w MCC	175	3.6%	4.1
189 : Pulmonary edema & respiratory failure	170	3.5%	3.4
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	169	3.5%	2.7
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	158	3.3%	3.9
191 : Chronic obstructive pulmonary disease w CC	144	3.0%	3.1
192 : Chronic obstructive pulmonary disease w/o CC/MCC	135	2.8%	3
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	133	2.7%	3.1
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	130	2.7%	3.5
292 : Heart failure & shock w CC	128	2.6%	3.4
603 : Cellulitis w/o MCC	114	2.4%	3.4
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	110	2.3%	2.9
195 : Simple pneumonia & pleurisy w/o CC/MCC	109	2.2%	3.5
683 : Renal failure w CC	82	1.7%	3.2
948 : Signs & symptoms w/o MCC	73	1.5%	3.8
812 : Red blood cell disorders w/o MCC	65	1.3%	2.7
293 : Heart failure & shock w/o CC/MCC	64	1.3%	3
Top DRGs Statewide	2,997	61.7%	3.4
All DRGs Statewide	4,857	100.0%	3.4

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020

Critical Access Hospital Q4FY19 Report
State-Level Top 20 DRGs
Wyoming
16 Hospitals
Discharges for most recent 4 Quarters, ending Q4FY2019
In Descending Order by Total Discharges

DRG code and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
470 : Major hip and knee joint replacement or reattachment of lower extremity w/o MCC	349	9.7%	2.6
194 : Simple pneumonia & pleurisy w CC	147	4.1%	3.4
292 : Heart failure & shock w CC	114	3.2%	2.8
690 : Kidney & urinary tract infections w/o MCC	113	3.1%	2.9
291 : Heart failure & shock w MCC or peripheral extracorporeal membrane oxygenation (ECMO)	95	2.6%	3.5
392 : Esophagitis, gastroent & misc digest disorders w/o MCC	92	2.6%	2.6
641 : Misc disorders of nutrition,metabolism,fluids/electrolytes w/o MCC	88	2.5%	2.3
193 : Simple pneumonia & pleurisy w MCC	78	2.2%	3.7
195 : Simple pneumonia & pleurisy w/o CC/MCC	78	2.2%	3.2
872 : Septicemia or severe sepsis w/o MV >96 hours w/o MCC	78	2.2%	3.5
603 : Cellulitis w/o MCC	76	2.1%	3.6
190 : Chronic obstructive pulmonary disease w MCC	73	2.0%	3.3
460 : Spinal fusion except cervical w/o MCC	72	2.0%	1.8
871 : Septicemia or severe sepsis w/o MV >96 hours w MCC	71	2.0%	3.2
483 : Major joint/limb reattachment procedure of upper extremities	67	1.9%	1.4
293 : Heart failure & shock w/o CC/MCC	65	1.8%	2.6
948 : Signs & symptoms w/o MCC	59	1.6%	3.3
191 : Chronic obstructive pulmonary disease w CC	58	1.6%	2.7
189 : Pulmonary edema & respiratory failure	56	1.6%	2.8
683 : Renal failure w CC	48	1.3%	3.1
Top DRGs Statewide	1,877	52.2%	2.9
All DRGs Statewide	3,597	100.0%	3

Note: Statistics are only displayed when there are 3 or more providers in the state and the DRG count is greater than 10.

Data Source: Medicare PPS Claims.

Date prepared: 19MAY2020