

# Inpatient Psychiatric Facility State-Level Top DRG Report

Q4FY21

## Top 20 DRGs for Alaska, 3 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	151	77.0%	14.1
883 : Disorders of personality and impulse control	13	6.6%	8.5
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	12	6.1%	15.3
Top DRGs Statewide	176	89.8%	13.8
All DRGs Statewide	196	100.0%	14

## Top 20 DRGs for Alabama, 39 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	2,029	48.9%	14.8
884 : Organic disturbances and intellectual disability	927	22.3%	15.8
057 : Degenerative nervous system disorders w/o MCC	676	16.3%	16.7
881 : Depressive neuroses	176	4.2%	7.4
056 : Degenerative nervous system disorders w MCC	79	1.9%	24.1
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	72	1.7%	9
071 : Nonspecific cerebrovascular disorders w CC	46	1.1%	11.2
880 : Acute adjustment reaction and psychosocial dysfunction	43	1.0%	8.2
882 : Neuroses except depressive	25	0.6%	14
883 : Disorders of personality and impulse control	16	0.4%	10.9
Top DRGs Statewide	4,089	98.5%	15
All DRGs Statewide	4,152	100.0%	15

## **Top 20 DRGs for Arkansas, 32 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	1,936	47.7%	11
884 : Organic disturbances and intellectual disability	881	21.7%	12.5
057 : Degenerative nervous system disorders w/o MCC	717	17.7%	14.4
881 : Depressive neuroses	101	2.5%	9.2
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	93	2.3%	11.3
056 : Degenerative nervous system disorders w MCC	87	2.1%	16.2
882 : Neuroses except depressive	58	1.4%	7.8
880 : Acute adjustment reaction and psychosocial dysfunction	43	1.1%	10.9
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	23	0.6%	20.2
303 : Atherosclerosis w/o MCC	18	0.4%	12.3
948 : Signs and symptoms w/o MCC	12	0.3%	10.5
894 : Alcohol, drug abuse or dependence, left AMA	11	0.3%	3.7
Top DRGs Statewide	3,980	98.1%	12
All DRGs Statewide	4,057	100.0%	12

#### Top 20 DRGs for Arizona, 33 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	2,967	72.0%	13.6
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	302	7.3%	6.6
884 : Organic disturbances and intellectual disability	262	6.4%	17.4
881 : Depressive neuroses	159	3.9%	8.4
057 : Degenerative nervous system disorders w/o MCC	133	3.2%	14.9
882 : Neuroses except depressive	79	1.9%	9.2
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	71	1.7%	22.2
880 : Acute adjustment reaction and psychosocial dysfunction	47	1.1%	7.6
894 : Alcohol, drug abuse or dependence, left AMA	34	0.8%	5.6
056 : Degenerative nervous system disorders w MCC	19	0.5%	11.3
883 : Disorders of personality and impulse control	15	0.4%	14.3
Top DRGs Statewide	4,088	99.2%	13.1
All DRGs Statewide	4,122	100.0%	13.1

## **Top 20 DRGs for California, 94 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	15,623	88.3%	14.4
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	570	3.2%	6.2
884 : Organic disturbances and intellectual disability	410	2.3%	19
881 : Depressive neuroses	374	2.1%	8.1
057 : Degenerative nervous system disorders w/o MCC	127	0.7%	20.3
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	119	0.7%	13.1
882 : Neuroses except depressive	111	0.6%	5.8
880 : Acute adjustment reaction and psychosocial dysfunction	79	0.5%	9.2
894 : Alcohol, drug abuse or dependence, left AMA	77	0.4%	4.1
883 : Disorders of personality and impulse control	38	0.2%	14.1
876 : OR procs w PDx of mental illness	27	0.2%	24.3
056 : Degenerative nervous system disorders w MCC	22	0.1%	47.1
896 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w MCC	18	0.1%	7.4
832 : Other antepartum diagnoses w/o OR procs w CC	16	0.1%	12
886 : Behavioral and developmental disorders	12	0.1%	9.7
887 : Other mental disorder diagnoses	11	0.1%	19.9
Top DRGs Statewide	17,634	99.7%	14.1
All DRGs Statewide	17,696	100.0%	14.1

## **Top 20 DRGs for Colorado, 18 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	1,746	77.9%	11.6
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	125	5.6%	5.4
884 : Organic disturbances and intellectual disability	73	3.3%	27.7
882 : Neuroses except depressive	64	2.9%	5.3
881 : Depressive neuroses	61	2.7%	6.6
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	52	2.3%	6.1
057 : Degenerative nervous system disorders w/o MCC	32	1.4%	21.6
880 : Acute adjustment reaction and psychosocial dysfunction	29	1.3%	6.1
883 : Disorders of personality and impulse control	21	0.9%	10.3
Top DRGs Statewide	2,203	98.3%	11.4
All DRGs Statewide	2,242	100.0%	11.7

## **Top 20 DRGs for Connecticut, 25 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	2,388	70.9%	15.2
884 : Organic disturbances and intellectual disability	334	9.9%	20.8
057 : Degenerative nervous system disorders w/o MCC	233	6.9%	18.7
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	129	3.8%	9.5
881 : Depressive neuroses	101	3.0%	9.5
882 : Neuroses except depressive	31	0.9%	11.4
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	31	0.9%	25.7
880 : Acute adjustment reaction and psychosocial dysfunction	30	0.9%	11.6
883 : Disorders of personality and impulse control	25	0.7%	10.1
056 : Degenerative nervous system disorders w MCC	18	0.5%	18.9
886 : Behavioral and developmental disorders	14	0.4%	15.6
Top DRGs Statewide	3,334	99.0%	15.6
All DRGs Statewide	3,368	100.0%	15.6

## **Top 20 DRGs for District of Columbia, 5 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	580	71.8%	13.1
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	165	20.4%	6.3
881 : Depressive neuroses	24	3.0%	5.9
894 : Alcohol, drug abuse or dependence, left AMA	19	2.4%	4.2
Top DRGs Statewide	788	97.5%	11.2
All DRGs Statewide	808	100.0%	11.2

#### **Top 20 DRGs for Delaware, 5 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	954	74.1%	13.5
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	184	14.3%	8
884 : Organic disturbances and intellectual disability	56	4.4%	23.9
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	33	2.6%	7.3
881 : Depressive neuroses	26	2.0%	11.8
882 : Neuroses except depressive	12	0.9%	7.1
Top DRGs Statewide	1,265	98.3%	12.9
All DRGs Statewide	1,287	100.0%	12.9

## **Top 20 DRGs for Florida, 67 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	14,541	83.2%	10.7
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	1,097	6.3%	10.7
881 : Depressive neuroses	362	2.1%	8.6
884 : Organic disturbances and intellectual disability	348	2.0%	12.2
882 : Neuroses except depressive	265	1.5%	7.7
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	226	1.3%	13.4
880 : Acute adjustment reaction and psychosocial dysfunction	215	1.2%	14.4
057 : Degenerative nervous system disorders w/o MCC	118	0.7%	10.8
883 : Disorders of personality and impulse control	80	0.5%	7.2
894 : Alcohol, drug abuse or dependence, left AMA	65	0.4%	4.8
886 : Behavioral and developmental disorders	30	0.2%	5.5
896 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w MCC	21	0.1%	9.1
056 : Degenerative nervous system disorders w MCC	17	0.1%	17.4
832 : Other antepartum diagnoses w/o OR procs w CC	15	0.1%	14.1
Top DRGs Statewide	17,400	99.6%	10.7
All DRGs Statewide	17,468	100.0%	10.7

#### Top 20 DRGs for Georgia, 40 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	5,063	71.0%	11.4
057 : Degenerative nervous system disorders w/o MCC	489	6.9%	15.3
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	441	6.2%	7.8
884 : Organic disturbances and intellectual disability	404	5.7%	14.7
881 : Depressive neuroses	209	2.9%	9.8
882 : Neuroses except depressive	189	2.7%	13.9
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	158	2.2%	18.1
056 : Degenerative nervous system disorders w MCC	54	0.8%	15.2
880 : Acute adjustment reaction and psychosocial dysfunction	40	0.6%	8.3
883 : Disorders of personality and impulse control	16	0.2%	7.4
Top DRGs Statewide	7,063	99.0%	11.8
All DRGs Statewide	7,136	100.0%	11.8

## Top 20 DRGs for Hawaii, 2 Hospitals

## **Top 20 DRGs for Iowa, 16 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	639	59.9%	14.8
057 : Degenerative nervous system disorders w/o MCC	142	13.3%	17.9
884 : Organic disturbances and intellectual disability	81	7.6%	29.5
881 : Depressive neuroses	38	3.6%	13.6
883 : Disorders of personality and impulse control	35	3.3%	34.4
882 : Neuroses except depressive	31	2.9%	10.1
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	25	2.3%	7.2
056 : Degenerative nervous system disorders w MCC	22	2.1%	37.1
880 : Acute adjustment reaction and psychosocial dysfunction	21	2.0%	7.9
Top DRGs Statewide	1,034	96.9%	17
All DRGs Statewide	1,067	100.0%	16.9

# Top 20 DRGs for Idaho, 9 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	690	73.0%	13.3
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	84	8.9%	6.2
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	81	8.6%	20.1
881 : Depressive neuroses	29	3.1%	7.9
Top DRGs Statewide	884	93.5%	13
All DRGs Statewide	945	100.0%	12.8

## **Top 20 DRGs for Illinois, 58 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	5,774	78.6%	10.9
884 : Organic disturbances and intellectual disability	608	8.3%	16.4
057 : Degenerative nervous system disorders w/o MCC	254	3.5%	14.8
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	188	2.6%	5.4
881 : Depressive neuroses	167	2.3%	9.9
880 : Acute adjustment reaction and psychosocial dysfunction	84	1.1%	11.3
882 : Neuroses except depressive	67	0.9%	10.2
056 : Degenerative nervous system disorders w MCC	47	0.6%	19.4
883 : Disorders of personality and impulse control	40	0.5%	10
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	31	0.4%	6.8
876 : OR procs w PDx of mental illness	11	0.2%	20.2
886 : Behavioral and developmental disorders	11	0.2%	14.5
Top DRGs Statewide	7,282	99.2%	11.4
All DRGs Statewide	7,342	100.0%	11.4

## Top 20 DRGs for Indiana, 46 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	4,118	60.3%	11.6
884 : Organic disturbances and intellectual disability	1,041	15.3%	17
057 : Degenerative nervous system disorders w/o MCC	664	9.7%	17.9
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	236	3.5%	6.8
056 : Degenerative nervous system disorders w MCC	108	1.6%	31.3
881 : Depressive neuroses	105	1.5%	7.8
880 : Acute adjustment reaction and psychosocial dysfunction	104	1.5%	14.9
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	88	1.3%	6.8
883 : Disorders of personality and impulse control	70	1.0%	14
882 : Neuroses except depressive	57	0.8%	9.2
886 : Behavioral and developmental disorders	35	0.5%	18.2
305 : Hypertension w/o MCC	22	0.3%	7.3
392 : Esophagitis, gastroenteritis and misc digestive disorders w/o MCC	17	0.3%	8.1
639 : Diabetes w/o CC/MCC	17	0.3%	6.6
896 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w MCC	14	0.2%	17.1
641 : Misc disorders of nutrition, metabolism, fluids and electrolytes w/o MCC	12	0.2%	6.4
642 : Inborn and other disorders of metabolism	11	0.2%	6.2
Top DRGs Statewide	6,719	98.4%	13.1
All DRGs Statewide	6,826	100.0%	13

# Top 20 DRGs for Kansas, 18 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	1,496	58.4%	15.6
884 : Organic disturbances and intellectual disability	335	13.1%	16.3
880 : Acute adjustment reaction and psychosocial dysfunction	189	7.4%	17.1
057 : Degenerative nervous system disorders w/o MCC	154	6.0%	25.1
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	136	5.3%	14.1
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	90	3.5%	6.5
881 : Depressive neuroses	51	2.0%	10.3
056 : Degenerative nervous system disorders w MCC	27	1.1%	18.3
882 : Neuroses except depressive	24	0.9%	8.4
883 : Disorders of personality and impulse control	15	0.6%	11.1
Top DRGs Statewide	2,517	98.2%	15.8
All DRGs Statewide	2,562	100.0%	15.8

## Top 20 DRGs for Kentucky, 32 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	1,967	57.7%	11.5
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	346	10.1%	8.8
057 : Degenerative nervous system disorders w/o MCC	299	8.8%	11.9
884 : Organic disturbances and intellectual disability	255	7.5%	12.6
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	237	7.0%	16.1
881 : Depressive neuroses	83	2.4%	6.1
882 : Neuroses except depressive	46	1.4%	4.3
894 : Alcohol, drug abuse or dependence, left AMA	38	1.1%	4.6
056 : Degenerative nervous system disorders w MCC	27	0.8%	15.1
883 : Disorders of personality and impulse control	25	0.7%	5
880 : Acute adjustment reaction and psychosocial dysfunction	24	0.7%	4.9
896 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w MCC	17	0.5%	10.5
886 : Behavioral and developmental disorders	12	0.4%	4.9
Top DRGs Statewide	3,376	99.0%	11.2
All DRGs Statewide	3,411	100.0%	11.2

## **Top 20 DRGs for Louisiana, 75 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	7,228	74.8%	12.3
884 : Organic disturbances and intellectual disability	760	7.9%	15.1
057 : Degenerative nervous system disorders w/o MCC	624	6.5%	15.3
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	455	4.7%	8.3
881 : Depressive neuroses	181	1.9%	8
882 : Neuroses except depressive	90	0.9%	16.7
880 : Acute adjustment reaction and psychosocial dysfunction	60	0.6%	9.6
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	59	0.6%	6.8
056 : Degenerative nervous system disorders w MCC	43	0.5%	13.5
883 : Disorders of personality and impulse control	43	0.5%	17.4
886 : Behavioral and developmental disorders	39	0.4%	17.7
Top DRGs Statewide	9,582	99.2%	12.5
All DRGs Statewide	9,658	100.0%	12.5

#### **Top 20 DRGs for Massachusetts, 50 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	7,219	68.5%	15.5
884 : Organic disturbances and intellectual disability	1,063	10.1%	21.2
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	538	5.1%	6.7
057 : Degenerative nervous system disorders w/o MCC	473	4.5%	23.2
881 : Depressive neuroses	417	4.0%	10.8
882 : Neuroses except depressive	276	2.6%	10.5
880 : Acute adjustment reaction and psychosocial dysfunction	184	1.8%	13
883 : Disorders of personality and impulse control	110	1.0%	14.5
056 : Degenerative nervous system disorders w MCC	104	1.0%	28.8
894 : Alcohol, drug abuse or dependence, left AMA	48	0.5%	2.7
896 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w MCC	17	0.2%	8.5
886 : Behavioral and developmental disorders	15	0.1%	20.2
876 : OR procs w PDx of mental illness	13	0.1%	28.8
Top DRGs Statewide	10,477	99.5%	15.7
All DRGs Statewide	10,535	100.0%	15.7

#### Top 20 DRGs for Maryland, 7 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	682	78.6%	17.2
881 : Depressive neuroses	51	5.9%	13.3
884 : Organic disturbances and intellectual disability	40	4.6%	33.2
882 : Neuroses except depressive	33	3.8%	25.8
880 : Acute adjustment reaction and psychosocial dysfunction	20	2.3%	9.2
883 : Disorders of personality and impulse control	19	2.2%	31.7
Top DRGs Statewide	845	97.4%	18.2
All DRGs Statewide	868	100.0%	18.3

## **Top 20 DRGs for Maine, 8 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	495	76.9%	19.5
881 : Depressive neuroses	37	5.8%	10.8
882 : Neuroses except depressive	24	3.7%	14.1
884 : Organic disturbances and intellectual disability	20	3.1%	37.6
880 : Acute adjustment reaction and psychosocial dysfunction	16	2.5%	9.5
057 : Degenerative nervous system disorders w/o MCC	14	2.2%	18.7
883 : Disorders of personality and impulse control	12	1.9%	14.1
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	12	1.9%	7
Top DRGs Statewide	630	97.8%	18.8
All DRGs Statewide	644	100.0%	19.1

#### **Top 20 DRGs for Michigan, 53 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	7,673	85.7%	13
884 : Organic disturbances and intellectual disability	304	3.4%	18.1
881 : Depressive neuroses	228	2.6%	8.6
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	207	2.3%	18.9
057 : Degenerative nervous system disorders w/o MCC	181	2.0%	19.3
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	87	1.0%	7.2
880 : Acute adjustment reaction and psychosocial dysfunction	60	0.7%	11
882 : Neuroses except depressive	59	0.7%	8.1
883 : Disorders of personality and impulse control	44	0.5%	10.9
894 : Alcohol, drug abuse or dependence, left AMA	29	0.3%	5.8
056 : Degenerative nervous system disorders w MCC	17	0.2%	18.4
832 : Other antepartum diagnoses w/o OR procs w CC	13	0.2%	11.4
Top DRGs Statewide	8,902	99.5%	13.2
All DRGs Statewide	8,950	100.0%	13.2

#### **Top 20 DRGs for Minnesota, 25 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	1,592	68.6%	18.3
057 : Degenerative nervous system disorders w/o MCC	193	8.3%	19.8
884 : Organic disturbances and intellectual disability	129	5.6%	21.1
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	100	4.3%	26.9
883 : Disorders of personality and impulse control	79	3.4%	11.5
882 : Neuroses except depressive	68	2.9%	24.2
880 : Acute adjustment reaction and psychosocial dysfunction	58	2.5%	20.8
881 : Depressive neuroses	45	1.9%	14.2
056 : Degenerative nervous system disorders w MCC	13	0.6%	22.1
Top DRGs Statewide	2,277	98.2%	18.9
All DRGs Statewide	2,320	100.0%	19

#### **Top 20 DRGs for Missouri, 36 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	3,071	63.1%	11.6
057 : Degenerative nervous system disorders w/o MCC	626	12.9%	12.9
884 : Organic disturbances and intellectual disability	449	9.2%	14.1
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	216	4.4%	13.4
881 : Depressive neuroses	105	2.2%	8.2
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	87	1.8%	5.7
056 : Degenerative nervous system disorders w MCC	85	1.8%	14.5
880 : Acute adjustment reaction and psychosocial dysfunction	48	1.0%	8.4
882 : Neuroses except depressive	48	1.0%	7.1
883 : Disorders of personality and impulse control	41	0.8%	6.2
886 : Behavioral and developmental disorders	13	0.3%	5.2
894 : Alcohol, drug abuse or dependence, left AMA	11	0.2%	4.4
Top DRGs Statewide	4,800	98.6%	11.8
All DRGs Statewide	4,867	100.0%	11.8

#### **Top 20 DRGs for Mississippi, 36 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	3,288	58.8%	13.2
884 : Organic disturbances and intellectual disability	1,118	20.0%	13.2
057 : Degenerative nervous system disorders w/o MCC	563	10.1%	14.2
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	206	3.7%	10.3
881 : Depressive neuroses	146	2.6%	10.2
880 : Acute adjustment reaction and psychosocial dysfunction	69	1.2%	9.8
056 : Degenerative nervous system disorders w MCC	46	0.8%	18.3
882 : Neuroses except depressive	34	0.6%	11
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	21	0.4%	14.2
883 : Disorders of personality and impulse control	20	0.4%	13.4
948 : Signs and symptoms w/o MCC	14	0.3%	10.2
894 : Alcohol, drug abuse or dependence, left AMA	13	0.2%	4.2
Top DRGs Statewide	5,538	99.0%	13.1
All DRGs Statewide	5,594	100.0%	13.1

## **Top 20 DRGs for Montana, 2 Hospitals**

## **Top 20 DRGs for North Carolina, 42 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	5,022	81.5%	13
884 : Organic disturbances and intellectual disability	264	4.3%	22.7
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	240	3.9%	7.2
881 : Depressive neuroses	139	2.3%	7.3
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	121	2.0%	10.4
057 : Degenerative nervous system disorders w/o MCC	115	1.9%	22.4
882 : Neuroses except depressive	89	1.4%	9.3
880 : Acute adjustment reaction and psychosocial dysfunction	44	0.7%	12.4
883 : Disorders of personality and impulse control	38	0.6%	10.6
056 : Degenerative nervous system disorders w MCC	16	0.3%	33.9
Top DRGs Statewide	6,088	98.8%	13.2
All DRGs Statewide	6,164	100.0%	13.2

#### **Top 20 DRGs for North Dakota, 6 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	694	81.3%	11
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	43	5.0%	9.9
883 : Disorders of personality and impulse control	25	2.9%	8.7
882 : Neuroses except depressive	24	2.8%	3.8
881 : Depressive neuroses	20	2.3%	4.7
884 : Organic disturbances and intellectual disability	20	2.3%	19.6
Top DRGs Statewide	826	96.7%	10.7
All DRGs Statewide	854	100.0%	10.8

#### Top 20 DRGs for Nebraska, 9 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	806	73.8%	9
057 : Degenerative nervous system disorders w/o MCC	104	9.5%	17.2
884 : Organic disturbances and intellectual disability	42	3.9%	15.9
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	37	3.4%	5.4
883 : Disorders of personality and impulse control	29	2.7%	6.9
882 : Neuroses except depressive	21	1.9%	4.1
881 : Depressive neuroses	17	1.6%	5.6
880 : Acute adjustment reaction and psychosocial dysfunction	11	1.0%	4.3
Top DRGs Statewide	1,067	97.7%	9.7
All DRGs Statewide	1,092	100.0%	9.7

#### **Top 20 DRGs for New Hampshire, 12 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	963	63.3%	14.3
057 : Degenerative nervous system disorders w/o MCC	120	7.9%	21.8
884 : Organic disturbances and intellectual disability	95	6.2%	30.3
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	89	5.9%	6.5
881 : Depressive neuroses	72	4.7%	8
882 : Neuroses except depressive	49	3.2%	9.5
883 : Disorders of personality and impulse control	40	2.6%	10.5
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	31	2.0%	7.4
880 : Acute adjustment reaction and psychosocial dysfunction	29	1.9%	9.4
056 : Degenerative nervous system disorders w MCC	14	0.9%	33.5
Top DRGs Statewide	1,502	98.7%	14.8
All DRGs Statewide	1,522	100.0%	14.8

#### **Top 20 DRGs for New Jersey, 38 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	4,442	77.8%	16.1
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	285	5.0%	7.8
057 : Degenerative nervous system disorders w/o MCC	269	4.7%	23.8
884 : Organic disturbances and intellectual disability	246	4.3%	20.2
881 : Depressive neuroses	133	2.3%	10.9
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	117	2.1%	18
894 : Alcohol, drug abuse or dependence, left AMA	50	0.9%	4.9
880 : Acute adjustment reaction and psychosocial dysfunction	46	0.8%	11.3
882 : Neuroses except depressive	35	0.6%	12
883 : Disorders of personality and impulse control	26	0.5%	7.2
056 : Degenerative nervous system disorders w MCC	19	0.3%	26.2
Top DRGs Statewide	5,668	99.3%	16
All DRGs Statewide	5,707	100.0%	16

## **Top 20 DRGs for New Mexico, 8 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	1,157	90.5%	10.9
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	38	3.0%	6.1
881 : Depressive neuroses	22	1.7%	7.3
884 : Organic disturbances and intellectual disability	22	1.7%	21.7
057 : Degenerative nervous system disorders w/o MCC	11	0.9%	33.1
Top DRGs Statewide	1,250	97.7%	11.1
All DRGs Statewide	1,279	100.0%	11

# Top 20 DRGs for Nevada, 16 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	3,572	80.7%	10.9
884 : Organic disturbances and intellectual disability	199	4.5%	23.3
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	161	3.6%	7.3
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	139	3.1%	11.8
057 : Degenerative nervous system disorders w/o MCC	136	3.1%	27.3
881 : Depressive neuroses	66	1.5%	7.8
056 : Degenerative nervous system disorders w MCC	39	0.9%	30.8
880 : Acute adjustment reaction and psychosocial dysfunction	26	0.6%	11.8
894 : Alcohol, drug abuse or dependence, left AMA	25	0.6%	4.4
882 : Neuroses except depressive	19	0.4%	5.1
Top DRGs Statewide	4,382	99.0%	12
All DRGs Statewide	4,426	100.0%	11.9

## Top 20 DRGs for New York, 94 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	9,512	85.1%	17.9
881 : Depressive neuroses	576	5.2%	10.9
884 : Organic disturbances and intellectual disability	304	2.7%	19.3
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	174	1.6%	7.4
882 : Neuroses except depressive	160	1.4%	11.2
883 : Disorders of personality and impulse control	142	1.3%	11.5
880 : Acute adjustment reaction and psychosocial dysfunction	102	0.9%	14.4
057 : Degenerative nervous system disorders w/o MCC	60	0.5%	19.5
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	43	0.4%	20.4
918 : Poisoning and toxic effects of drugs w/o MCC	16	0.1%	9.9
876 : OR procs w PDx of mental illness	13	0.1%	28
886 : Behavioral and developmental disorders	12	0.1%	13.2
Top DRGs Statewide	11,114	99.4%	17.2
All DRGs Statewide	11,183	100.0%	17.2

## **Top 20 DRGs for Ohio, 67 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	8,629	76.1%	13
884 : Organic disturbances and intellectual disability	780	6.9%	13.2
057 : Degenerative nervous system disorders w/o MCC	635	5.6%	14.6
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	305	2.7%	15.1
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	270	2.4%	8.4
881 : Depressive neuroses	207	1.8%	8.4
883 : Disorders of personality and impulse control	100	0.9%	11.8
056 : Degenerative nervous system disorders w MCC	96	0.9%	16.8
880 : Acute adjustment reaction and psychosocial dysfunction	91	0.8%	9.9
882 : Neuroses except depressive	88	0.8%	12.8
886 : Behavioral and developmental disorders	40	0.4%	11.8
894 : Alcohol, drug abuse or dependence, left AMA	19	0.2%	4.9
918 : Poisoning and toxic effects of drugs w/o MCC	13	0.1%	7.7
896 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w MCC	12	0.1%	12.8
Top DRGs Statewide	11,285	99.5%	12.9
All DRGs Statewide	11,342	100.0%	12.9

## Top 20 DRGs for Oklahoma, 27 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	2,224	59.6%	14.7
057 : Degenerative nervous system disorders w/o MCC	618	16.6%	16.3
884 : Organic disturbances and intellectual disability	373	10.0%	16.2
881 : Depressive neuroses	130	3.5%	20.2
056 : Degenerative nervous system disorders w MCC	106	2.8%	16.8
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	94	2.5%	8.6
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	52	1.4%	12.6
880 : Acute adjustment reaction and psychosocial dysfunction	40	1.1%	12
882 : Neuroses except depressive	16	0.4%	12
883 : Disorders of personality and impulse control	11	0.3%	21.4
Top DRGs Statewide	3,664	98.2%	15.2
All DRGs Statewide	3,733	100.0%	15.2

## Top 20 DRGs for Oregon, 12 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	1,086	78.5%	20.2
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	182	13.2%	8.4
881 : Depressive neuroses	36	2.6%	13.1
884 : Organic disturbances and intellectual disability	20	1.5%	24.8
882 : Neuroses except depressive	13	0.9%	10.1
Top DRGs Statewide	1,337	96.6%	18.4
All DRGs Statewide	1,384	100.0%	18.3

## **Top 20 DRGs for Pennsylvania, 74 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	6,823	81.0%	17
881 : Depressive neuroses	408	4.8%	9.9
884 : Organic disturbances and intellectual disability	341	4.1%	22.4
057 : Degenerative nervous system disorders w/o MCC	267	3.2%	20.1
882 : Neuroses except depressive	127	1.5%	7.7
880 : Acute adjustment reaction and psychosocial dysfunction	112	1.3%	10.8
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	94	1.1%	8.3
883 : Disorders of personality and impulse control	80	1.0%	15.9
886 : Behavioral and developmental disorders	44	0.5%	13.8
056 : Degenerative nervous system disorders w MCC	35	0.4%	24.9
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	24	0.3%	25.3
894 : Alcohol, drug abuse or dependence, left AMA	13	0.2%	8.7
Top DRGs Statewide	8,368	99.3%	16.7
All DRGs Statewide	8,424	100.0%	16.6

## **Top 20 DRGs for Puerto Rico, 7 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	765	82.5%	7.7
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	143	15.4%	6.8
Top DRGs Statewide	908	98.0%	7.6
All DRGs Statewide	927	100.0%	7.6

## Top 20 DRGs for Rhode Island, 7 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	882	60.3%	11.1
884 : Organic disturbances and intellectual disability	168	11.5%	19.1
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	146	10.0%	5.8
057 : Degenerative nervous system disorders w/o MCC	89	6.1%	20.3
881 : Depressive neuroses	85	5.8%	6.9
882 : Neuroses except depressive	24	1.6%	7.5
880 : Acute adjustment reaction and psychosocial dysfunction	19	1.3%	9.7
883 : Disorders of personality and impulse control	11	0.8%	8.5
Top DRGs Statewide	1,424	97.3%	11.7
All DRGs Statewide	1,463	100.0%	11.8

## **Top 20 DRGs for South Carolina, 24 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	2,492	69.8%	11.8
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	298	8.3%	8.8
884 : Organic disturbances and intellectual disability	278	7.8%	15.7
057 : Degenerative nervous system disorders w/o MCC	150	4.2%	13.3
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	121	3.4%	14.7
881 : Depressive neuroses	61	1.7%	7.1
882 : Neuroses except depressive	36	1.0%	11.9
883 : Disorders of personality and impulse control	25	0.7%	6.8
880 : Acute adjustment reaction and psychosocial dysfunction	23	0.6%	7
056 : Degenerative nervous system disorders w MCC	21	0.6%	17
894 : Alcohol, drug abuse or dependence, left AMA	21	0.6%	5.1
Top DRGs Statewide	3,526	98.7%	11.8
All DRGs Statewide	3,573	100.0%	11.8

# Top 20 DRGs for South Dakota, 3 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	234	57.9%	12.8
884 : Organic disturbances and intellectual disability	43	10.6%	18.8
057 : Degenerative nervous system disorders w/o MCC	40	9.9%	31.2
881 : Depressive neuroses	20	5.0%	8.3
880 : Acute adjustment reaction and psychosocial dysfunction	14	3.5%	11.5
882 : Neuroses except depressive	14	3.5%	4.6
948 : Signs and symptoms w/o MCC	12	3.0%	27.7
Top DRGs Statewide	377	93.3%	15.3
All DRGs Statewide	404	100.0%	15.1

## **Top 20 DRGs for Tennessee, 45 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	4,485	62.5%	12.7
884 : Organic disturbances and intellectual disability	1,343	18.7%	16.1
057 : Degenerative nervous system disorders w/o MCC	648	9.0%	16.4
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	290	4.0%	7.8
056 : Degenerative nervous system disorders w MCC	127	1.8%	17.3
881 : Depressive neuroses	81	1.1%	7.9
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	43	0.6%	8.1
880 : Acute adjustment reaction and psychosocial dysfunction	34	0.5%	8.4
883 : Disorders of personality and impulse control	25	0.4%	10.9
882 : Neuroses except depressive	24	0.3%	9.7
894 : Alcohol, drug abuse or dependence, left AMA	15	0.2%	3.5
071 : Nonspecific cerebrovascular disorders w CC	13	0.2%	13.5
Top DRGs Statewide	7,128	99.3%	13.4
All DRGs Statewide	7,177	100.0%	13.4

## **Top 20 DRGs for Texas, 95 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	12,390	86.1%	12.3
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	521	3.6%	9.2
884 : Organic disturbances and intellectual disability	458	3.2%	16.9
057 : Degenerative nervous system disorders w/o MCC	404	2.8%	16.7
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	220	1.5%	11.5
881 : Depressive neuroses	146	1.0%	9.6
882 : Neuroses except depressive	59	0.4%	7.3
880 : Acute adjustment reaction and psychosocial dysfunction	39	0.3%	10.8
056 : Degenerative nervous system disorders w MCC	32	0.2%	22.8
894 : Alcohol, drug abuse or dependence, left AMA	32	0.2%	4.8
883 : Disorders of personality and impulse control	25	0.2%	8.2
896 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w MCC	13	0.1%	9.5
Top DRGs Statewide	14,339	99.6%	12.4
All DRGs Statewide	14,396	100.0%	12.4

# Top 20 DRGs for Utah, 16 Hospitals

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	1,159	75.0%	11.7
057 : Degenerative nervous system disorders w/o MCC	92	6.0%	17.4
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	75	4.9%	9.4
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	58	3.8%	24
884 : Organic disturbances and intellectual disability	45	2.9%	11.2
881 : Depressive neuroses	37	2.4%	5.3
880 : Acute adjustment reaction and psychosocial dysfunction	23	1.5%	8.7
056 : Degenerative nervous system disorders w MCC	15	1.0%	17.6
882 : Neuroses except depressive	12	0.8%	8.3
Top DRGs Statewide	1,516	98.1%	12.2
All DRGs Statewide	1,545	100.0%	12.2

## **Top 20 DRGs for Virginia, 34 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	3,416	76.5%	13.2
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	326	7.3%	8.8
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	166	3.7%	7.2
881 : Depressive neuroses	115	2.6%	8
884 : Organic disturbances and intellectual disability	115	2.6%	18.8
882 : Neuroses except depressive	68	1.5%	12.6
057 : Degenerative nervous system disorders w/o MCC	51	1.1%	17.6
894 : Alcohol, drug abuse or dependence, left AMA	39	0.9%	4.8
880 : Acute adjustment reaction and psychosocial dysfunction	38	0.9%	8.9
883 : Disorders of personality and impulse control	30	0.7%	20.8
918 : Poisoning and toxic effects of drugs w/o MCC	19	0.4%	5.6
056 : Degenerative nervous system disorders w MCC	14	0.3%	31.3
896 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w MCC	12	0.3%	14.5
Top DRGs Statewide	4,409	98.8%	12.7
All DRGs Statewide	4,465	100.0%	12.7

## **Top 20 DRGs for Vermont, 3 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	208	90.0%	14.3
Top DRGs Statewide	208	90.0%	14.3
All DRGs Statewide	231	100.0%	13.9

## **Top 20 DRGs for Washington, 19 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	2,015	73.7%	19
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	206	7.5%	12
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	155	5.7%	15.2
894 : Alcohol, drug abuse or dependence, left AMA	79	2.9%	6.6
881 : Depressive neuroses	67	2.5%	13.5
057 : Degenerative nervous system disorders w/o MCC	63	2.3%	40
884 : Organic disturbances and intellectual disability	56	2.1%	34.8
882 : Neuroses except depressive	23	0.8%	11
056 : Degenerative nervous system disorders w MCC	16	0.6%	55.8
880 : Acute adjustment reaction and psychosocial dysfunction	12	0.4%	15.4
883 : Disorders of personality and impulse control	12	0.4%	33.6
896 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w MCC	11	0.4%	15.3
Top DRGs Statewide	2,715	99.2%	18.8
All DRGs Statewide	2,736	100.0%	18.9

## **Top 20 DRGs for Wisconsin, 24 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	1,999	68.7%	10.9
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	244	8.4%	5.5
881 : Depressive neuroses	140	4.8%	8.1
057 : Degenerative nervous system disorders w/o MCC	105	3.6%	21
882 : Neuroses except depressive	92	3.2%	6.2
884 : Organic disturbances and intellectual disability	91	3.1%	16.2
883 : Disorders of personality and impulse control	74	2.5%	10.2
880 : Acute adjustment reaction and psychosocial dysfunction	52	1.8%	7.2
894 : Alcohol, drug abuse or dependence, left AMA	25	0.9%	2.7
887 : Other mental disorder diagnoses	15	0.5%	24
886 : Behavioral and developmental disorders	12	0.4%	9
895 : Alcohol, drug abuse or dependence w rehabilitation therapy	12	0.4%	5
948 : Signs and symptoms w/o MCC	11	0.4%	15.5
Top DRGs Statewide	2,872	98.7%	10.6
All DRGs Statewide	2,910	100.0%	10.6

## **Top 20 DRGs for West Virginia, 14 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	935	66.6%	12.8
884 : Organic disturbances and intellectual disability	193	13.8%	18.6
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	84	6.0%	9
881 : Depressive neuroses	55	3.9%	12.2
057 : Degenerative nervous system disorders w/o MCC	54	3.9%	16.4
880 : Acute adjustment reaction and psychosocial dysfunction	26	1.9%	12.5
882 : Neuroses except depressive	16	1.1%	5.6
Top DRGs Statewide	1,363	97.2%	13.4
All DRGs Statewide	1,403	100.0%	13.4

## **Top 20 DRGs for Wyoming, 5 Hospitals**

DRG and Description	Total Discharges for DRG	Proportion of Discharges for Each DRG to Total Discharges	Average Length of Stay for Each DRG
885 : Psychoses	270	76.7%	14.4
897 : Alcohol, drug abuse or dependence w/o rehabilitation therapy w/o MCC	26	7.4%	5.6
882 : Neuroses except depressive	13	3.7%	8.5
883 : Disorders of personality and impulse control	11	3.1%	15.5
Top DRGs Statewide	320	90.9%	13.5
All DRGs Statewide	352	100.0%	13.2