



Percentiles by Peer Group Short-Term Hospital

Q1FY22




Target Area: Stroke Intracranial Hemorrhage - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	80.0%	88.2%	94.1%
Urban	78.9%	88.2%	94.3%




Target Area: Respiratory Infections - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	60.0%	73.3%	82.9%
Urban	58.9%	70.8%	80.6%




Target Area: Simple Pneumonia - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	56.1%	68.2%	80.0%
Urban	51.3%	62.3%	75.0%




Target Area: Septicemia - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	46.4%	61.0%	73.8%
Urban	52.2%	64.7%	74.7%




Target Area: Unrelated OR Procedure - Location

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Urban	2.4%	3.2%	4.5%




Target Area: Medical DRGs with CC or MCC - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	70.1%	78.4%	83.6%
Urban	73.4%	78.6%	82.8%




Target Area: Surgical DRGs with CC or MCC - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	55.6%	67.4%	77.8%
Urban	58.3%	67.2%	75.0%




Target Area: Single CC or MCC - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	42.7%	48.5%	56.6%
Urban	41.8%	45.8%	50.6%




Target Area: Severe Malnutrition - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	32.8%	38.1%	46.3%
Urban	30.9%	37.6%	45.8%




Target Area: Excisional Debridement - Location

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Urban	14.0%	18.6%	26.4%




Target Area: Ventilator Support - Location

Demogra Group	20th Percentile	50th Percentile	80th Percentile
Rural	11.0%	16.6%	25.5%
Urban	10.4%	15.5%	21.2%




Target Area: Emergency Department Evaluation and Management Visits - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	17.6%	31.9%	43.0%
Urban	18.3%	32.2%	45.1%




Target Area: Chronic Obstructive Pulmonary Disease - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	10.9%	15.4%	21.2%
Urban	8.7%	12.5%	17.3%




Target Area: Percutaneous Cardiovascular Procedures - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	39.3%	51.5%	66.7%
Urban	39.5%	50.6%	65.1%




Target Area: Total Knee Replacement - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	46.2%	88.9%	100.0%
Urban	26.7%	50.8%	84.0%




Target Area: Syncope - Location

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Urban	6.0%	8.2%	11.1%




Target Area: Other Circulatory System Diagnoses - Location

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Urban	5.7%	7.7%	10.5%




Target Area: Other Digestive System Diagnoses - Location

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Urban	11.4%	15.2%	19.2%




Target Area: Medical Back Problems - Location

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Urban	27.1%	33.3%	42.4%




Target Area: Spinal Fusion - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	61.4%	72.4%	84.0%
Urban	49.3%	61.9%	77.9%




Target Area: Three-Day Skilled Nursing Facility-Qualifying Admissions - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	13.8%	18.4%	26.8%
Urban	9.9%	13.5%	17.7%




Target Area: 30-Day Readmissions to Same Hospital or Elsewhere - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	12.7%	15.5%	18.5%
Urban	14.4%	17.0%	19.6%




Target Area: 30-Day Readmissions to Same Hospital - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	8.9%	11.3%	13.7%
Urban	9.3%	11.8%	14.0%




Target Area: Two-Day Stays for Medical DRGs - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	17.0%	21.0%	26.0%
Urban	15.3%	18.6%	22.6%




Target Area: Two-Day Stays for Surgical DRGs - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	13.8%	18.3%	23.4%
Urban	11.6%	14.9%	20.0%




Target Area: One-Day Stays for Medical DRGs - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	8.5%	11.9%	17.1%
Urban	5.3%	8.8%	13.1%




Target Area: One-Day Stays for Surgical DRGs - Location

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Rural	14.1%	20.0%	33.3%
Urban	11.5%	16.3%	23.9%




Target Area: Stroke Intracranial Hemorrhage - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	82.9%	90.0%	95.2%
Nonteaching	77.8%	87.5%	94.1%
Other Teaching	80.0%	88.0%	94.1%




Target Area: Respiratory Infections - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	62.5%	73.6%	81.0%
Nonteaching	57.9%	70.2%	81.0%
Other Teaching	60.9%	72.7%	81.4%




Target Area: Simple Pneumonia - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	48.4%	61.2%	72.7%
Nonteaching	52.2%	64.7%	78.0%
Other Teaching	52.4%	62.8%	75.0%




Target Area: Septicemia - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	54.0%	65.5%	74.4%
Nonteaching	50.0%	64.1%	74.5%
Other Teaching	52.2%	64.3%	74.4%




Target Area: Unrelated OR Procedure - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	2.2%	3.0%	4.0%
Nonteaching	2.8%	3.8%	5.1%
Other Teaching	2.3%	3.0%	4.3%




Target Area: Medical DRGs with CC or MCC - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	74.4%	79.0%	82.3%
Nonteaching	72.0%	78.0%	83.1%
Other Teaching	73.9%	79.2%	83.2%




Target Area: Surgical DRGs with CC or MCC - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	61.5%	68.7%	76.0%
Nonteaching	56.7%	66.7%	75.4%
Other Teaching	58.3%	67.0%	74.8%




Target Area: Single CC or MCC - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	41.4%	44.3%	47.9%
Nonteaching	42.5%	47.2%	53.8%
Other Teaching	41.3%	45.6%	50.0%




Target Area: Severe Malnutrition - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	31.8%	38.2%	45.6%
Nonteaching	31.7%	37.7%	47.2%
Other Teaching	29.1%	36.7%	44.4%




Target Area: Excisional Debridement - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	13.2%	16.9%	21.8%
Nonteaching	17.4%	22.8%	29.6%
Other Teaching	13.9%	19.5%	26.8%




Target Area: Ventilator Support - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	11.6%	17.6%	23.4%
Nonteaching	10.1%	15.1%	20.5%
Other Teaching	10.6%	14.8%	20.4%




Target Area: Emergency Department Evaluation and Management Visits - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	20.2%	33.9%	50.2%
Nonteaching	17.5%	31.3%	43.9%
Other Teaching	19.1%	32.7%	45.2%




Target Area: Chronic Obstructive Pulmonary Disease - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	7.3%	10.2%	15.1%
Nonteaching	10.1%	14.3%	18.6%
Other Teaching	8.6%	11.7%	17.2%




Target Area: Percutaneous Cardiovascular Procedures - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	38.5%	50.0%	62.5%
Nonteaching	39.6%	51.7%	66.7%
Other Teaching	39.2%	50.9%	65.3%




Target Area: Total Knee Replacement - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	27.7%	51.8%	81.9%
Nonteaching	29.9%	58.3%	92.3%
Other Teaching	26.4%	49.6%	86.8%




Target Area: Syncope - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	5.1%	8.0%	11.1%
Nonteaching	6.6%	8.6%	11.7%
Other Teaching	5.9%	8.0%	10.9%




Target Area: Other Circulatory System Diagnoses - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	6.4%	9.0%	11.7%
Nonteaching	5.4%	7.2%	8.4%
Other Teaching	5.3%	7.0%	10.6%




Target Area: Other Digestive System Diagnoses - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	12.7%	15.7%	19.6%
Nonteaching	11.0%	14.6%	20.0%
Other Teaching	11.3%	14.6%	18.6%




Target Area: Medical Back Problems - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	25.5%	31.8%	41.4%
Nonteaching	27.4%	34.1%	42.2%
Other Teaching	28.8%	35.5%	44.4%




Target Area: Spinal Fusion - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	46.3%	56.0%	68.2%
Nonteaching	52.4%	70.0%	89.5%
Other Teaching	50.0%	62.1%	75.0%




Target Area: Three-Day Skilled Nursing Facility-Qualifying Admissions - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	8.4%	11.3%	14.7%
Nonteaching	11.7%	15.4%	20.5%
Other Teaching	9.6%	13.0%	17.2%




Target Area: 30-Day Readmissions to Same Hospital or Elsewhere - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	15.5%	17.8%	20.3%
Nonteaching	13.8%	16.4%	19.3%
Other Teaching	14.0%	16.7%	18.9%




Target Area: 30-Day Readmissions to Same Hospital - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	10.3%	12.6%	14.5%
Nonteaching	8.9%	11.3%	13.7%
Other Teaching	9.4%	11.8%	14.0%




Target Area: Two-Day Stays for Medical DRGs - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	13.9%	16.5%	20.1%
Nonteaching	16.3%	20.0%	24.3%
Other Teaching	15.3%	18.3%	22.3%




Target Area: Two-Day Stays for Surgical DRGs - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	10.5%	13.2%	16.8%
Nonteaching	12.4%	16.2%	22.6%
Other Teaching	11.7%	14.9%	19.2%




Target Area: One-Day Stays for Medical DRGs - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	4.5%	7.7%	11.3%
Nonteaching	6.5%	10.2%	14.9%
Other Teaching	5.3%	8.7%	12.7%




Target Area: One-Day Stays for Surgical DRGs - Teaching Status

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Major Teaching	10.5%	13.9%	19.4%
Nonteaching	12.4%	18.3%	28.6%
Other Teaching	11.0%	17.0%	23.8%




Target Area: Stroke Intracranial Hemorrhage - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	72.7%	81.7%	90.9%
Government	81.3%	89.7%	94.9%
Nonprofit/Church	80.0%	88.5%	94.4%




Target Area: Respiratory Infections - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	52.4%	65.1%	76.2%
Government	55.3%	68.0%	79.0%
Nonprofit/Church	61.7%	73.3%	81.6%




Target Area: Simple Pneumonia - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	56.3%	71.4%	83.3%
Government	51.8%	61.9%	74.7%
Nonprofit/Church	51.0%	61.9%	75.0%




Target Area: Septicemia - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	53.0%	65.8%	75.5%
Government	47.5%	59.5%	72.3%
Nonprofit/Church	51.7%	64.7%	74.4%




Target Area: Unrelated OR Procedure - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	2.2%	3.0%	4.5%
Government	2.3%	3.0%	4.2%
Nonprofit/Church	2.4%	3.3%	4.5%




Target Area: Medical DRGs with CC or MCC - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	71.4%	77.7%	82.9%
Government	68.4%	76.3%	81.5%
Nonprofit/Church	74.1%	79.2%	83.2%




Target Area: Surgical DRGs with CC or MCC - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	53.5%	66.4%	75.0%
Government	57.1%	67.7%	76.4%
Nonprofit/Church	59.1%	67.6%	75.0%




Target Area: Single CC or MCC - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	42.6%	47.8%	53.9%
Government	43.0%	48.2%	56.8%
Nonprofit/Church	41.5%	45.7%	50.1%




Target Area: Severe Malnutrition - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	30.4%	38.1%	44.2%
Government	32.4%	40.0%	50.0%
Nonprofit/Church	31.0%	37.7%	45.7%




Target Area: Excisional Debridement - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	15.9%	23.6%	35.9%
Government	13.1%	17.3%	23.5%
Nonprofit/Church	14.1%	18.7%	27.0%




Target Area: Ventilator Support - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	10.9%	15.9%	22.2%
Government	12.2%	18.0%	23.9%
Nonprofit/Church	10.3%	15.2%	20.8%




Target Area: Emergency Department Evaluation and Management Visits - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	14.9%	28.8%	41.7%
Government	17.1%	30.2%	43.1%
Nonprofit/Church	19.8%	33.1%	45.4%




Target Area: Chronic Obstructive Pulmonary Disease - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	10.0%	15.7%	21.0%
Government	9.2%	13.8%	19.5%
Nonprofit/Church	8.5%	12.2%	16.5%




Target Area: Percutaneous Cardiovascular Procedures - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	40.0%	51.2%	66.7%
Government	41.9%	51.2%	62.5%
Nonprofit/Church	38.9%	50.0%	65.0%




Target Area: Total Knee Replacement - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	32.4%	63.0%	92.1%
Government	26.7%	61.4%	98.6%
Nonprofit/Church	26.7%	49.6%	84.0%




Target Area: Syncope - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	8.1%	10.1%	13.0%
Government	5.6%	8.0%	10.7%
Nonprofit/Church	5.9%	7.9%	10.8%




Target Area: Other Circulatory System Diagnoses - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	5.9%	7.6%	10.5%
Government	6.0%	9.9%	11.8%
Nonprofit/Church	5.6%	7.6%	10.0%




Target Area: Other Digestive System Diagnoses - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	13.7%	17.3%	21.4%
Government	11.2%	14.9%	19.1%
Nonprofit/Church	11.2%	14.7%	18.8%




Target Area: Medical Back Problems - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	31.1%	38.0%	46.4%
Government	26.0%	31.7%	36.6%
Nonprofit/Church	26.4%	32.5%	42.2%




Target Area: Spinal Fusion - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	59.1%	77.8%	94.1%
Government	41.9%	56.5%	70.8%
Nonprofit/Church	48.7%	60.1%	72.8%




Target Area: Three-Day Skilled Nursing Facility-Qualifying Admissions - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	12.0%	15.7%	21.2%
Government	9.2%	12.6%	19.5%
Nonprofit/Church	9.9%	13.5%	17.7%




Target Area: 30-Day Readmissions to Same Hospital or Elsewhere - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	14.4%	17.1%	20.0%
Government	13.8%	16.9%	19.6%
Nonprofit/Church	14.0%	16.6%	19.2%




Target Area: 30-Day Readmissions to Same Hospital - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	8.8%	11.0%	13.4%
Government	9.5%	12.2%	14.1%
Nonprofit/Church	9.6%	11.8%	14.2%




Target Area: Two-Day Stays for Medical DRGs - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	16.7%	20.3%	24.6%
Government	15.5%	18.9%	23.7%
Nonprofit/Church	15.2%	18.7%	22.8%




Target Area: Two-Day Stays for Surgical DRGs - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	13.3%	17.8%	28.2%
Government	11.2%	14.2%	18.5%
Nonprofit/Church	11.5%	14.6%	19.1%




Target Area: One-Day Stays for Medical DRGs - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	6.1%	9.0%	14.9%
Government	6.1%	10.0%	15.0%
Nonprofit/Church	5.5%	9.1%	13.5%




Target Area: One-Day Stays for Surgical DRGs - Ownership Type

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Forprofit/Phys	11.8%	18.3%	35.8%
Government	10.8%	15.2%	23.0%
Nonprofit/Church	11.8%	16.6%	22.9%




Target Area: Stroke Intracranial Hemorrhage - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	78.9%	88.2%	94.3%




Target Area: Respiratory Infections - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	59.2%	71.4%	81.1%




Target Area: Simple Pneumonia - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	51.8%	63.3%	76.5%




Target Area: Septicemia - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	51.4%	64.4%	74.5%




Target Area: Unrelated OR Procedure - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	2.4%	3.2%	4.5%




Target Area: Medical DRGs with CC or MCC - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	72.9%	78.6%	83.0%




Target Area: Surgical DRGs with CC or MCC - Surgical Focus

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Other	58.3%	67.5%	75.5%
Surgical	15.9%	28.1%	47.9%




Target Area: Single CC or MCC - Surgical Focus

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Other	41.9%	46.2%	51.6%
Surgical	54.5%	68.0%	75.0%




Target Area: Severe Malnutrition - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	30.9%	37.7%	45.9%




Target Area: Excisional Debridement - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	14.2%	18.9%	26.9%




Target Area: Ventilator Support - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	10.5%	15.6%	21.6%




Target Area: Emergency Department Evaluation and Management Visits - Surgical Focus

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Other	18.2%	32.2%	44.8%
Surgical	11.6%	16.5%	26.1%




Target Area: Chronic Obstructive Pulmonary Disease - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	8.9%	12.9%	17.7%




Target Area: Percutaneous Cardiovascular Procedures - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	39.5%	50.8%	65.3%




Target Area: Total Knee Replacement - Surgical Focus

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Other	27.4%	52.5%	84.9%
Surgical	28.3%	65.8%	97.4%




Target Area: Syncope - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	6.0%	8.2%	11.1%




Target Area: Other Circulatory System Diagnoses - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	5.7%	7.7%	10.5%




Target Area: Other Digestive System Diagnoses - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	11.4%	15.2%	19.3%




Target Area: Medical Back Problems - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	27.2%	33.8%	42.4%




Target Area: Spinal Fusion - Surgical Focus

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Other	48.6%	61.0%	75.0%
Surgical	89.4%	94.6%	100.0%




Target Area: Three-Day Skilled Nursing Facility-Qualifying Admissions - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	10.1%	13.9%	18.6%




Target Area: 30-Day Readmissions to Same Hospital or Elsewhere - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	14.0%	16.8%	




Target Area: 30-Day Readmissions to Same Hospital - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	9.3%	11.7%	13.9%




Target Area: Two-Day Stays for Medical DRGs - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	15.5%	19.1%	23.3%




Target Area: Two-Day Stays for Surgical DRGs - Surgical Focus

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Other	11.6%	14.9%	19.4%
Surgical	23.9%	40.6%	66.7%



Target Area: One-Day Stays for Medical DRGs - Surgical Focus

Demographic	20th	50th	80th
Group	Percentile	Percentile	Percentile
Other	5.7%	9.3%	



Target Area: One-Day Stays for Surgical DRGs - Surgical Focus

Demographic Group	20th Percentile	50th Percentile	80th Percentile
Other	11.5%	16.3%	23.3%
Surgical	25.0%	44.4%	67.4%

